

Maahum Imran

To-Do List Application

Problem Statement

2

Goal: Build a simple task manager in Java

Requirements:

- Add, view, remove tasks
- Store tasks in a file
- Run in command-line interface

Features

- Add tasks with description + category (School, Work, etc.)
- View all tasks in a formatted list
- Remove tasks by selecting task number
- Persistent storage using a local text file

Main.java

- Handles user input and menu system

Task.java

- Represents a single task object
- Stores description + category

ToDoManager.java

- Handles logic (add, remove, list)
- Handles file reading/writing

Storage

5

Tasks are stored in a local file called `tasks.txt`

Each task is saved in the format:
`description,category`

Example:

Finish homework,School

Buy groceries,Personal

Run Instructions

6

Step 1: Compile

```
javac src/*.java
```

Step 2: Run

```
java -cp src Main
```

Step 3: Use menu to interact with the program

Example Output

7

```
==== TODO LIST ====
```

1. Add Task
2. List Tasks
3. Remove Task
4. Exit

```
Choice: 2
```

1. Homework [School]
2. Buy groceries [Personal]

```
==== TODO LIST ====
```

1. Add Task
2. List Tasks
3. Remove Task
4. Exit

```
Choice: 3
```

1. Homework [School]
 2. Buy groceries [Personal]
- ```
Enter task number to remove: 2
Task removed.
```

```
==== TODO LIST ====
```

1. Add Task
2. List Tasks
3. Remove Task
4. Exit

```
Choice: 2
```

1. Homework [School]

## Before Removal

Task list includes multiple saved items

## During Removal

User selects a task number to remove from the list

## After Removal

Updated list reflects the deleted task, and changes are immediately saved to file storage