



CheckFlow

One Page Checkout for WooCommerce

"Checkout Smarter. Convert Faster."

📋 সম্পূর্ণ বিজনেস রোডম্যাপ • ফিচার প্ল্যান • **Cursor AI Prompts** • কম্পিটিটর অ্যানালাইসিস

১. প্রজেক্ট ওভারভিউ

🎯 Mission Statement

WooCommerce-এর জন্য সবচেয়ে দ্রুত, সুন্দর ও বাংলাদেশ-বান্ধব One Page Checkout Plugin তৈরি করা — যেটা bKash/Nagad সাপোর্ট করে, Pathao/RedX courier API দিয়ে ডেলিভারি বুক করে, এবং সব Facebook ও Google Ad সঠিকভাবে ট্র্যাক করে।

Plugin Identity

Plugin নাম	CheckFlow — One Page Checkout for WooCommerce
ট্যাগলাইন	Checkout Smarter. Convert Faster.
টার্গেট মার্কেট	বাংলাদেশ ফার্স্ট → South Asia → Global
মূল প্রতিযোগী	CartFlows (\$99/yr), FunnelKit (\$129/yr)
প্রাইসিং	Free Pro \$49/yr Agency \$129/yr LTD \$199
প্ল্যাটফর্ম	WordPress + WooCommerce 7.0+, PHP 7.4–8.3
লঞ্চ টার্গেট	Phase 1: ৩ মাসের মধ্যে WordPress.org-এ

২. ফিচার প্ল্যান (সম্পূর্ণ তালিকা)

ফিচার	ফ্রি	Pro	Agency	বিস্তারিত
AJAX Real-time Update	✓	✓	✓	পেজ রিলোড ছাড়া quantity/total আপডেট
Mobile-First Design	✓	✓	✓	Responsive, touch-optimized layout
Popup / Slide Checkout	✓	✓	✓	পেজ না ছেড়েই checkout সম্পন্ন
Direct Checkout (Skip Cart)	✓	✓	✓	Add to Cart থেকে সরাসরি checkout
Trust Badges	✓	✓	✓	SSL lock, secure payment আইকন
Basic Template (1টি)	✓	✓	✓	Clean default one-page layout
Drag & Drop Field Editor	✗	✓	✓	২০+ field type, reorder, conditional
Order Bump	✗	✓	✓	Checkout-এ extra product offer
One-Click Upsell	✗	✓	✓	Post-purchase upsell page
Premium Templates (৫টি)	✗	✓	✓	Modern, conversion-optimized designs
bKash / Nagad / Rocket	✗	✓	✓	বাংলাদেশি mobile payment নেটিভ
SSLCOMMERZ Integration	✗	✓	✓	BD-র সবচেয়ে বড় payment gateway
Pathao / RedX Courier API	✗	✓	✓	Checkout-এ ডেলিভারি বুক করুন
SteadFast Courier API	✗	✓	✓	COD ও prepaid উভয় সাপোর্ট
Google Address Autocomplete	✗	✓	✓	Places API দিয়ে ঠিকানা ১ ক্লিকে
Auto Coupon Apply	✗	✓	✓	URL-based smart discount
Urgency Timer + Stock Count	✗	✓	✓	FOMO element বাড়ায় conversion
Server-side Pixel Tracking	✗	✓	✓	Meta CAPI + Google Enhanced Conv.
Analytics Dashboard	✗	✓	✓	Conversion rate, abandonment stats
Multi-language (বাংলা সহ)	✗	✓	✓	WPML/Polylang + নেটিভ বাংলা
Google/Apple Pay Express	✗	✓	✓	One-tap payment
A/B Testing	✗	✗	✓	Checkout variant testing

ফিচার	ফ্রি	Pro	Agency	বিস্তারিত
White Label	✗	✗	✓	Agency reseller জন্য
Team Access & Roles	✗	✗	✓	Multi-user management
Priority Support	✗	✗	✓	২৪ঘন্টার মধ্যে response

৩. কম্পিটিটর অ্যানালাইসিস

ফিচার	CartFlows	FunnelKit	WC Official	CheckFlow ✓
মূল্য (শুরু)	\$99/yr	\$129/yr	\$79/yr	\$49/yr ✓
Server-side Tracking	✗ ভাঙা	✗ ভাঙা	✗ নেই	✓ নেটিভ
bKash / Nagad	✗ নেই	✗ নেই	✗ নেই	✓ Built-in
Pathao / RedX Courier	✗ নেই	✗ নেই	✗ নেই	✓ API
Drag & Drop Fields	✗ সীমিত	✓ আছে	✗ নেই	✓ সম্পূর্ণ
Order Bump + Upsell	✓ Pro	✓ Pro	✗ নেই	✓ Pro
Built-in Analytics	✓ Pro	✓ Pro	✗ নেই	✓ Pro
বাংলা Language	✗ নেই	✗ নেই	✗ নেই	✓ নেটিভ
Setup সহজ	মাঝারি	✗ কঠিন	সহজ	✓ ৫ মিনিট
Lifetime Deal	✓ \$999	✗ নেই	✗ নেই	✓ \$199

প্রধান দুর্বলতা যেগুলো **CheckFlow** সমাধান করবে

✗ Pixel Tracking ভেঙে যায় — সবচেয়ে বড় সমস্যা

✓ CheckFlow সমাধান: CartFlows এবং FunnelKit উভয়ই WooCommerce-এর /order-received/ URL বদলে দেয়। ফলে Google Ads, Meta Pixel ৩০-৪০% সেল ট্র্যাক করতে পারে না। CheckFlow-এর সমাধান: woocommerce_payment_complete hook থেকে সরাসরি server-side Conversions API-তে ডেটা পাঠানো।

✗ CartFlows-এ Field Customization একদম সীমিত

✓ CheckFlow সমাধান: CartFlows-এ billing-এর উপরে shipping field রাখা যায় না, নতুন section বানানো যায় না। CheckFlow-এ সম্পূর্ণ Drag & Drop — যেকোনো field, যেকোনো জায়গায়।

✗ Bangladesh Market সম্পূর্ণ উপেক্ষিত

✓ CheckFlow সমাধান: কোনো প্লাগিনেই bKash, Nagad, Pathao, RedX সাপোর্ট নেই। CheckFlow-ই প্রথম WooCommerce checkout plugin যেটা বাংলাদেশের ecommerce ecosystem-কে ফাস্ট-ক্লাস সিটিজেন হিসেবে treat করে।

✗ FunnelKit অনেক জটিল, CartFlows দামী

✓ CheckFlow সমাধান: FunnelKit \$129-\$399/yr, জটিল setup। CartFlows \$99-\$299/yr, rigid UI।
CheckFlow: \$49/yr থেকে, ৫ মিনিটে setup, Lifetime Deal \$199।

৪. বিস্তারিত ডেভেলপমেন্ট রোডম্যাপ

ফেজ	সময়কাল	মূল লক্ষ্য
 Phase 1 — Build	মাস ১–৩	Plugin architecture, core features, Free version WordPress.org-এ লঞ্চ
 Phase 2 — Launch	মাস ৪–৬	Pro version + bKash/Nagad + Courier API + AppSumo LTD
 Phase 3 — Grow	মাস ৭–১২	Global marketing, server-side tracking USP, Product Hunt
 Phase 4 — Scale	বছর ২	Agency plan, India/Pakistan expansion, SaaS model বিবেচনা

PHASE 1 — Build & Foundation (মাস ১–৩)

মাস ১ — Plugin Architecture ও Core Setup

সময়	মাইলস্টোন	বিস্তারিত কাজ
সপ্তাহ ১	Plugin Scaffold	WP Plugin boilerplate, OOP PHP structure, PSR-4 autoloading, composer.json
সপ্তাহ ২	WooCommerce Hooks	checkout form hooks, AJAX handlers, nonce security, input sanitization
সপ্তাহ ৩	Frontend UI	Alpine.js reactive form, CSS custom properties, mobile-first layout
সপ্তাহ ৪	Core Features	Popup checkout, direct checkout, AJAX totals update, trust badges

মাস ২ — Admin Panel ও Field Editor

সময়	মাইলস্টোন	বিস্তারিত কাজ
সপ্তাহ ৫	Settings Panel	WordPress admin page, React-based settings UI, plugin configuration
সপ্তাহ ৬	Field Editor	Drag & Drop field manager, 20+ field types, conditional logic
সপ্তাহ ৭	Template System	5টি premium template, template switcher, custom CSS support
সপ্তাহ ৮	Testing & QA	PHPUnit tests, browser testing, PHP 7.4–8.3 compatibility check

মাস ৩ — Free Version Launch

সময়	মাইলস্টোন	বিস্তারিত কাজ
সপ্তাহ ৯	Performance	Asset conditional loading, lazy load, minify, target <1s load time
সপ্তাহ ১০	Security Audit	CSRF, XSS, SQL injection check, rate limiting, reCAPTCHA v3
সপ্তাহ ১১	WP.org Submission	readme.txt, screenshots, SVN commit, WordPress.org review
সপ্তাহ ১২	BD Community Launch	Facebook groups, YouTube tutorial বাংলায়, local influencer outreach



PHASE 2 — Pro Launch & Bangladesh Features (মাস ৪-৬)

সময়	মাইলস্টোন	বিস্তারিত কাজ
মাস ৪, সপ্তাহ ১	bKash Integration	bKash Payment API v1.2.0, checkout-এ native bKash button, refund support
মাস ৪, সপ্তাহ ২	Nagad + Rocket	Nagad Merchant API, Dutch Bangla Rocket, error handling
মাস ৪, সপ্তাহ ৩	SSLCOMMERZ	SSLCOMMERZ Payment API, 3D secure, multi-currency
মাস ৪, সপ্তাহ ৪	Pathao Courier	Pathao API v1, zone detection, parcel booking from checkout
মাস ৫, সপ্তাহ ১	RedX + SteadFast	RedX Merchant API, SteadFast bulk order, COD tracking
মাস ৫, সপ্তাহ ২	Order Bump	Single-click product add at checkout, dynamic offer rules
মাস ৫, সপ্তাহ ৩	One-Click Upsell	Post-purchase upsell page, Stripe/PayPal one-click charge
মাস ৫, সপ্তাহ ৪	Analytics Dashboard	Conversion funnel, abandonment rate, revenue tracking
মাস ৬, সপ্তাহ ১	Server-side Tracking	Meta CAPI + Google Enhanced Conversions, WooHooks
মাস ৬, সপ্তাহ ২	Pro Licensing	Freemius SDK integration, license activation, auto-update
মাস ৬, সপ্তাহ ৩	AppSumo LTD Launch	\$199 lifetime deal, deal page, onboarding email sequence
মাস ৬, সপ্তাহ ৪	Documentation	বাংলা + English docs, video tutorial series, FAQ



PHASE 3 — Global Growth (মাস ৭-১২)

সময়	মাইলস্টোন	বিস্তারিত কাজ
মাস ৭	Product Hunt Launch	"The checkout plugin that doesn't break your ads" — global announce
মাস ৮	Content Marketing	Blog: "Fix broken pixel tracking in WooCommerce" — SEO আর্টিকেল

সময়	মাইলস্টোন	বিস্তারিত কাজ
মাস ৯	Affiliate Program	৩০% recurring commission, affiliates.checkflow.io
মাস ১০	Agency Plan Launch	White label, team access, priority support tier
মাস ১১	A/B Testing Feature	Checkout variant testing, statistical significance calculator
মাস ১২	Year-1 Review	MRR target: \$5,000 Users: ৫০০+ Rating: 4.8★ WordPress.org

 PHASE 4 — Scale (বছর ২)

সময়	মাইলস্টোন	বিস্তারিত কাজ
Q1	India Expansion	Razorpay, Paytm, UPI integration Hindi documentation
Q2	Pakistan Expansion	JazzCash, EasyPaisa Urdu UI support
Q3	SaaS Model	Cloud-hosted analytics, team collaboration features
Q4	Enterprise Tier	Custom integrations, dedicated support, SLA agreement

৫. Cursor AI Prompts — সম্পূর্ণ সেট

নিচের প্রতিটি prompt Cursor IDE-তে হুবহু paste করুন। প্রতিটি prompt একটি নির্দিষ্ট কাজের জন্য।

Prompt 1 — Plugin Scaffold & Architecture

 **CURSOR PROMPT — Plugin Scaffold**

Create a production-ready WordPress WooCommerce plugin called "CheckFlow" with the following specifications:

PLUGIN DETAILS:

- Plugin Name: CheckFlow — One Page Checkout for WooCommerce
- Plugin Slug: checkflow
- Text Domain: checkflow
- Version: 1.0.0
- Requires: WordPress 6.0+, WooCommerce 7.0+, PHP 7.4+

FOLDER STRUCTURE to create:

```
checkflow/  
├── checkflow.php                (main plugin file)  
├── composer.json  
├── package.json  
├── uninstall.php  
├── readme.txt                  (WordPress.org format)  
├── includes/  
│   ├── class-checkflow.php    (main class, singleton)  
│   ├── class-loader.php       (hook registration)  
│   ├── class-activator.php    (activation hook)  
│   ├── class-deactivator.php  (deactivation hook)  
│   ├── Frontend/  
│   │   ├── class-checkout.php (checkout page controller)  
│   │   ├── class-ajax.php     (all AJAX handlers)  
│   │   └── class-assets.php   (conditional asset loading)  
│   ├── Admin/  
│   │   ├── class-admin.php    (admin menu + settings)  
│   │   └── class-settings.php (settings API)  
│   └── Helpers/  
│       ├── class-security.php (nonce, sanitize, CSRF)  
│       └── class-logger.php    (debug logger)  
├── admin/  
│   ├── css/admin.css  
│   ├── js/admin.js  
│   └── partials/settings-display.php  
├── public/  
│   ├── css/  
│   │   ├── checkflow.css      (main checkout styles)  
│   │   └── checkflow-popup.css  
│   ├── js/  
│   │   ├── checkflow.js       (Alpine.js reactive checkout)  
│   │   └── checkflow-ajax.js  (AJAX handlers)
```

```
|   └─ partials/
|       ├── checkout-page.php
|       └── checkout-popup.php
└─ languages/
    ├── checkflow.pot
    └── checkflow-bn_BD.po      (Bengali translation)
```

CODING STANDARDS:

- Strictly follow WordPress Coding Standards (WPCS)
- OOP PHP with PSR-4 autoloading via Composer
- No global functions – everything in namespaced classes
- Use WooCommerce hooks: `woocommerce_checkout_fields`,
`woocommerce_before_checkout_form`, `woocommerce_checkout_order_review`
- All user inputs must be sanitized with `sanitize_text_field()`,
`sanitize_email()`, `absint()` as appropriate
- All outputs must be escaped with `esc_html()`, `esc_attr()`, `esc_url()`
- All AJAX calls must verify nonce with `check_ajax_referer()`
- Conditional asset loading: only enqueue on checkout page
- Use `wp_localize_script()` to pass PHP data to JS

Generate the complete file structure with working code for each file.

Prompt 2 — AJAX Checkout Engine

CURSOR PROMPT — AJAX Checkout Engine

In the CheckFlow WooCommerce plugin, create the complete AJAX-powered checkout engine.

FILE: `includes/Frontend/class-ajax.php`

Requirements:

1. AJAX HANDLERS (both `wp_ajax_` and `wp_ajax_nopriv_` versions):
 - `checkflow_update_order_review`: Updates totals when quantity changes
 - `checkflow_apply_coupon`: Applies coupon without page reload
 - `checkflow_remove_coupon`: Removes applied coupon
 - `checkflow_validate_field`: Real-time field validation
 - `checkflow_get_shipping_methods`: Returns available shipping for address
 - `checkflow_place_order`: Submits the order securely
2. SECURITY for every handler:
 - `check_ajax_referer( 'checkflow-checkout', 'nonce' )`
 - Sanitize ALL inputs before processing
 - Rate limiting: max 10 requests per minute per IP
 - Log suspicious activity
3. RESPONSE FORMAT (always JSON):

```
{
  "success": true/false,
  "data": { ... },
  "message": "Human readable message",
  "errors": []
}
```

```
}
```

4. FILE: public/js/checkflow-ajax.js
 - Use Fetch API (not jQuery AJAX)
 - Show loading spinner during requests
 - Handle network errors gracefully
 - Debounce field validation calls (300ms)
 - Update DOM without page reload using Alpine.js reactivity
5. PERFORMANCE:
 - Cache shipping methods in sessionStorage
 - Batch multiple field validations into single request
 - Abort pending requests when new one starts

Write complete, production-ready code with error handling and inline comments.

Prompt 3 — bKash & Nagad Payment Integration



CURSOR PROMPT — bKash & Nagad Payment

Create complete bKash and Nagad payment gateway integration for CheckFlow WooCommerce plugin.

FILES TO CREATE:

1. includes/Gateways/class-bkash-gateway.php
2. includes/Gateways/class-nagad-gateway.php
3. includes/Gateways/class-sslcommerz-gateway.php

BKASH GATEWAY (class-bkash-gateway.php):

- Extend WC_Payment_Gateway
- Implement bKash Payment Gateway API v1.2.0
- Methods: create_payment(), execute_payment(), refund_payment()
- Handle: Grant Token API call before payment
- Checkout UI: Native bKash button with logo
- Settings fields: App Key, App Secret, Merchant Number, Sandbox toggle
- Webhook: Handle payment confirmation callback
- Error codes: Map bKash error codes to user-friendly Bengali messages

NAGAD GATEWAY (class-nagad-gateway.php):

- Extend WC_Payment_Gateway
- Implement Nagad Merchant API
- Methods: initialize_payment(), complete_payment(), verify_payment()
- RSA encryption for sensitive data
- Callback URL handling

SSLCOMMERZ GATEWAY (class-sslcommerz-gateway.php):

- Extend WC_Payment_Gateway
- SSLCOMMERZ API integration
- Support: Card, bKash, Nagad, Rocket via SSLCOMMERZ
- 3D Secure support
- IPN (Instant Payment Notification) handler

SHARED REQUIREMENTS for all gateways:

- Sandbox/Live mode toggle in settings
- Log all transactions in custom DB table: checkflow_payment_logs
- Store: order_id, gateway, transaction_id, amount, status, timestamp
- Refund support where API allows
- Bengali error messages for common failures
- Nonce verification on all callback endpoints

DATABASE TABLE (create in activator):

```
CREATE TABLE checkflow_payment_logs (  
  id bigint(20) PRIMARY KEY AUTO_INCREMENT,  
  order_id bigint(20) NOT NULL,  
  gateway varchar(50) NOT NULL,  
  transaction_id varchar(100),  
  amount decimal(10,2) NOT NULL,  
  currency varchar(10) DEFAULT 'BDT',  
  status varchar(30) NOT NULL,  
  raw_response longtext,  
  created_at datetime DEFAULT CURRENT_TIMESTAMP,  
  INDEX(order_id), INDEX(transaction_id)  
);
```

Write complete working PHP classes with full error handling.

Prompt 4 — Pathao & RedX Courier API

CURSOR PROMPT — Pathao & RedX Courier API

Create courier API integration for CheckFlow — allows customers to book delivery directly at checkout.

FILES TO CREATE:

1. includes/Couriers/class-pathao-courier.php
2. includes/Couriers/class-redx-courier.php
3. includes/Couriers/class-steadfast-courier.php
4. includes/Couriers/class-courier-manager.php (facade)
5. public/js/checkflow-courier.js

PATHAO COURIER (class-pathao-courier.php):

- Pathao Courier API v1 integration
- Methods:
 - * get_access_token(): OAuth2 token management with refresh
 - * get_cities(): Fetch and cache city list (1 hour transient)
 - * get_zones(city_id): Fetch delivery zones
 - * get_areas(zone_id): Fetch delivery areas
 - * calculate_price(params): Get delivery charge estimate
 - * create_order(order_data): Book parcel after WC order created
 - * track_order(consignment_id): Order tracking
- Hook: woocommerce_order_status_processing → auto-create Pathao order
- Store consignment_id in order meta: _checkflow_pathao_id

```
REDX COURIER (class-redx-courier.php):
- RedX Merchant API integration
- Methods: create_parcel(), track_parcel(), cancel_parcel()
- Support both COD and prepaid
- Store: _checkflow_redx_parcel_id in order meta

STEADFAST COURIER (class-steadfast-courier.php):
- SteadFast Courier API
- Bulk order creation support
- COD reconciliation

COURIER MANAGER (class-courier-manager.php):
- Detect customer area and suggest cheapest courier
- Compare prices from all active couriers
- Admin can enable/disable each courier
- Fallback if API is down

CHECKOUT UI (checkflow-courier.js):
- After customer enters address, AJAX-fetch available couriers
- Show courier options with price and estimated delivery days
- Customer selects preferred courier at checkout
- Selection stored in session, booked after payment

ADMIN FEATURES:
- Courier settings page: API keys for each service
- Order list column showing courier + tracking ID
- One-click "Book with Pathao" button on order detail page
- Bulk booking: select multiple orders, book with chosen courier

Write complete, production-ready PHP and JS code.
```

Prompt 5 — Server-side Pixel Tracking

```
 CURSOR PROMPT — Server-side Pixel Tracking

Create a server-side conversion tracking system for CheckFlow that solves the broken pixel problem in CartFlows and FunnelKit.

THE PROBLEM TO SOLVE:
CartFlows and FunnelKit replace WooCommerce's /order-received/ URL, causing 30-40% of purchases to go untracked in Facebook Ads and Google Ads. Our solution: fire conversion events server-side from PHP hooks.

FILES TO CREATE:
1. includes/Tracking/class-meta-capi.php           (Facebook Conversions API)
2. includes/Tracking/class-google-enhanced.php     (Google Enhanced Conversions)
3. includes/Tracking/class-tiktok-events.php       (TikTok Events API)
4. includes/Tracking/class-pixel-manager.php       (orchestrator)
5. public/js/checkflow-pixels.js                   (browser-side dedup)

META CONVERSIONS API (class-meta-capi.php):
- Use Meta Business SDK or direct CAPI HTTP calls
```

- Hook: woocommerce_payment_complete (fires after payment confirmed)
- Events to send:
 - * Purchase: value, currency, content_ids, num_items, order_id
 - * InitiateCheckout: when CheckFlow checkout page loads
 - * AddPaymentInfo: when payment method selected
- Data hashing: SHA256 hash email, phone, name before sending
- Event deduplication: event_id = 'checkflow_' + order_id (prevents double-counting browser + server events)
- Settings: Pixel ID, Access Token, Test Event Code (for testing)

GOOGLE ENHANCED CONVERSIONS (class-google-enhanced.php):

- Google Ads Conversion API
- Hook: woocommerce_payment_complete
- Send: conversion_action, order_id, value, currency, hashed_email
- Google Analytics 4 Measurement Protocol as fallback
- Settings: Conversion ID, Conversion Label, API Secret

TIKTOK EVENTS API (class-tiktok-events.php):

- TikTok Events API v2
- Events: Purchase, InitiateCheckout, AddPaymentInfo
- Hashed user data
- Settings: Pixel ID, Access Token

PIXEL MANAGER (class-pixel-manager.php):

- Enable/disable each pixel from settings
- Queue failed events for retry (WP Cron, up to 3 retries)
- Log all sent events in DB for debugging
- Admin "Test Event" button to verify setup

BROWSER-SIDE (checkflow-pixels.js):

- Standard browser pixels still fire for real-time data
- Use event_id from server to deduplicate in Ads Manager
- Gracefully handle ad blockers (server-side is the fallback)

DATABASE TABLE:

```
CREATE TABLE checkflow_tracking_events (  
  id bigint PRIMARY KEY AUTO_INCREMENT,  
  order_id bigint NOT NULL,  
  platform varchar(30) NOT NULL, -- meta, google, tiktok  
  event_name varchar(50) NOT NULL,  
  event_id varchar(100) NOT NULL,  
  status varchar(20) DEFAULT 'pending', -- pending, sent, failed  
  attempts tinyint DEFAULT 0,  
  response_code int,  
  sent_at datetime,  
  created_at datetime DEFAULT CURRENT_TIMESTAMP  
);
```

ADMIN UI:

- Tracking settings page with test buttons
- Event log table: last 100 events with status
- "Retry Failed" bulk action
- Debug mode: detailed logs

This is CheckFlow's #1 competitive advantage. Make it bulletproof.

Prompt 6 — Drag & Drop Checkout Field Editor



CURSOR PROMPT — Drag & Drop Field Editor

Create a visual drag-and-drop checkout field editor for CheckFlow plugin.

FILES TO CREATE:

1. admin/js/field-editor.js (React-based drag & drop UI)
2. admin/css/field-editor.css
3. includes/Admin/class-field-editor.php

FIELD EDITOR FEATURES:

- Built with React + @dnd-kit/core for drag-and-drop
- Two-panel layout: left panel = available fields, right = checkout form preview
- Drag fields from left to right to add, reorder by dragging

SUPPORTED FIELD TYPES (20+):

text, email, tel, number, password, textarea, select, multiselect, radio, checkbox, checkbox_group, date, time, datetime, file, hidden, heading, paragraph, divider, html

FIELD CONFIGURATION (per field):

- Label, placeholder, required toggle
- CSS class, field width (25/50/75/100%)
- Conditional logic: show/hide based on other field values
- Validation rules: min/max length, regex pattern, custom message
- User role visibility: show to guests / logged-in / specific roles

SECTION MANAGEMENT:

- Add custom sections (e.g., "Gift Message", "Delivery Notes")
- Reorder sections by drag
- Collapse/expand sections in admin preview

PHP BACKEND (class-field-editor.php):

- Save field configuration as JSON in wp_options: checkflow_field_config
- Filter: woocommerce_checkout_fields → return custom field config
- Action: woocommerce_checkout_process → validate custom fields
- Action: woocommerce_checkout_update_order_meta → save custom values
- REST API endpoint: POST /wp-json/checkflow/v1/field-config

PRESET LAYOUTS:

- "Bangladesh Standard": billing + bKash/Nagad + courier zone selection
- "Minimal": email, name, phone, address, payment only
- "Digital Products": email + payment only, no shipping
- "COD Optimized": phone first, address, courier, COD payment last

IMPORTANT: Render custom fields correctly in:

- Checkout page frontend
- Order confirmation email
- WooCommerce admin order detail page
- Customer "My Account" order history

Use React with WordPress's built-in @wordpress/scripts for build.

Prompt 7 — Order Bump & Upsell System



CURSOR PROMPT — Order Bump & Upsell System

Create Order Bump and One-Click Upsell system for CheckFlow plugin.

FILES TO CREATE:

1. includes/Sales/class-order-bump.php
2. includes/Sales/class-upsell.php
3. includes/Sales/class-sales-rules.php
4. public/js/checkflow-sales.js
5. admin/class-sales-admin.php

ORDER BUMP (class-order-bump.php):

- Display offer box INSIDE the checkout page (above Place Order button)
- Single checkbox to add product to order
- AJAX: add/remove bump product without page reload, update totals
- Bump offer configuration:
 - * Select product or variation
 - * Custom headline, description, image
 - * Discount: flat/percentage off regular price
 - * Display rules (see Sales Rules below)
- Multiple bumps: show up to 3 sequential bumps
- Track: bump_shown, bump_accepted, bump_revenue in DB

ONE-CLICK UPSELL (class-upsell.php):

- Post-payment upsell page (after order placed, before thank-you)
- "YES, Add to My Order!" button — charges same payment method
- For Stripe: use stripe.confirmCardPayment() for existing PaymentIntent
- For PayPal: use billing agreement
- For bKash/Nagad: create new payment request
- "No thanks" link goes to thank-you page
- Funnel: multiple upsell/downsell steps possible

SALES RULES ENGINE (class-sales-rules.php):

- Show bump/upsell ONLY IF:
 - * Cart total > X amount
 - * Specific product in cart
 - * Customer is first-time buyer
 - * Customer is from specific location
 - * Time of day / day of week
 - * User role (guest/logged-in)
- Rules combined with AND/OR logic
- Admin UI: visual rule builder

TRACKING (DB table: checkflow_sales_performance):

- For each offer: impressions, accepts, revenue, conversion_rate
- Admin dashboard widget: Today's bump/upsell revenue
- Email report: weekly sales performance summary

ADMIN (class-sales-admin.php):

- List all bumps and upsells with performance stats
- Create/edit/delete offers
- Duplicate existing offers
- Enable A/B testing between two offer variants

```
CHECKOUT UI (checkflow-sales.js):  
- Animate bump appearance (slide in from bottom)  
- Checkbox state changes update order total via AJAX  
- Countdown timer on upsell page (creates urgency)  
- Mobile: full-width bump card with clear CTA  
  
Write complete code. This feature directly impacts revenue.
```

Prompt 8 — Analytics Dashboard

```
 CURSOR PROMPT — Analytics Dashboard  
  
Create a comprehensive analytics dashboard for CheckFlow plugin admin.  
  
FILES TO CREATE:  
1. includes/Analytics/class-analytics.php (data collection)  
2. includes/Analytics/class-analytics-query.php (data queries)  
3. admin/class-dashboard.php  
4. admin/js/dashboard.js (Chart.js charts)  
5. admin/css/dashboard.css  
  
DATA COLLECTION (class-analytics.php):  
Hook into these WooCommerce events and store in DB:  
  
EVENTS TO TRACK:  
- checkout_view: customer viewed checkout page  
- checkout_started: customer started filling form  
- payment_method_selected: which method chosen + timestamp  
- coupon_applied: coupon code + discount amount  
- order_placed: successful order  
- order_abandoned: left checkout without completing (WP Cron, 30min timeout)  
- bump_shown / bump_accepted: order bump interaction  
- upsell_shown / upsell_accepted: upsell interaction  
  
DB TABLE: checkflow_analytics_events  
CREATE TABLE checkflow_analytics_events (  
  id bigint PRIMARY KEY AUTO_INCREMENT,  
  session_id varchar(64) NOT NULL,  
  event_type varchar(50) NOT NULL,  
  order_id bigint DEFAULT NULL,  
  meta longtext, -- JSON: device, browser, country, product_ids  
  revenue decimal(10,2) DEFAULT 0,  
  created_at datetime DEFAULT CURRENT_TIMESTAMP,  
  INDEX(event_type, created_at),  
  INDEX(session_id)  
);  
  
DASHBOARD METRICS to display:  
1. TODAY'S OVERVIEW (top cards):  
  - Total Revenue | Orders | Avg Order Value | Conversion Rate  
  
2. CHECKOUT FUNNEL (funnel chart):
```

- Checkout Views → Started → Payment → Completed
- Show drop-off % at each step

3. REVENUE CHART (line chart, Chart.js):
 - Last 30 days daily revenue
 - Compare to previous period
4. PAYMENT METHOD BREAKDOWN (pie chart):
 - bKash vs Nagad vs Card vs COD percentages
5. ORDER BUMP PERFORMANCE:
 - Impressions | Accepted | Revenue | Take Rate %
6. ABANDONMENT ANALYSIS:
 - When do customers drop off? (which field)
 - Device breakdown: mobile vs desktop conversion
7. TOP PERFORMING PRODUCTS (table):
 - Most ordered products through CheckFlow

ADMIN UI:

- Date range picker (today/7d/30d/custom)
- Export to CSV button
- Real-time updates every 5 minutes (WP heartbeat API)
- Compare two date ranges side by side

PRIVACY:

- No PII stored in analytics table
- GDPR-compliant: IP stored as hashed value only
- Admin toggle: enable/disable analytics collection

Use Chart.js 4.x (already in WP admin or CDN).

Prompt 9 — Frontend Checkout UI (Alpine.js)

 **CURSOR PROMPT — Frontend Checkout UI**

Create the complete frontend checkout UI for CheckFlow using Alpine.js.

FILES:

1. public/js/checkflow.js (Alpine.js app)
2. public/css/checkflow.css (modern CSS, custom properties)
3. public/partials/checkout-page.php
4. public/partials/checkout-popup.php

CHECKOUT LAYOUTS (user can switch in settings):

LAYOUT 1 — Standard One-Page:

[CheckFlow Checkout]	
LEFT COL (55%)	RIGHT COL (45%)

Contact Info	Order Summary (sticky)
Shipping Address	Product list + quantities
Delivery Method	Subtotal / Shipping / Tax
Payment Method	Coupon code input
Order Bump offer	Total (BIG)
[Place Order BTN]	Trust badges

LAYOUT 2 – Popup Modal:

- Triggered by "Buy Now" or "Add to Cart" button
- Full-screen overlay with centered modal
- Tabbed: Contact → Shipping → Payment
- Progress indicator at top
- Close button (confirms abandonment intent)

LAYOUT 3 – Slide-in Panel:

- Slides from right side of screen
- Cart items shown at top
- Checkout form below
- Does not cover full screen

ALPINE.JS APP (checkflow.js):

```
Alpine.data('checkflow', () => ({
  // State
  step: 1,           // current step
  isLoading: false,
  errors: {},
  formData: { email:'', firstName:'', lastName:'', phone:'',
               address:'', city:'', district:'', courier:'',
               paymentMethod:'', coupon:'' },
  orderSummary: { subtotal:0, shipping:0, discount:0, total:0 },
  couriers: [],
  paymentMethods: [],

  // Methods
  async updateTotals() { ... },      // AJAX call to PHP
  async validateField(field) { },    // real-time validation
  async applyCoupon() { },
  async fetchCouriers() { },         // Pathao/RedX price fetch
  async placeOrder() { },            // final submit

  // Computed
  get isValid() { ... },
}))
```

CSS DESIGN SYSTEM (checkflow.css):

```
:root {
  --cf-primary: #2563EB;
  --cf-primary-dark: #1d4ed8;
  --cf-success: #059669;
  --cf-error: #DC2626;
  --cf-radius: 8px;
  --cf-shadow: 0 4px 24px rgba(0,0,0,0.08);
  --cf-font: -apple-system, 'Segoe UI', sans-serif;
}
```

REQUIRED CSS COMPONENTS:

- .cf-checkout-wrap: main container
- .cf-field: input fields (clean, modern, focus states)
- .cf-btn-primary: main CTA button (blue, full width, loading state)
- .cf-order-summary: sticky right column
- .cf-payment-method: payment option cards
- .cf-courier-option: courier selection cards
- .cf-trust-badges: security icons row
- .cf-bump-box: order bump offer card
- Loading skeleton for initial render

MOBILE (< 768px):

- Stack columns vertically
- Order summary collapses (toggle to view)
- Sticky "Total + Place Order" bar at bottom
- Large touch targets (min 44px)
- Native date/phone inputs

Make it visually beautiful – modern, clean, conversion-optimized.
Reference: Shopify Checkout aesthetic, but for WordPress.

Prompt 10 — Testing, Security & WP.org Submission

CURSOR PROMPT — Testing, Security & WP.org Submission

Create complete test suite, security audit, and WordPress.org submission package for CheckFlow.

PART 1 – PHPUnit Tests (tests/ folder):

```
tests/
├── bootstrap.php
├── Unit/
│   ├── test-security.php           (nonce, sanitization tests)
│   ├── test-ajax-handlers.php     (mock WP AJAX)
│   ├── test-payment-bkash.php     (mock bKash API)
│   ├── test-courier-pathao.php    (mock Pathao API)
│   └── test-field-editor.php      (field config save/load)
├── Integration/
│   ├── test-checkout-flow.php     (full checkout simulation)
│   └── test-order-bump.php        (bump add/remove)
```

Write tests for:

1. Security: nonce verification fails without valid nonce
2. Sanitization: XSS attempt is cleaned from all inputs
3. Rate limiting: 11th request within 1 min is blocked
4. bKash: mock API returns success → order marked paid
5. Pathao: mock API returns zones → correctly parsed
6. Field editor: saves config → correctly filters WC fields
7. AJAX update_totals: quantity change → correct total returned
8. Order bump: bump accepted → product added to order

PART 2 – Security Checklist (create security-audit.md):

Check and fix ALL of these in the codebase:

- ☐ All \$_POST/\$_GET inputs sanitized before use
- ☐ All database queries use \$wpdb->prepare()
- ☐ All nonces verified before processing AJAX
- ☐ All output escaped with esc_html/esc_attr/esc_url
- ☐ File upload validation (if any): type, size, mime check
- ☐ No eval(), no base64_decode() on user input
- ☐ No direct file access (ABSPATH check in all files)
- ☐ Capability checks: current_user_can('manage_woocommerce')
- ☐ Rate limiting on checkout submission
- ☐ reCAPTCHA v3 integration on checkout
- ☐ SSL enforcement check before gateway activation
- ☐ No sensitive data (API keys) logged in debug.log

PART 3 – WordPress.org readme.txt:

Generate complete readme.txt with:

- Plugin Name, Tags, Requires, Tested up to, License: GPL-2.0+
- Short description (150 chars max)
- Long Description with markdown
- == Installation == section
- == Frequently Asked Questions == (10 FAQs)
- == Screenshots == descriptions for 8 screenshots
- == Changelog == for 1.0.0
- == Upgrade Notice ==

Tags to include: checkout, woocommerce, one-page-checkout, bkaash, nagad, pathao, courier, fast-checkout, conversion

PART 4 – Pre-launch Checklist:

Create checklist.md with:

- ☐ Plugin passes WordPress Plugin Check (plugincheck.wp.org)
- ☐ No PHP errors/warnings with WP_DEBUG = true
- ☐ Tested on: PHP 7.4, 8.0, 8.1, 8.2, 8.3
- ☐ Tested on: WordPress 6.0, 6.4, 6.5, 6.6
- ☐ Tested on: WooCommerce 7.0, 8.0, 9.0
- ☐ Mobile testing: iPhone Safari, Android Chrome
- ☐ Performance: PageSpeed score > 85 on checkout page
- ☐ Translation: .pot file generated with WP-CLI
- ☐ Screenshots: 8 screenshots for WP.org listing
- ☐ Plugin icon: 256x256 and 128x128 PNG
- ☐ Security review: Wordfence plugin scan passed
- ☐ GDPR: Privacy policy section added

Generate all files with complete content.

৬. প্রাইসিং ও Go-to-Market কৌশল

প্রাইসিং স্ট্রাকচার

 Free	 Pro	 Agency	 Lifetime
\$0 চিরকাল	\$49 / year	\$129 / year	\$199 একবার
১ সাইট	১ সাইট	২৫ সাইট	৫ সাইট

মার্কেটিং কৌশল — বাংলাদেশ Launch

 চ্যানেল ১ — Facebook Groups → "WooCommerce Bangladesh", "WordPress BD", "eCommerce BD" গ্রুপে বাংলায় পোস্ট করুন → ফ্রি ভার্সনের লিংক + "বাংলাদেশে প্রথম bKash checkout plugin" মেসেজ
 চ্যানেল ২ — YouTube Tutorial → "WooCommerce-এ bKash payment যোগ করুন ৫ মিনিটে" — বাংলায় tutorial → SEO title: "WooCommerce bKash Nagad payment plugin Bangladesh"
 চ্যানেল ৩ — Local Developer Community → WordPress Dhaka Meetup-এ প্রেজেন্টেশন → BD-র WooCommerce freelancer-দের বিনামূল্যে Pro license
 চ্যানেল ৪ — Global (মাস ৬+) → AppSumo Lifetime Deal listing → Product Hunt launch: "Fix your broken WooCommerce conversion tracking" → Blog: "CartFlows and FunnelKit are breaking your Facebook Ads" (SEO)

Revenue Projection

সময়	Users (Pro)	MRR	বার্ষিক Revenue
মাস ৩	০ (free launch)	—	AppSumo LTD শুরু
মাস ৬	৫০+ Pro users	\$200	\$2,400 + LTD revenue
মাস ১২	২০০+ Pro users	\$900	\$10,800
বছর ২	৫০০+ Pro users	\$2,500+	\$30,000+



CheckFlow-এর সবচেয়ে শক্তিশালী বিজ্ঞাপন বার্তা

"একমাত্র WooCommerce checkout plugin যেটায় bKash/Nagad চলে, Pathao থেকে ডেলিভারি বুক হয়,
এবং আপনার সব Facebook ও Google Ad সঠিকভাবে ট্র্যাক হয়।"

— CheckFlow Plugin Confidential Roadmap —