

Experiment 2

Student Name: Saksham UID: 23BCS13613

Branch: B.E.CSE Section/Group: 23BCS-KRG-2B
Semester: 5th Date of Performance:28-07-25

Subject Name: ADBMS Subject Code:23CSP-333

1.Aim:

a) You are a Database Engineer at TalentTree Inc., an enterprise HR analytics platform that stores employee data, including their reporting relationships. The company maintains a centralized Employee relation that holds:

Each employee's ID, name, department, and manager ID (who is also an employee in the same table).

Your task is to generate a report that maps employees to their respective managers, showing:

The employee's name and department

Their manager's name and department (if applicable)

This will help the HR department visualize the internal reporting hierarchy.

b)You are a Data Engineer at FinSight Corp, a company that models Net Present Value (NPV) projections for investment decisions. Your system maintains two key datasets:

Year_tbl: Actual recorded NPV's of various financial instruments over different years:

ID: Unique Financial instrument identifier.

YEAR: Year of record

NPV: Net Present Value in that year

Queries_tbl: A list of instrument-year pairs for which stakeholders are requesting NPV values:

ID: Financial instrument identifier

YEAR: Year of interest.

Find the NPV of each query from the Queries table. Return the output order by ID and Year in the sorted form.

DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

However, not all ID-YEAR combinations in the Queries table are present in the Year_tbl. If an NPV is missing for a requested combination, assume it to be 0 to maintain a consistent financial report.

2. Objective:

- To understand how to use JOINS in SQL.
- To understand the basic SQL Queries.
- To generate hierarchical reports from self-referencing tables.

3.DBMS script and output:

```
use assessment;
CREATE TABLE Employee (
    EmpID INT,
    Ename VARCHAR(100),
    Department VARCHAR(100),
    ManagerID INT
);
INSERT INTO Employee VALUES
    (1, 'Riya', 'Admin', NULL),
    (2, 'Kunal', 'Accounts', 1),
    (3, 'Meena', 'Tech', 1),
    (4, 'Arjun', 'Accounts', 2),
    (5, 'Sneha', 'Tech', 3),
    (6, 'Varun', 'Admin', 1);
SELECT
    E1.Ename AS "Employee Name",
    E2.Ename AS "Manager Name",
    E1.Department AS "Employee Department",
    E2.Department AS "Manager Department"
FROM
    Employee AS E1
LEFT JOIN
    Employee AS E2
   ON E1.ManagerID = E2.EmpID;
```

	Employee Name	Manager Name	Employee Department	Manager Department
•	Riya	NULL	Admin	NULL
	Kunal	Riya	Accounts	Admin
	Meena	Riya	Tech	Admin
	Arjun	Kunal	Accounts	Accounts
	Sneha	Meena	Tech	Tech
	Varun	Riya	Admin	Admin

CHANDIGARH UNIVERSITY

DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

CHANDIGARH UNIVERSITY Discover. Learn. Empower.

```
2.
use assessment;
CREATE TABLE Year tbl (
    ID INT,
    YEAR INT,
    NPV INT
);
CREATE TABLE Queries (
    ID INT,
    YEAR INT
);
INSERT INTO Year tbl (ID, YEAR, NPV) VALUES
    (2, 2017, 95),
    (4, 2020, 55),
    (6, 2018, 120),
    (2, 2018, 88),
    (3, 2016, 110),
    (5, 2015, 15),
    (4, 2019, 42),
    (6, 2017, 60);
INSERT INTO Queries (ID, YEAR) VALUES
    (2, 2018),
    (3, 2016),
    (4, 2020),
    (4, 2019),
    (6, 2017),
    (6, 2019),
    (1, 2021);
SELECT
    Q.ID,
    Q.YEAR,
    IFNULL(Y.NPV, 0) AS "NPV"
FROM
    Queries AS Q
LEFT JOIN
   Year tbl AS Y
   ON Q.ID = Y.ID AND Q.YEAR = Y.YEAR;
```

	ID	YEAR	NPV
>	2	2018	88
	3	2016	110
	4	2020	55
	4	2019	42
	6	2017	60
	6	2019	0
	1	2021	0



4. Learning outcomes:

- You will be able to write basic SQL queries.
- You will learn to perform JOINS in SQL.
- You will understand how to implement foreign keys.