

Deriv Bot Analysis Report

7 Trading Bots — Strategy, Prediction & Risk

Prepared for AI Model Implementation

Executive Summary

This report analyses seven Deriv trading bots built with the DBot block-builder. Each bot targets Synthetic Indices and uses a digit-based contract type. Key areas covered: market settings, prediction logic, martingale strategy, stop-loss and take-profit parameters, and implementation notes for AI integration.

Quick Comparison — All 7 Bots

Bot	Market	Trade Type	Stake	Stop Loss	Take Profit	Martingale
Auto Bot (Osam)	V10 (1s)	Over/Under Both	\$5.97	\$30	\$100	Payout-based
Candle-Mine v2	V100	Digit Differ	\$110	None	None	x11
Dec Entry Point	V10 (1s)	Digit Over	\$1	\$2	\$2	x2
Mega Mind V1	V10 (1s)	Digit Over	\$5.97	\$100	\$500	x2
Nova V6 Pro	V100 (1s)	Over/Under Both	\$1	\$10	\$100	x1.95 payout
Osam HnR	V100	Digit Odd	\$1	\$5	\$10	x2
Under-Pro	V10 (1s)	Digit Under	\$4.97	\$100	\$50	x2

1. Auto Bot by Osam

OVER / UNDER —
BOTH

Market: Volatility 10 (1s) Index (1HZ10V) | Duration: 1 tick | Contract: Both

Initial stake

\$5.97

Stop loss

\$30

Take profit

\$100

Win stake

\$5.97 (reset)

Prediction logic — Random-number direction

A random integer 0-9 is generated before each trade. Combined with the consecutive loss count, it selects the Over/Under threshold: Loss = 0 → predict 9 (Under 9, broadest cover, ~90% win rate) Loss >= 1 (random >= 6) → predict 4 (Under 5) Loss >= 2 (random <= 4) → predict 5 Else → predict 5 The random element prevents the bot from always trading the same digit, reducing pattern exploitation.

Martingale & recovery

Win: stake resets to \$5.97. Loss: new stake = ABS(last contract payout) x 1. Stop-loss halts with 'Stop Loss Reached' notification. Take-profit prints 'Profit Achieved' and stops.

Risk: Stake is ABS of last-trade payout — not a fixed multiplier. Can escalate rapidly on consecutive losses.

2. Candle-Mine v2

DIGIT DIFFER

Market: Volatility 100 Index (R_100) | Duration: 1 tick | Contract: Digit Differ

Initial stake

\$110

Stop loss

\$9,999 (none)

Take profit

\$9,999 (none)

Martingale factor

x11

Prediction logic — Live last-digit mirroring

Trade type: DIGIT DIFFER — bets the next last digit will not match the current last digit. Prediction = last_digit (read from live tick feed). Since there are 9 other possible digits, this is a ~90% probability trade. The bot continuously reads the current last digit and bets it differs on the very next tick.

Martingale & recovery

Win: stake resets to \$110 (win_amount). Loss: new stake = ABS(last contract loss) x martingale (11). If the escalated stake reaches \$9,999, it resets to \$110. The bot runs indefinitely — stop-loss and take-profit are set to 9,999 (effectively disabled).

Risk: HIGH RISK: \$110 initial stake with an x11 martingale factor. A single loss multiplies the stake by ~11x. No practical stop-loss is configured. This bot should only be run with significant capital.

3. Dec Entry Point

DIGIT OVER

Market: Volatility 10 (1s) Index (1HZ10V) | Duration: 1 tick | Contract: Digit Over

Initial stake

\$1

Stop loss

\$2

Take profit

\$2

Martingale

x2

Prediction logic — Conditional entry gate

The bot only enters a trade when `last_digit == 7` (the 'entry point' variable). It monitors the tick stream and waits; when the specific digit appears it buys DIGIT OVER. To win, the next last digit must be 8 or 9 — approximately a 20% probability per tick. A 'during_purchase' check-sell block also monitors for early-exit conditions mid-contract.

Martingale & recovery

Win: stake resets to initial stake (\$1). Loss: stake = stake x 2 (martingale). Take profit $\geq$ \$2 stops the bot ('hell yeah'). Stop loss $\leq$ -\$2 stops the bot ('nah man'). Very tight risk parameters — designed for minimal exposure.

4. Mega Mind V1

DIGIT OVER

Market: Volatility 10 (1s) Index (1HZ10V) | Duration: 1 tick | Contract: Digit Over

Initial stake

\$5.97

Stop loss

\$100

Take profit

\$500

Martingale

x2

Prediction logic — Rotating prediction list

Prediction cycles through a fixed list: [0, 1, 2, 0]. A 'prediction count' index (starts at 1) points to the current item. On each WIN the index increments; when it exceeds the list length it resets to 1. Sequence: Over 0 → Over 1 → Over 2 → Over 0 → repeat. Losses keep the same prediction but double the stake — only wins advance the sequence.

Martingale & recovery

Win: stake resets to \$5.97, prediction count advances. Loss: stake = stake x 2. Take profit $\geq$ \$500 stops the bot with 'THATS IT BUDDY'. Stop loss $\leq$ -\$100 stops the bot with 'HOLY SHIT!'

5. Nova Digit Harvester V6 Professional

OVER / UNDER —
BOTH

Market: Volatility 100 (1s) Index (1HZ100V) | Duration: 1/3/5 ticks | Contract: Both

Initial stake

\$1

Stop loss

\$10

Take profit

\$100

Max losses

12 before reset

Prediction logic — Loss-adaptive dual-mode

Most complex bot. Two 'tradingOption' modes (0 or 1) alternate after every N trades. Prediction adapts to consecutive loss count: Loss = 0 → predict 8 (Under 9, ~90% win rate) Loss >= 1 → predict 7 (Under 8, ~80%) Loss >= 2 → predict 6 (Under 7, ~70%) Loss >= 3 → predict 5 (Under 6, ~60%) Contract duration also changes per mode (1, 3, or 5 ticks). After maxLosses = 12 consecutive losses, the loss counter resets and stake restores. Bot author recommends using 1% of capital as the stake.

Martingale & recovery

Win: stake resets to \$1. Loss: stake = ABS(last-trade payout) x 1.95 (payout-proportional escalation). Stop loss \$10 halts the bot on loss. Take profit \$100 triggers success alert and stops.

Risk: Payout-proportional martingale (x1.95): escalation depends on each contract's payout size, not a fixed multiplier. This means high-volatility periods can escalate stakes faster. Recommended: use strictly 1% of account balance as initial stake.

6. Osam HnR (Hit and Run)

DIGIT ODD

Market: Volatility 100 Index (R_100) | Duration: 1 tick | Contract: Digit Odd

Initial stake

\$1

Stop loss

\$5

Take profit

\$10

Martingale

x2

Prediction logic — Fixed Odd bet

Always bets DIGIT ODD — the last digit is 1, 3, 5, 7, or 9. No dynamic prediction selection. This is a fixed 50/50 probability (5 odd out of 10 possible digits). The 'Hit and Run' name reflects the strategy: small take-profit (\$10), tight stop-loss (\$5) — enter, collect small wins, exit before drawdown compounds.

Martingale & recovery

Win: stake resets to \$1 (win_amount). Loss: new stake += ABS(last trade loss) x martingale (2). If escalated stake >= stop-loss threshold (\$5), stake resets to \$1. Trades continue while total_profit < \$10. When target reached, prints 'Concluido! Lucro Total'.

7. Under-Pro Bot

DIGIT UNDER

Market: Volatility 10 (1s) Index (1HZ10V) | Duration: 1 tick | Contract: Digit Under

Initial stake

\$4.97

Stop loss

\$100

Take profit

\$50

Martingale

x2

Prediction logic — 2-digit pattern gate

Waits for TWO consecutive high digits (both ≥ 7) before placing any trade. The bot runs an infinite loop reading DIGIT 1 and DIGIT 2 from the last-digit list. It only breaks out of the loop and trades when both digits are ≥ 7 . Fixed prediction = 7. Trades DIGIT UNDER 7 — meaning the next last digit must be 0-6 to win (approximately 70% probability). Rationale: after two consecutive high digits, statistical reversion toward lower digits is anticipated.

Martingale & recovery

Win: stake resets to \$4.97 (initial stake). Loss: stake = stake x 2 (martingale). Take profit $\geq$ \$50 stops the bot ('THATS IT BUDDY'). Stop loss $\leq$ -\$100 stops the bot ('HOLY SHIT!').

Risk: The 'reversion after two high digits' premise is a heuristic, not a mathematical certainty. Synthetic indices use a pseudorandom number generator — each tick is independent. The pattern gate reduces trade frequency but does not guarantee an edge.

AI Implementation Notes

Prediction mechanisms: 4 distinct types found across the bots: (1) Random-number direction selection — generate int 0-9, map to threshold using loss count; (2) Fixed prediction — always bet the same type; (3) Conditional entry gate — read live last_digit or lastDigitList, only trade when pattern matches; (4) Rotating list — cycle through a hardcoded array using an index pointer.

Martingale variants: 3 variants to implement: Fixed multiplier (x2 most common, x11 for Candle-Mine); Payout-based: new_stake = ABS(last_contract_payout) x factor; Accumulated: new_stake += ABS(last_loss) x factor.

Live data requirements: All bots need access to: last_digit (current tick), lastDigitList (recent digit history), total_profit (session cumulative P&L;), read_details[4] (last contract payout amount).

Common parameters: All bots share: RESTARTONERROR = TRUE, Synthetic Indices market, 1-tick base duration. Candle-Mine uses R_100 (V100); Nova V6 uses 1HZ100V (V100 1s); all others use 1HZ10V (V10 1s).

Stop/Take profit logic: Check total_profit $\geq$ TAKE_PROFIT after every trade to stop. Check total_profit $\leq$ -STOP_LOSS after every loss. Candle-Mine has no practical limits (9999). Dec Entry has very tight limits (\$2 each side).

All bots are designed for the Deriv platform (deriv.com) and use the DBot XML block format. Trade responsibly — all strategies carry inherent risk. Past performance on synthetic indices does not guarantee future results.