Complete production test checklist

27 categories / 264 individual checks. Print on A4 at actual size. Each row includes an action, expected result and a place to record its outcome.

Result key: P = Pass; F = Fail; B = Blocked; NA = Not applicable. Leave untested rows blank. Record evidence and defect IDs beside each result.

Purpose: verify the installed build before accepting real customers. This is a test plan, not proof that LiteCP is production-ready or that all listed capabilities are currently implemented.

Safety: use disposable sites, databases, mailboxes and a separate restore server. Obtain explicit approval before deletion, overwriting, firewall/SSH changes, reboot or fault injection. Never stress-test a customer server.

Optional features: mark NA only when intentionally out of scope, with a written reason. A missing required feature is Fail or Blocked, not NA.

Evidence: use screenshots, timestamps, sanitized logs, HTTP status, checksums and database counts. Never record passwords, tokens, private keys or recovery codes in this workbook.

Scope: prepared from the local LiteCP v2.0.1 installer/source and requested workflows on 30 October 2026. Enter the actual deployed version below; rerun affected tests after each fix.

Tester / date:

Server / environment / OS:

LiteCP version / commit / installation method:

Panel URL / SSH port / recovery-console reference:

QA domains / approved external mail recipient:

Test order & coverage index

Before testing: save a recovery backup; confirm console access; agree a maintenance window; create QA data and a second restore server. Test installation/access first, then features, then security/recovery and load.

Category	Page
01 Installation & first boot	3
02 SSH port transition & remote access	4
03 Login, sessions & administrator security	5
04 Navigation, design & accessibility	6
05 Overview & server inventory	7
06 Website creation & lifecycle	8
07 PHP versions & extensions	9
08 Application hosting: Node.js, Python & Ruby	10
09 File Manager: browsing & layout	11
10 File Manager: file operations	12
11 File Manager: archives & isolation	13
12 Server File Explorer & terminal	14
13 Databases & phpMyAdmin	15
14 Website cron jobs	16
15 Website FTP / FTPS	17
16 SSL certificates & domain routing	18
17 Email domains, mailboxes & aliases	19
18 Webmail, delivery & SMTP connectivity	20
19 Website backups & manual restore	21
20 Server backups, schedules & remote storage	22
21 System Snapshot & disaster recovery	23
22 Migration: cPanel, Plesk & LiteCP	24
23 Firewall & SSH protection	25
24 Security Dashboard, WAF & malware	26
25 Analytics, storage & activity history	27
26 Services, settings & updates	28
27 Production reliability & isolation	29

Repeat matrix: repeat the applicable checklist on each advertised OS/architecture and upgrade path. Use at least Chrome plus another browser, desktop plus narrow viewport, and fresh plus upgraded installations. Repeat migration tests separately for cPanel, Plesk and LiteCP; repeat each enabled runtime/protocol.

01 Installation & first boot

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

01.01 Install on a fresh supported OS using the tar launcher ☐P ☐F ☐B ☐NA

Expected: Download, extraction and all stages finish with a clear success result.

Evidence / issue: _____

01.02 Try an invalid/private download without valid access ☐P ☐F ☐B ☐NA

Expected: Clear failure; no false success or partial installation claimed as complete.

Evidence / issue: _____

01.03 Observe long package and WAF build stages ☐P ☐F ☐B ☐NA

Expected: Current stage is visible; errors remain readable and identify the failed step.

Evidence / issue: _____

01.04 Record actual LiteCP, OS, Nginx, MySQL and PHP versions ☐P ☐F ☐B ☐NA

Expected: Installed versions match the panel inventory and command-line results.

Evidence / issue: _____

01.05 Install twice on separate disposable servers ☐P ☐F ☐B ☐NA

Expected: Fresh administrator passwords differ; neither is a fixed default.

Evidence / issue: _____

01.06 Inspect service environment and installer-created files ☐P ☐F ☐B ☐NA

Expected: No plaintext administrator password or GitHub token is persisted.

Evidence / issue: _____

01.07 Upgrade an existing test installation ☐P ☐F ☐B ☐NA

Expected: Administrator credentials, websites and settings survive without duplicate records.

Evidence / issue: _____

01.08 Open panel HTTPS on configured port 4321 ☐P ☐F ☐B ☐NA

Expected: Login loads; deployed certificate and browser trust are recorded.

Evidence / issue: _____

01.09 Verify resolver defaults and selected display timezone ☐P ☐F ☐B ☐NA

Expected: Intended DNS servers and Asia/Kolkata default are applied to fresh installation.

Evidence / issue: _____

01.10 Reboot after installation ☐P ☐F ☐B ☐NA

Expected: Panel, database, web, mail and selected runtimes recover; settings persist.

Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

02 SSH port transition & remote access

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

02.01 Start installation through SSH port 22 ☐P ☐F ☐B ☐NA

Expected: Session remains usable while port changes; installation reaches completion.

Evidence / issue: _____

02.02 Check configured SSH port after fresh installation ☐P ☐F ☐B ☐NA

Expected: Intended port 369 listens; displayed connection instructions are correct.

Evidence / issue: _____

02.03 Connect a second SSH session on the new port ☐P ☐F ☐B ☐NA

Expected: Authentication succeeds before the old access path is removed.

Evidence / issue: _____

02.04 Change SSH port from Security ☐P ☐F ☐B ☐NA

Expected: New port is allowed in host firewall and permitted by SELinux policy where needed.

Evidence / issue: _____

02.05 Try an occupied, invalid or restricted port ☐P ☐F ☐B ☐NA

Expected: Change is rejected safely; the original working SSH connection remains available.

Evidence / issue: _____

02.06 Simulate new-port validation failure on a disposable server ☐P ☐F ☐B ☐NA

Expected: Previous SSH configuration/access is restored; error explains the failure.

Evidence / issue: _____

02.07 Reboot after a successful port change ☐P ☐F ☐B ☐NA

Expected: SSH listens on the saved port and firewall rules remain effective.

Evidence / issue: _____

02.08 Check provider firewall separately ☐P ☐F ☐B ☐NA

Expected: Provider rules allow the chosen SSH and panel ports; recovery console is available.

Evidence / issue: _____

02.09 Inspect externally reachable ports ☐P ☐F ☐B ☐NA

Expected: Only intended services are reachable; database and internal FastCGI stay private.

Evidence / issue: _____

02.10 Keep a working session open during all access tests ☐P ☐F ☐B ☐NA

Expected: No unexpected lockout; recovery steps are recorded before approval.

Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

03 Login, sessions & administrator security

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

03.01 Sign in using valid and invalid credentials ☐P ☐F ☐B ☐NA

Expected: Valid login works; invalid login fails without exposing account secrets.
Evidence / issue: _____

03.02 Submit blank, long and malformed login values ☐P ☐F ☐B ☐NA

Expected: Validation is readable; no crash, injection or raw stack trace.
Evidence / issue: _____

03.03 Open an authenticated page in a fresh browser ☐P ☐F ☐B ☐NA

Expected: Login is required; copied page URL alone grants no access.
Evidence / issue: _____

03.04 Sign out, then revisit protected pages and APIs ☐P ☐F ☐B ☐NA

Expected: Session is invalidated and protected data is inaccessible.
Evidence / issue: _____

03.05 Change administrator password ☐P ☐F ☐B ☐NA

Expected: Old password fails, new password works and existing access is revoked as intended.
Evidence / issue: _____

03.06 Use password generation, eye and copy controls ☐P ☐F ☐B ☐NA

Expected: Values are random, visibility toggles correctly and clipboard matches exactly.
Evidence / issue: _____

03.07 Inspect login with 2FA disabled ☐P ☐F ☐B ☐NA

Expected: Authenticator field is hidden until it is needed.
Evidence / issue: _____

03.08 Set up 2FA, test valid/invalid/expired codes ☐P ☐F ☐B ☐NA

Expected: Enrollment requires verification; only valid codes permit protected actions.
Evidence / issue: _____

03.09 Use a recovery code twice on a disposable account ☐P ☐F ☐B ☐NA

Expected: First use succeeds; reuse is rejected and codes never enter ordinary logs.
Evidence / issue: _____

03.10 Test developer trusted-browser mode across restart ☐P ☐F ☐B ☐NA

Expected: Only the approved browser stays trusted; a new browser still needs a password.
Evidence / issue: _____

03.11 Sign out or change password with trusted-browser mode on ☐P ☐F ☐B ☐NA

Expected: Trusted access is revoked; expired or disabled trust cannot restore a session.
Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

04 Navigation, design & accessibility

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

04.01 Open every main menu and submenu ☐P ☐F ☐B ☐NA

Expected: Correct page and active state appear; no blank page or console error.
Evidence / issue: _____

04.02 Expand/collapse Website Tools, Email, Security and Settings ☐P ☐F ☐B ☐NA

Expected: Labels, icons and chevrons remain aligned; state is predictable.
Evidence / issue: _____

04.03 Collapse the sidebar and reopen it ☐P ☐F ☐B ☐NA

Expected: Icons remain visible with usable labels/tooltips and a reachable toggle.
Evidence / issue: _____

04.04 Search for a feature, setting, domain and mailbox ☐P ☐F ☐B ☐NA

Expected: Relevant readable results open the intended destination.
Evidence / issue: _____

04.05 Use Ctrl+K, keyboard arrows, Enter and Escape in search ☐P ☐F ☐B ☐NA

Expected: Focus and selection work; results do not overlap or escape the viewport.
Evidence / issue: _____

04.06 View at 100% and 200% zoom and narrow widths ☐P ☐F ☐B ☐NA

Expected: Text and actions remain reachable without clipped controls.
Evidence / issue: _____

04.07 Open each modal, use Tab and Escape, then close ☐P ☐F ☐B ☐NA

Expected: Focus stays usable and returns sensibly; unsaved work is not silently lost.
Evidence / issue: _____

04.08 Trigger success, information and failed notifications ☐P ☐F ☐B ☐NA

Expected: Types are distinguishable; failures remain until manually dismissed.
Evidence / issue: _____

04.09 Inspect dark-mode text and hover/focus/disabled states ☐P ☐F ☐B ☐NA

Expected: Text is legible; no invisible labels, garbled characters or underlines on controls.
Evidence / issue: _____

04.10 Open Documentation and search several topics ☐P ☐F ☐B ☐NA

Expected: Manual sections load and describe current labels and workflows.
Evidence / issue: _____

04.11 Check copy/generate/remove/close controls across pages ☐P ☐F ☐B ☐NA

Expected: Controls are recognizable; destructive buttons are red and icons centered.
Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

05 Overview & server inventory

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

05.01 Compare CPU, memory and disk with OS tools ☐P ☐F ☐B ☐NA

Expected: Values use stated units and reflect the actual server within sampling delay.

Evidence / issue: _____

05.02 Check usage bar thresholds around boundaries ☐P ☐F ☐B ☐NA

Expected: Green at 50% or below, yellow above 50% through 70%, red above 70%.

Evidence / issue: _____

05.03 Check disk badge when disk usage is high ☐P ☐F ☐B ☐NA

Expected: Status reflects low free space; it does not misleadingly say Healthy.

Evidence / issue: _____

05.04 Compare total websites and mailbox counts ☐P ☐F ☐B ☐NA

Expected: Counts match current managed records after create/delete/refresh.

Evidence / issue: _____

05.05 Review OS, hostname and server IP ☐P ☐F ☐B ☐NA

Expected: Informational values are correct and use the intended blue styling.

Evidence / issue: _____

05.06 Review running, stopped and missing services ☐P ☐F ☐B ☐NA

Expected: Green means observed working; red means stopped/missing; unknown is explicit.

Evidence / issue: _____

05.07 Compare installed PHP and container runtime inventory ☐P ☐F ☐B ☐NA

Expected: Only actually detected versions are listed; disabled hosting is identified.

Evidence / issue: _____

05.08 Restart a test service and refresh overview ☐P ☐F ☐B ☐NA

Expected: Status changes accurately and recovers without a stale success indicator.

Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

06 Website creation & lifecycle

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

06.01 Create a Regular PHP/HTML site using the two-step wizard ☐P ☐F ☐B ☐NA

Expected: Default application, validation and final review are correct.
Evidence / issue: _____

06.02 Create WordPress and licensed WHMCS test sites ☐P ☐F ☐B ☐NA

Expected: Correct application profile is saved; provisioning is distinct from app installation.
Evidence / issue: _____

06.03 Try duplicate, malformed and hostile domain names ☐P ☐F ☐B ☐NA

Expected: Validation rejects unsafe/duplicate input without changing another site.
Evidence / issue: _____

06.04 Inspect the website home layout ☐P ☐F ☐B ☐NA

Expected: Files use /home/litecp/<domain>/public_html; private folders sit outside web root.
Evidence / issue: _____

06.05 Request backups, logs, trash and configuration through HTTP ☐P ☐F ☐B ☐NA

Expected: Private content is not publicly served.
Evidence / issue: _____

06.06 Click the listed domain ☐P ☐F ☐B ☐NA

Expected: Correct website opens using the intended protocol in a usable tab.
Evidence / issue: _____

06.07 Search, paginate and change page size ☐P ☐F ☐B ☐NA

Expected: Results/counts are correct; all actions remain available on each page.
Evidence / issue: _____

06.08 Compare website size with the documented storage scope ☐P ☐F ☐B ☐NA

Expected: Value is current, unit is clear and measurement scope is understood.
Evidence / issue: _____

06.09 Edit a disposable site's domain ☐P ☐F ☐B ☐NA

Expected: Vhost, files, PHP, cron and linked records remain coherent; collisions are blocked.
Evidence / issue: _____

06.10 Suspend a disposable site and request HTTP and HTTPS ☐P ☐F ☐B ☐NA

Expected: A dedicated suspension response appears; another domain's data is never served.
Evidence / issue: _____

06.11 Unsuspend the site ☐P ☐F ☐B ☐NA

Expected: Original content and intended services return; state survives a reboot.
Evidence / issue: _____

06.12 Remove a disposable site using the stated removal scope ☐P ☐F ☐B ☐NA

Expected: Confirmation explains retained/deleted data; results and analytics match that scope.
Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

07 PHP versions & extensions

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

07.01 Select every installed PHP runtime on a disposable site ☐P ☐F ☐B ☐NA

Expected: Runtime switches successfully and the actual web PHP version matches selection.

Evidence / issue: _____

07.02 Switch WordPress/WHMCS runtime deliberately ☐P ☐F ☐B ☐NA

Expected: Installed choices are available; application compatibility is independently checked.

Evidence / issue: _____

07.03 Switch a legacy-runtime database site forward and back ☐P ☐F ☐B ☐NA

Expected: Database authentication and PHP socket permissions remain functional.

Evidence / issue: _____

07.04 Request a nonexistent PHP version through the API ☐P ☐F ☐B ☐NA

Expected: Validation fails; current website keeps its previous working runtime.

Evidence / issue: _____

07.05 Search extensions by name, module and package ☐P ☐F ☐B ☐NA

Expected: Catalogue returns real packages without a read-only DNF log/cache error.

Evidence / issue: _____

07.06 Filter the catalogue by each PHP version and state ☐P ☐F ☐B ☐NA

Expected: Counts and installed status correspond to the selected runtime.

Evidence / issue: _____

07.07 Install one optional extension on a disposable runtime ☐P ☐F ☐B ☐NA

Expected: Correct runtime gains the module; other runtimes are unaffected.

Evidence / issue: _____

07.08 Remove that optional extension ☐P ☐F ☐B ☐NA

Expected: Module is removed safely; required/core modules remain protected.

Evidence / issue: _____

07.09 Verify application-required extensions and ionCube where needed ☐P ☐F ☐B ☐NA

Expected: Actual application health check passes for its chosen PHP runtime.

Evidence / issue: _____

07.10 Fail a package operation on a test system ☐P ☐F ☐B ☐NA

Expected: Clear error; no false installed state or broken runtime left unnoticed.

Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

08 Application hosting: Node.js, Python & Ruby

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

08.01 Inspect each hosting type on a fresh installation ☐P ☐F ☐B ☐NA

Expected: Optional hosting starts disabled and consumes no unnecessary resident runtime.

Evidence / issue: _____

08.02 Enable each type separately ☐P ☐F ☐B ☐NA

Expected: Feature becomes available and reports actual installation/download progress.

Evidence / issue: _____

08.03 Select an available version and launch a sample application ☐P ☐F ☐B ☐NA

Expected: Selected runtime serves the sample through the correct website/proxy.

Evidence / issue: _____

08.04 Restart the sample process ☐P ☐F ☐B ☐NA

Expected: Application returns without losing its configuration or files.

Evidence / issue: _____

08.05 Test dependencies and startup command errors ☐P ☐F ☐B ☐NA

Expected: Failure output is readable; secrets are redacted and other sites keep working.

Evidence / issue: _____

08.06 Check process ownership, socket/port binding and resource limits ☐P ☐F ☐B ☐NA

Expected: Application is isolated and does not gain root or cross-site access.

Evidence / issue: _____

08.07 Reboot with a sample enabled ☐P ☐F ☐B ☐NA

Expected: Intended application startup and runtime selection persist.

Evidence / issue: _____

08.08 Disable the feature after the test ☐P ☐F ☐B ☐NA

Expected: State accurately reports disabled; unrelated sites and stored data remain intact.

Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

09 File Manager: browsing & layout

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

09.01 Open File Manager from Website Tools ☐P ☐F ☐B ☐NA

Expected: Website selection is requested rather than silently opening the wrong site.
Evidence / issue: _____

09.02 Open Files from a website row ☐P ☐F ☐B ☐NA

Expected: The requested website home opens with the correct path and contents.
Evidence / issue: _____

09.03 Navigate Home, Up, Back, Forward and Reload ☐P ☐F ☐B ☐NA

Expected: Paths and history are correct; no folder is skipped or mixed between sites.
Evidence / issue: _____

09.04 Expand nested folders, collapse all and resize the tree pane ☐P ☐F ☐B ☐NA

Expected: Tree controls and splitter work without overlap or unusable widths.
Evidence / issue: _____

09.05 Open public_html and inspect folder/file icons ☐P ☐F ☐B ☐NA

Expected: Public web root is distinguishable; file types have readable icons.
Evidence / issue: _____

09.06 Sort name, size, modified time, type and permissions ☐P ☐F ☐B ☐NA

Expected: Order is consistent and folder selection is preserved sensibly.
Evidence / issue: _____

09.07 Show/hide dotfiles and save Preferences ☐P ☐F ☐B ☐NA

Expected: Hidden files and startup folder follow preferences after reopening.
Evidence / issue: _____

09.08 Search current folder and broader supported scopes ☐P ☐F ☐B ☐NA

Expected: Scope is clear and results navigate to the correct file.
Evidence / issue: _____

09.09 Select all/unselect, multi-select and use keyboard actions ☐P ☐F ☐B ☐NA

Expected: Correct items are selected; disabled actions match supported selection.
Evidence / issue: _____

09.10 Right-click near file names and screen edges ☐P ☐F ☐B ☐NA

Expected: Menu opens beside the cursor, stays on-screen and exposes applicable actions.
Evidence / issue: _____

09.11 Enter/exit full screen ☐P ☐F ☐B ☐NA

Expected: Only File Manager expands; header/logo and all controls fit the available height.
Evidence / issue: _____

09.12 Change website while a request is loading ☐P ☐F ☐B ☐NA

Expected: A stale response cannot populate or modify the newly selected website.
Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

10 File Manager: file operations

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

10.01 Create a new file and folder in a named QA directory ☐P ☐F ☐B ☐NA

Expected: Correct items appear at the chosen destination with safe permissions.
Evidence / issue: _____

10.02 Copy a file and a nested directory ☐P ☐F ☐B ☐NA

Expected: Contents match originals; existing destination conflicts require an explicit choice.
Evidence / issue: _____

10.03 Move and rename QA files/folders ☐P ☐F ☐B ☐NA

Expected: Paths update correctly; unsupported/conflicting destinations fail safely.
Evidence / issue: _____

10.04 Upload multiple QA files including a large test file ☐P ☐F ☐B ☐NA

Expected: Progress and errors are accurate; completed bytes match originals.
Evidence / issue: _____

10.05 Cancel/interupt a QA upload ☐P ☐F ☐B ☐NA

Expected: No false completion; partial-file handling is clear and existing files remain intact.
Evidence / issue: _____

10.06 Download one file and a supported selection ☐P ☐F ☐B ☐NA

Expected: Names, bytes and expected archive contents match the requested selection.
Evidence / issue: _____

10.07 Edit PHP, CSS, JS, TXT and HTML through toolbar/right-click ☐P ☐F ☐B ☐NA

Expected: Edit is offered for text files; correct file opens and saves.
Evidence / issue: _____

10.08 Use find/replace, wrap, language and editor full screen ☐P ☐F ☐B ☐NA

Expected: Controls work; saving preserves the intended text and encoding.
Evidence / issue: _____

10.09 Use HTML editor on a disposable HTML file ☐P ☐F ☐B ☐NA

Expected: Preview/edit/save behavior is correct; script content cannot execute in panel context.
Evidence / issue: _____

10.10 View images and text; attempt binary edit ☐P ☐F ☐B ☐NA

Expected: Supported previews work; unsafe/unsupported edits are blocked clearly.
Evidence / issue: _____

10.11 Change QA file permissions and verify on disk ☐P ☐F ☐B ☐NA

Expected: Octal mode is correct and does not affect unrelated files.
Evidence / issue: _____

10.12 Trash then restore QA files; test permanent delete separately ☐P ☐F ☐B ☐NA

Expected: Restore returns correct bytes/path; permanent removal requires confirmation.
Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

11 File Manager: archives & isolation

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

11.01 Compress QA content using each offered archive format ☐P ☐F ☐B ☐NA

Expected: Archive opens independently and contains the intended relative paths.

Evidence / issue: _____

11.02 Extract each offered format into a new QA folder ☐P ☐F ☐B ☐NA

Expected: Files and nested folders match; progress and result are accurate.

Evidence / issue: _____

11.03 Test archive conflicts with existing QA files ☐P ☐F ☐B ☐NA

Expected: No silent overwrite beyond the explicitly confirmed operation.

Evidence / issue: _____

11.04 Try traversal entries such as ../ and absolute paths ☐P ☐F ☐B ☐NA

Expected: Extraction is rejected; no file is written outside the permitted root.

Evidence / issue: _____

11.05 Try symlink escapes and links to another site's files ☐P ☐F ☐B ☐NA

Expected: Preview, copy, edit and download cannot bypass website confinement.

Evidence / issue: _____

11.06 Try malformed, oversized-expansion and encrypted archives ☐P ☐F ☐B ☐NA

Expected: Operation stops safely with a useful error and resource controls.

Evidence / issue: _____

11.07 Try another website ID or server-explorer ID on write APIs ☐P ☐F ☐B ☐NA

Expected: Authorization/confinement checks reject inappropriate writes.

Evidence / issue: _____

11.08 Save an edit after another session changes the file ☐P ☐F ☐B ☐NA

Expected: Conflict is detected or clearly handled; stale text does not silently replace changes.

Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

12 Server File Explorer & terminal

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

12.01 Open Server File Explorer and browse persistent server paths ☐P ☐F ☐B ☐NA

Expected: Correct server directories load; special/virtual paths are handled safely.

Evidence / issue: _____

12.02 Search, sort, preview and download allowed server files ☐P ☐F ☐B ☐NA

Expected: Read operations return the requested content and show failures honestly.

Evidence / issue: _____

12.03 Attempt create/edit/delete/upload through Server File Explorer ☐P ☐F ☐B ☐NA

Expected: Read-only restriction is enforced by the server, not only hidden buttons.

Evidence / issue: _____

12.04 Open Terminal from a signed-in administrator session ☐P ☐F ☐B ☐NA

Expected: Visible icon opens a working interactive session with clear privilege context.

Evidence / issue: _____

12.05 Run pwd, printf, cd and an interactive harmless command ☐P ☐F ☐B ☐NA

Expected: Output, input and current directory behave like a real terminal.

Evidence / issue: _____

12.06 Use arrows, backspace, Tab, Ctrl+C and terminal resize ☐P ☐F ☐B ☐NA

Expected: Editing, interrupt and screen dimensions work without duplicated input.

Evidence / issue: _____

12.07 Switch tabs and return during output ☐P ☐F ☐B ☐NA

Expected: Terminal state and output remain usable; no unexpected session recreation.

Evidence / issue: _____

12.08 Disconnect and test idle expiry, logout and a second browser ☐P ☐F ☐B ☐NA

Expected: Sessions close/expire as designed; unauthorized browsers cannot attach.

Evidence / issue: _____

12.09 Inspect shell scope and root access before production ☐P ☐F ☐B ☐NA

Expected: Actual privilege boundary is documented and accepted; no hidden unrestricted access.

Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

13 Databases & phpMyAdmin

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

13.01 Create a disposable database with generated names/password ☐P ☐F ☐B ☐NA

Expected: Database/user exist, names are valid and copy controls match values.

Evidence / issue: _____

13.02 Try duplicate, invalid and injection-like identifiers ☐P ☐F ☐B ☐NA

Expected: Rejected safely; no existing schema/user is modified.

Evidence / issue: _____

13.03 Connect locally using the new database user ☐P ☐F ☐B ☐NA

Expected: User can access only its assigned database and required privileges.

Evidence / issue: _____

13.04 Click the database name from the panel ☐P ☐F ☐B ☐NA

Expected: phpMyAdmin opens in a new tab and signs in to the intended database.

Evidence / issue: _____

13.05 Open tables, run a harmless query, export and import QA data ☐P ☐F ☐B ☐NA

Expected: Structure and data are correct without cross-database access.

Evidence / issue: _____

13.06 Test phpMyAdmin handoff after expiry and replay ☐P ☐F ☐B ☐NA

Expected: Expired/reused credentials or tokens cannot grant unauthorized access.

Evidence / issue: _____

13.07 Check configured import limit and request overhead ☐P ☐F ☐B ☐NA

Expected: UI reflects the requested 5 GiB file limit and surrounding limits permit it.

Evidence / issue: _____

13.08 Import a representative large QA dump with monitoring ☐P ☐F ☐B ☐NA

Expected: Import completes accurately or reports a recoverable failure; resources remain usable.

Evidence / issue: _____

13.09 Reset the QA user's password ☐P ☐F ☐B ☐NA

Expected: New password works; old password fails and dependent application updates are handled.

Evidence / issue: _____

13.10 Delete only a disposable database using confirmation ☐P ☐F ☐B ☐NA

Expected: Correct database/user are removed according to the documented scope.

Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

14 Website cron jobs

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

14.01 Open Cron jobs for WordPress, WHMCS and a regular site ☐P ☐F ☐B ☐NA

Expected: One clear interface contains default application cron and custom jobs.

Evidence / issue: _____

14.02 Add two harmless jobs to one site ☐P ☐F ☐B ☐NA

Expected: Both schedules persist independently without duplicates.

Evidence / issue: _____

14.03 Choose common presets and one custom cron expression ☐P ☐F ☐B ☐NA

Expected: Saved schedule matches the intended frequency and server timezone.

Evidence / issue: _____

14.04 Edit, disable and re-enable a QA job ☐P ☐F ☐B ☐NA

Expected: Only that job changes; scheduler output and UI state agree.

Evidence / issue: _____

14.05 Use Run to execute a harmless QA command immediately ☐P ☐F ☐B ☐NA

Expected: Output, exit status and failure message reflect the actual command.

Evidence / issue: _____

14.06 Test a slow command and an invalid command ☐P ☐F ☐B ☐NA

Expected: Timeout/concurrency handling is clear; panel stays responsive.

Evidence / issue: _____

14.07 Switch the site's PHP version ☐P ☐F ☐B ☐NA

Expected: PHP-based application cron uses the correct intended runtime afterward.

Evidence / issue: _____

14.08 Remove one QA job ☐P ☐F ☐B ☐NA

Expected: Confirmation is explicit and other jobs continue unchanged.

Evidence / issue: _____

14.09 Reboot and inspect the saved jobs ☐P ☐F ☐B ☐NA

Expected: Jobs persist once and execute under the intended website identity.

Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

15 Website FTP / FTPS

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

15.01 Open FTP for a selected website ☐P ☐F ☐B ☐NA

Expected: Host/IP, port, encryption mode and directory are correct.

Evidence / issue: _____

15.02 Generate and copy username/password ☐P ☐F ☐B ☐NA

Expected: Buttons work, valid random credentials are produced and text is readable.

Evidence / issue: _____

15.03 Create an account and record the one-time details ☐P ☐F ☐B ☐NA

Expected: Username, password, host/IP and port are available once without plaintext storage.

Evidence / issue: _____

15.04 Connect with explicit FTPS from an external client ☐P ☐F ☐B ☐NA

Expected: TLS certificate is checked and login succeeds on the configured ports.

Evidence / issue: _____

15.05 Upload/download a QA file through passive mode ☐P ☐F ☐B ☐NA

Expected: Bytes match; port 21 and intended passive range work externally.

Evidence / issue: _____

15.06 Try plaintext login and another website's directory ☐P ☐F ☐B ☐NA

Expected: Required encryption and website confinement are enforced.

Evidence / issue: _____

15.07 Edit password/account settings ☐P ☐F ☐B ☐NA

Expected: Saved changes take effect; previous password fails as expected.

Evidence / issue: _____

15.08 Remove a QA FTP account ☐P ☐F ☐B ☐NA

Expected: New logins are blocked; handling of existing sessions is documented.

Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

16 SSL certificates & domain routing

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

16.01 Install SSL for a DNS-ready disposable domain ☐P ☐F ☐B ☐NA

Expected: Certificate is issued for the correct names and Nginx configuration validates.

Evidence / issue: _____

16.02 Attempt issuance for a domain with incorrect DNS ☐P ☐F ☐B ☐NA

Expected: Useful failure; no broken vhost or misleading Active status.

Evidence / issue: _____

16.03 Request HTTP then HTTPS for each hosted domain ☐P ☐F ☐B ☐NA

Expected: Correct content is served; redirects do not loop or switch websites.

Evidence / issue: _____

16.04 Check certificate hostname, issuer, chain and expiry externally ☐P ☐F ☐B ☐NA

Expected: Browser trust and chain validation succeed for production names.

Evidence / issue: _____

16.05 Request unknown hosts and an unconfigured HTTPS name ☐P ☐F ☐B ☐NA

Expected: No unrelated customer's website, secrets or default content leaks.

Evidence / issue: _____

16.06 Suspend a site with and without SSL ☐P ☐F ☐B ☐NA

Expected: Both protocols show suspension safely, never another site's content.

Evidence / issue: _____

16.07 Test renewal using the certificate tool's safe dry-run mode ☐P ☐F ☐B ☐NA

Expected: Renewal validation succeeds and reload behavior is recorded.

Evidence / issue: _____

16.08 Verify renewal scheduling survives reboot ☐P ☐F ☐B ☐NA

Expected: Automation is enabled once and errors are visible to the administrator.

Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

17 Email domains, mailboxes & aliases

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

17.01 Use each Email submenu independently ☐P ☐F ☐B ☐NA

Expected: Correct form/list opens; obsolete repeated DNS information cards are absent.

Evidence / issue: _____

17.02 Create a mailbox for an existing hosted domain ☐P ☐F ☐B ☐NA

Expected: Domain appears automatically and mail routing is created consistently.

Evidence / issue: _____

17.03 Add an email-only domain and create a mailbox ☐P ☐F ☐B ☐NA

Expected: Website hosting is not required; routing and mailbox records agree.

Evidence / issue: _____

17.04 Try duplicate/invalid domains, addresses and weak inputs ☐P ☐F ☐B ☐NA

Expected: Clear validation; no partial or duplicate mail-domain records.

Evidence / issue: _____

17.05 Generate a mailbox password, set quota and create account ☐P ☐F ☐B ☐NA

Expected: Password handling and quota match the requested values.

Evidence / issue: _____

17.06 Edit/reset a disposable mailbox password ☐P ☐F ☐B ☐NA

Expected: New login works; old password fails; mail content remains intact.

Evidence / issue: _____

17.07 Create an alias to another approved test recipient ☐P ☐F ☐B ☐NA

Expected: Mail forwards once to the intended address without an unintended loop.

Evidence / issue: _____

17.08 Remove a QA alias/mailbox/domain in the proper order ☐P ☐F ☐B ☐NA

Expected: Confirmation explains data scope; unrelated accounts remain operational.

Evidence / issue: _____

17.09 View DNS and mail-client configuration ☐P ☐F ☐B ☐NA

Expected: Hostnames, ports, MX, SPF, DKIM and DMARC values match the domain/server.

Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

18 Webmail, delivery & SMTP connectivity

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

18.01 Click Log in beside a mailbox as panel administrator ☐P ☐F ☐B ☐NA

Expected: Correct mailbox opens automatically without requesting its password.

Evidence / issue: _____

18.02 Test expired/replayed webmail handoff and unauthorized access ☐P ☐F ☐B ☐NA

Expected: Invalid handoffs fail; one mailbox cannot be substituted for another.

Evidence / issue: _____

18.03 Send and receive between two QA mailboxes ☐P ☐F ☐B ☐NA

Expected: Delivery succeeds and messages appear in the correct folders.

Evidence / issue: _____

18.04 Send to and receive from an approved external test address ☐P ☐F ☐B ☐NA

Expected: Both directions work; message headers and delays are recorded.

Evidence / issue: _____

18.05 Inspect SPF, DKIM, DMARC, PTR and mail TLS ☐P ☐F ☐B ☐NA

Expected: Results align with configured identity; spam placement is assessed separately.

Evidence / issue: _____

18.06 Use IMAPS 993 and SMTP submission 465/587 externally ☐P ☐F ☐B ☐NA

Expected: TLS, authentication and mailbox quota enforcement work.

Evidence / issue: _____

18.07 Attempt unauthenticated relay to an external address ☐P ☐F ☐B ☐NA

Expected: Relay is denied; legitimate authenticated submission still works.

Evidence / issue: _____

18.08 Open Email Delivery and filter/search a QA message ☐P ☐F ☐B ☐NA

Expected: Sender, recipient, time and delivered/deferred/bounced status are accurate.

Evidence / issue: _____

18.09 Test SMTP Port Check for ports 25 and 465 ☐P ☐F ☐B ☐NA

Expected: Reachability/TLS errors are shown; timeout is not falsely proven to be provider blocking.

Evidence / issue: _____

18.10 Check deferred queue/retry and invalid-recipient handling ☐P ☐F ☐B ☐NA

Expected: Failures are visible and do not disappear as successful delivery.

Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

19 Website backups & manual restore

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

19.01 Create a complete QA website backup ☐P ☐F ☐B ☐NA

Expected: Named downloadable file appears with size/time and a clear completion state.

Evidence / issue: _____

19.02 Inspect nested ZIP structure independently ☐P ☐F ☐B ☐NA

Expected: Outer ZIP contains public_html.zip and databases.zip with expected content.

Evidence / issue: _____

19.03 Include hidden files and registered databases in QA data ☐P ☐F ☐B ☐NA

Expected: Backup includes intended hidden content and database rows.

Evidence / issue: _____

19.04 Download a backup and compare checksum ☐P ☐F ☐B ☐NA

Expected: Download is complete, authorized and matches the stored file.

Evidence / issue: _____

19.05 Upload a valid manual website backup ☐P ☐F ☐B ☐NA

Expected: Picker is usable; validation and inspection precede destructive restoration.

Evidence / issue: _____

19.06 Restore into a disposable empty target ☐P ☐F ☐B ☐NA

Expected: Files, database rows and application connection details are restored correctly.

Evidence / issue: _____

19.07 Restore into a populated QA target ☐P ☐F ☐B ☐NA

Expected: Explicit overwrite scope/confirmation is required; recovery path is available.

Evidence / issue: _____

19.08 Upload corrupt/traversal/oversized-expansion archives ☐P ☐F ☐B ☐NA

Expected: Rejected safely without escaping target paths or exhausting the server.

Evidence / issue: _____

19.09 Delete one QA backup ☐P ☐F ☐B ☐NA

Expected: Only the selected archive is removed after confirmation.

Evidence / issue: _____

19.10 Run a backup while the site changes content ☐P ☐F ☐B ☐NA

Expected: Consistency limits are understood; production backup method meets recovery needs.

Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

20 Server backups, schedules & remote storage

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

20.01 Create a server backup from Backups ☐P ☐F ☐B ☐NA

Expected: Success occurs only after files and database capture complete.

Evidence / issue: _____

20.02 Create two schedules with different frequencies ☐P ☐F ☐B ☐NA

Expected: Both are saved independently, show next-run time and run as configured.

Evidence / issue: _____

20.03 Edit, disable and delete a QA schedule ☐P ☐F ☐B ☐NA

Expected: Only the selected schedule changes; no duplicate scheduler entries.

Evidence / issue: _____

20.04 Set a schedule retention count and exceed it with QA backups ☐P ☐F ☐B ☐NA

Expected: Only that schedule's oldest backups are removed after a successful new backup.

Evidence / issue: _____

20.05 Force a scheduled backup failure on a test target ☐P ☐F ☐B ☐NA

Expected: Failure is reported; previous recovery backups are retained.

Evidence / issue: _____

20.06 Add FTP, FTPS and SFTP destinations separately ☐P ☐F ☐B ☐NA

Expected: Correct protocol/port/path validation and credentials are used.

Evidence / issue: _____

20.07 Test SFTP fingerprint entry and automatic trust workflow ☐P ☐F ☐B ☐NA

Expected: Identity approval is clear; a changed host key is rejected.

Evidence / issue: _____

20.08 Try wrong credentials or an unreachable destination ☐P ☐F ☐B ☐NA

Expected: Useful failure; local backup remains available and no false remote success.

Evidence / issue: _____

20.09 Verify remote backup bytes/checksum and restore from it ☐P ☐F ☐B ☐NA

Expected: Remote copy is complete and independently recoverable.

Evidence / issue: _____

20.10 Inspect backup settings, logs and exported metadata ☐P ☐F ☐B ☐NA

Expected: Credentials are encrypted/redacted and absent from public responses.

Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

21 System Snapshot & disaster recovery

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

21.01 Create a System Snapshot from a disposable environment ☐P ☐F ☐B ☐NA

Expected: Archive completes with a manifest and clear coverage of included data.

Evidence / issue: _____

21.02 Check settings, sites, databases, mail and linked metadata ☐P ☐F ☐B ☐NA

Expected: Every promised component is present; exclusions are explicitly documented.

Evidence / issue: _____

21.03 Upload a snapshot and select one from an allowed server path ☐P ☐F ☐B ☐NA

Expected: Both sources validate correctly; unauthorized paths and unsafe links are rejected.

Evidence / issue: _____

21.04 Restore into a separate fresh test server ☐P ☐F ☐B ☐NA

Expected: Intended state/files/databases recover with explicit overwrite confirmation.

Evidence / issue: _____

21.05 Check new server IP, DNS, certificates and service paths ☐P ☐F ☐B ☐NA

Expected: Server-specific values are reconciled rather than blindly trusting old values.

Evidence / issue: _____

21.06 Verify login, 2FA/trust handling and encrypted credentials ☐P ☐F ☐B ☐NA

Expected: Access remains recoverable; old sessions/secrets are handled intentionally.

Evidence / issue: _____

21.07 Open applications, cron, mail and FTP after restore ☐P ☐F ☐B ☐NA

Expected: Each included service works with the restored identities and permissions.

Evidence / issue: _____

21.08 Interrupt a QA restore and follow recovery instructions ☐P ☐F ☐B ☐NA

Expected: Failure state is honest and a tested recovery path is available.

Evidence / issue: _____

21.09 Record actual recovery time and latest recoverable point ☐P ☐F ☐B ☐NA

Expected: Measured RTO/RPO meet the deployment's agreed requirements.

Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

22 Migration: cPanel, Plesk & LiteCP

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

22.01 Connect to each supported source using password and key ☐P ☐F ☐B ☐NA

Expected: Authentication, port and host-key trust work without exposing secrets.
Evidence / issue: _____

22.02 Discover accounts and search/select multiple accounts ☐P ☐F ☐B ☐NA

Expected: Full domains/source IP are shown; selection and drag/drop remain usable.
Evidence / issue: _____

22.03 Start migration for a new disposable domain ☐P ☐F ☐B ☐NA

Expected: Capture, transfer, verify, extract, preflight and restore proceed automatically.
Evidence / issue: _____

22.04 Migrate onto an existing QA domain ☐P ☐F ☐B ☐NA

Expected: Overwrite is requested before replacement; cancellation preserves the existing site.
Evidence / issue: _____

22.05 Observe progress and live/completed job lists ☐P ☐F ☐B ☐NA

Expected: Only queued/running jobs are live; percentage reaches 100 only on actual completion.
Evidence / issue: _____

22.06 Restart the panel during a QA migration ☐P ☐F ☐B ☐NA

Expected: Work resumes or reports a recoverable interruption without duplicate destructive action.
Evidence / issue: _____

22.07 Cancel an individual job and then a separate batch ☐P ☐F ☐B ☐NA

Expected: Cancel/Cancel all stop intended work and report remaining/recovery state accurately.
Evidence / issue: _____

22.08 Compare migrated files, hidden content and database row counts ☐P ☐F ☐B ☐NA

Expected: Destination matches source within documented migration scope.
Evidence / issue: _____

22.09 Open the migrated app before DNS cutover using host mapping ☐P ☐F ☐B ☐NA

Expected: Correct site works; no HTTP 500, wrong database or cross-domain content.
Evidence / issue: _____

22.10 Check PHP/extensions, rewrites, paths, cron, mail and SSL scope ☐P ☐F ☐B ☐NA

Expected: Supported items work; unsupported items are clearly listed, never implied migrated.
Evidence / issue: _____

22.11 Verify source-created archive cleanup after validated transfer ☐P ☐F ☐B ☐NA

Expected: Only LiteCP-created export artifacts are removed; original source data is untouched.
Evidence / issue: _____

22.12 Clean finished migration temporary data from the panel ☐P ☐F ☐B ☐NA

Expected: Only eligible temporary archives/staging are removed; restored websites/history survive.
Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

23 Firewall & SSH protection

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

23.01 Open full-width Managed rules and Add rules dialog ☐P ☐F ☐B ☐NA

Expected: Forms are aligned; editing targets the correct rule.

Evidence / issue: _____

23.02 Apply LiteCP Firewall on a disposable host ☐P ☐F ☐B ☐NA

Expected: Only required configured services are allowed and current administrator access survives.

Evidence / issue: _____

23.03 Add/edit/remove a scoped inbound allow rule ☐P ☐F ☐B ☐NA

Expected: External connectivity matches protocol, port and source restriction.

Evidence / issue: _____

23.04 Add/edit/remove a scoped outbound rule ☐P ☐F ☐B ☐NA

Expected: New host-originated traffic follows policy; established replies behave as documented.

Evidence / issue: _____

23.05 Try blocking protected SSH/panel/web core access ☐P ☐F ☐B ☐NA

Expected: Safety checks prevent accidental administrative lockout.

Evidence / issue: _____

23.06 Check optional mail/FTPS ports when features are disabled ☐P ☐F ☐B ☐NA

Expected: Exposure matches actually enabled services, not blanket open ports.

Evidence / issue: _____

23.07 Reboot and reapply the firewall profile ☐P ☐F ☐B ☐NA

Expected: Rules persist, no duplicates accumulate and service access remains correct.

Evidence / issue: _____

23.08 Test Fail2ban using a disposable source and recovery access ☐P ☐F ☐B ☐NA

Expected: Repeated failure is handled without banning the only administrator connection.

Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

24 Security Dashboard, WAF & malware

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

24.01 Compare Security Dashboard observations with OS evidence ☐P ☐F ☐B ☐NA

Expected: Reported protection is accurate; unknown checks remain explicitly unknown.

Evidence / issue: _____

24.02 Inspect panel and helper process privileges ☐P ☐F ☐B ☐NA

Expected: Web-facing privilege boundary is documented and verified; root-risk findings are resolved.

Evidence / issue: _____

24.03 Check SELinux mode and relevant denials ☐P ☐F ☐B ☐NA

Expected: Intended enforcing policy works with sites, PHP, mail, backups and containers.

Evidence / issue: _____

24.04 Verify WAF engine/rules after installation ☐P ☐F ☐B ☐NA

Expected: Actual Nginx module and rules are loaded; UI availability alone is insufficient.

Evidence / issue: _____

24.05 Use WAF Off, Detect and Block on a QA site ☐P ☐F ☐B ☐NA

Expected: Harmless request works; authorized benign test rule demonstrates detection/blocking.

Evidence / issue: _____

24.06 Check WAF logs and common app requests ☐P ☐F ☐B ☐NA

Expected: Evidence matches mode and false positives do not break legitimate application flows.

Evidence / issue: _____

24.07 Install/update scanner definitions and scan a QA site ☐P ☐F ☐B ☐NA

Expected: Scan starts, finishes and reports errors/skipped files honestly.

Evidence / issue: _____

24.08 Scan an approved EICAR test fixture ☐P ☐F ☐B ☐NA

Expected: Test fixture is detected; no ordinary file is automatically deleted.

Evidence / issue: _____

24.09 Run Scan All Server and schedule a QA scan ☐P ☐F ☐B ☐NA

Expected: Scope, exclusions, timing, results and resource impact are clear and correct.

Evidence / issue: _____

24.10 Cancel/fail a large scan on a test host ☐P ☐F ☐B ☐NA

Expected: No false clean result; panel remains responsive and previous findings remain available.

Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

25 Analytics, storage & activity history

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

25.01 Open live/hourly/daily/weekly/monthly usage graphs ☐P ☐F ☐B ☐NA

Expected: Samples, axes, units and timezone are correct and labels are sharp.

Evidence / issue: _____

25.02 Create a short controlled CPU/memory workload ☐P ☐F ☐B ☐NA

Expected: Graph reflects the change after sampling; missing data is not fabricated.

Evidence / issue: _____

25.03 Compare root filesystem total/used/free with df ☐P ☐F ☐B ☐NA

Expected: Chart and overview agree on the filesystem and units being measured.

Evidence / issue: _____

25.04 Browse directory-wise usage across the server ☐P ☐F ☐B ☐NA

Expected: Paths/sizes are shown; virtual mounts, links and inaccessible paths are handled clearly.

Evidence / issue: _____

25.05 Inspect LiteCP website/software/backup/migration storage categories ☐P ☐F ☐B ☐NA

Expected: Categories explain their scope and do not misleadingly double-count overlaps.

Evidence / issue: _____

25.06 Hover the disk chart including free space ☐P ☐F ☐B ☐NA

Expected: Tooltip identifies path/category, size and proportion; free space is distinct.

Evidence / issue: _____

25.07 Remove/detach a QA site and refresh usage ☐P ☐F ☐B ☐NA

Expected: Active-site view excludes it; retained physical files remain honestly accounted for elsewhere.

Evidence / issue: _____

25.08 Create then clean eligible migration QA artifacts ☐P ☐F ☐B ☐NA

Expected: Usage decreases after refresh within filesystem/cache timing limits.

Evidence / issue: _____

25.09 Inspect Recent Activities after important actions ☐P ☐F ☐B ☐NA

Expected: Correct event, target and timezone appear without passwords/tokens.

Evidence / issue: _____

25.10 Test Forever and time-based activity retention on QA records ☐P ☐F ☐B ☐NA

Expected: Retention matches policy; Delete everything requires explicit confirmation.

Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

26 Services, settings & updates

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

26.01 Open each settings submenu ☐P ☐F ☐B ☐NA

Expected: Password, email, timezone, hostname, DNS, reboot, developer mode and Update are separate.

Evidence / issue: _____

26.02 Save administrator email/timezone and refresh ☐P ☐F ☐B ☐NA

Expected: Values persist and timestamps show correct UTC offset without corrupt characters.

Evidence / issue: _____

26.03 Change a QA hostname ☐P ☐F ☐B ☐NA

Expected: Valid hostname applies; scope explains DNS/mail identity separately.

Evidence / issue: _____

26.04 Save DNS resolvers and reboot ☐P ☐F ☐B ☐NA

Expected: Effective resolution works; requested resolver persistence policy is honored.

Evidence / issue: _____

26.05 Start/restart each supported service on a disposable system ☐P ☐F ☐B ☐NA

Expected: Actual state changes and failures are reported; unrelated services remain operational.

Evidence / issue: _____

26.06 Use reboot confirmation on a disposable server ☐P ☐F ☐B ☐NA

Expected: Accidental click does not reboot; confirmed reboot recovers all intended services.

Evidence / issue: _____

26.07 Check updates with no update and with a newer test release ☐P ☐F ☐B ☐NA

Expected: Installed/available versions are accurate and checks fail clearly when unavailable.

Evidence / issue: _____

26.08 Run an explicitly authorized LiteCP-only update ☐P ☐F ☐B ☐NA

Expected: Binary/settings recovery copy exists; sites stay available and panel version advances.

Evidence / issue: _____

26.09 Exercise update.bat prerequisite and failure paths ☐P ☐F ☐B ☐NA

Expected: Missing Git/SSH/pager errors are clear; no false push/deploy success or destructive reset.

Evidence / issue: _____

26.10 Verify rollback after a failed disposable update ☐P ☐F ☐B ☐NA

Expected: Previous working panel returns with data and authentication intact.

Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

27 Production reliability & isolation

Tester/date: _____ Build: _____
Tick one: P / F / B / NA. Use the line for evidence, defect reference or an NA reason.

27.01 Run representative traffic against disposable sites ☐P ☐F ☐B ☐NA

Expected: Response times, errors and resource use meet a written target below.

Evidence / issue: _____

27.02 Run simultaneous file/backup/migration requests ☐P ☐F ☐B ☐NA

Expected: Concurrency limits work; no corruption, duplicate jobs or wrong-site actions.

Evidence / issue: _____

27.03 Test low disk and low memory only on an isolated test host ☐P ☐F ☐B ☐NA

Expected: Operations fail safely with visible errors; existing data remains recoverable.

Evidence / issue: _____

27.04 Test panel APIs without session and with invalid CSRF ☐P ☐F ☐B ☐NA

Expected: Sensitive reads/writes are rejected consistently, including file/terminal endpoints.

Evidence / issue: _____

27.05 Test stored/reflected hostile text in names, logs and filenames ☐P ☐F ☐B ☐NA

Expected: Content is escaped; browser scripts cannot execute in the administrator session.

Evidence / issue: _____

27.06 Inspect TLS/cookies/cache and downloaded sensitive responses ☐P ☐F ☐B ☐NA

Expected: Secure session behavior and private-data handling match the threat model.

Evidence / issue: _____

27.07 Attempt cross-site file, process and database access ☐P ☐F ☐B ☐NA

Expected: Website identities cannot read/write another tenant's protected resources.

Evidence / issue: _____

27.08 Reboot and repeat critical smoke tests ☐P ☐F ☐B ☐NA

Expected: Login, HTTP/HTTPS, database, cron, mail and backup access remain operational.

Evidence / issue: _____

27.09 Inspect operational logs and external monitoring alerts ☐P ☐F ☐B ☐NA

Expected: Failures can be detected and investigated without leaking credentials.

Evidence / issue: _____

27.10 Run a sustained representative workload and recovery drill ☐P ☐F ☐B ☐NA

Expected: No unexplained growth/crash; backup restore and rollback are proven independently.

Evidence / issue: _____

Category result: Pass / Fail / Blocked Open defects: _____ Retest date: _____

Defect register - photocopy as needed

Defect 1 - ID / checklist reference / severity:

Steps and actual result:

Expected result / evidence location:

Owner / fix build / retest result:

Defect 2 - ID / checklist reference / severity:

Steps and actual result:

Expected result / evidence location:

Owner / fix build / retest result:

Defect 3 - ID / checklist reference / severity:

Steps and actual result:

Expected result / evidence location:

Owner / fix build / retest result:

Defect 4 - ID / checklist reference / severity:

Steps and actual result:

Expected result / evidence location:

Owner / fix build / retest result:

Production approval & recovery sign-off

GO / NO-GO: all required checks must Pass. Any failed/blocked authentication, isolation, data-integrity, backup/restore, remote-access or critical security check means NO-GO until resolved and retested.

Severity: Critical = unauthorized control/data loss/cross-tenant access; High = major feature or recovery failure; Medium = usable workaround; Low = cosmetic. Do not accept unresolved Critical or High issues for production.

Recovery evidence: a downloaded backup is not sufficient. Restore on another server and verify applications, databases, credentials, mail and operational services. Record what the backup excludes.

Monitoring: confirm disk/inode, memory, service, certificate, queue and backup-failure alerts reach an owner. Confirm available capacity and who handles incidents.

Required checks: ____ Pass: ____ Fail: ____ Blocked: ____ NA with reason: ____

Workload target / tested concurrency / duration / error rate:

Restore evidence / measured recovery time (RTO) / data loss window (RPO):

Remaining accepted Low/Medium issues / owner / due date:

Rollback procedure / last verified date / evidence:

Monitoring and incident-response owner:

Final decision: GO / NO-GO Build approved:

Tester signature / date:

Administrator approval / date: