## WEEK 3 LAB3

**1.** find whether given number is odd or not.

**oddoreven.sh**

```
echo "Enter the number "
read number
temp=$(($number%2))
if [ $temp -eq 1 ]
then
    echo "Entered $number number is odd "
else
    echo "Entered $number number is  even "
fi
```

**OUTPUT :**

```
ugcse@prg28:~/190905514/week3$ ./evenorodd.sh
Enter the number
5
Entered 5 number is odd
ugcse@prg28:~/190905514/week3$
```

**2**.Print first n odd number .

**printodd.sh**

```
echo "Enter the that you want to print "
read oddnumber
x=0
odd=0
echo "printing $oddnumber odd number "
while [ $x -lt $oddnumber ]
do
      odd=`expr $x \* 2 + 1`
      echo $odd
      x=$((x+1))
done
```

```
                    ugcse@prg28: ~/190905514/week3

File  Edit  View  Search  Terminal  Help
ugcse@prg28:~/190905514/week3$ touch printodd.sh
ugcse@prg28:~/190905514/week3$ chmod +x printodd.sh
ugcse@prg28:~/190905514/week3$ vim printodd.sh
ugcse@prg28:~/190905514/week3$ ./printodd.sh
Enter the that you want to print
5
printing 5 odd number
1
3
5
7
9
ugcse@prg28:~/190905514/week3$
```

**3.** Find all the quadratic equation using case .

quadratic.sh

```
echo "Enter a,b and c"
read a
read b
read c
d=`expr $b \* $b - 4 \* $a \* $c`
if [ $d -ge 0 ]
then quad="r"
else quad="i"
fi
```

```
case $quad in "r")
sqt=`echo "scale=4;sqrt($d)" | bc` r1=`echo "( -1 * $b + $sqt ) / ( 2 * $a )" | bc` r2=`echo "( -
1 * $b - $sqt ) / ( 2 * $a )" | bc`
echo "Root1: $r1 Root2: $r2" ;; "i")
de=`expr -1 \* $d`
sq=`echo "scale=4;sqrt($de)" | bc`
re=`echo "( -1 * $b ) / ( 2 * $a )" | bc`
im=`echo "$sq / (2 * $a)" | bc`
echo "Root1 : $re + i$im Root2 : $re - i$im " ;;
esac
```

**OUTPUT :**