

// CLAUDE CODE X TRADINGVIEW

Your AI Trading *Terminal.*

Connect Claude Code to TradingView Desktop using the MCP protocol.
One setup prompt. Full access to live charts, indicators, and watchlists,
all queryable from Claude in plain English.

// MCP SETUP

// SWING TRADING CONFIG

// WHAT YOU CAN BUILD

BY ISHAAN AGARWAL
@ISHAAN_576

a LevelPrep release

LEVELPREP.ORG
VOL VI / 2026

/// WHAT THIS IS

Claude inside *your charts.*

The TradingView MCP server is an open-source bridge that connects Claude Code directly to TradingView Desktop. Once connected, Claude can read your live charts, pull indicator values, scan your watchlist, and act on what it sees, all from a single conversation. **No API keys, no third-party data subscriptions, no Python scripts to maintain.** Just Claude and your existing TradingView setup talking to each other.

The setup takes one prompt. The prompt below installs everything, writes your trading config, and verifies the connection end to end. After that, everything runs through Claude Code.

/// WHAT YOU NEED BEFORE STARTING

Two things, both free or already paid for:

1. **TradingView Desktop**, the desktop app, not the browser version. Download at tradingview.com/desktop
2. **Claude Code**, Anthropic's agentic CLI tool. Install at claude.ai/claude-code

/// HOW IT WORKS

TradingView Desktop exposes a Chrome DevTools Protocol (CDP) port when launched with a debug flag. The MCP server connects to that port and gives Claude structured access to everything on screen. Claude reads it, reasons about it, and responds in plain English. The connection is local, your data never leaves your machine.

/// THE MASTER SETUP PROMPT · PASTE INTO CLAUDE CODE

One prompt. *Full setup.*

Open Claude Code and paste the entire prompt below. It will handle every step automatically, stopping and reporting clearly if anything fails. Do not run steps manually let Claude do it.

PASTE INTO CLAUDE CODE

You are going to set up the TradingView MCP server and connect it to this Claude Code session. Work through each step in order. If a step fails, stop and report the exact error do not proceed past a failure.

STEP 1 Install the MCP server.

Clone <https://github.com/tradesdontlie/tradingview-mcp.git> into `~/tradingview-mcp` and run `npm install` inside it. If the directory already exists, pull the latest changes instead of recloning.

STEP 2 Register the MCP server.

Edit `~/.claude/.mcp.json` to add the tradingview server entry below. If other MCP servers already exist in the file, merge this entry into the existing `mcpServers` object without overwriting anything else. Replace `<HOME>` with the actual absolute path to the home directory.

```
{ "mcpServers": { "tradingview": { "command": "node", "args": [ "<HOME>/tradingview-mcp/src/server.js" ] } } }
```

STEP 3 Write the trading configuration.

Create `~/tradingview-mcp/rules.json` with a swing-trading config covering: a watchlist of major crypto pairs and macro dominance charts, three timeframes (weekly, daily, 4H), clear bullish and bearish bias criteria using EMA position, RSI range, and market structure, risk rules including max 1% risk per trade and a minimum 2:1 reward-to-risk ratio, and a list of key indicators (RSI 14, MACD 12/26/9, 50 EMA, 200 EMA, Volume).

STEP 4 Launch TradingView with the debug port.

Use `tv_launch` if available. Otherwise detect the TradingView Desktop app on this machine and launch it with `--remote-debugging-port=9222`. Standard paths: Mac at `/Applications/TradingView.app/Contents/MacOS/TradingView`, Windows at `%LOCALAPPDATA%\TradingView\TradingView.exe`.

STEP 5 Verify the connection.

Run `tv_health_check` and confirm `cdp_connected` returns true. Then report the full setup status: MCP installed and connected, rules file path, TradingView connected on port 9222, and whether the session is ready to use.

/// WHAT YOU CAN DO ONCE CONNECTED

Claude reads *your charts.*

Once the connection is live, you talk to Claude in plain English and it responds with analysis, setups, and structured output based on what it sees in TradingView. Here is what it can actually do.

01

Full Chart Analysis

Ask Claude to read any chart on your screen. It pulls price, RSI, MACD, EMA positions, and recent structure, then gives you a plain-English bias: **bullish, bearish, or neutral** with reasoning.

02

Watchlist Scanner

Run a full scan across every pair in your config in one command. Claude checks each one against your bias criteria and returns a ranked list of **which setups are cleanest right now**.

03

Trade Setup Generator

Tell Claude your view on a pair. It reads the chart, identifies **entry zones, stop placement, and take-profit targets** based on structure, then checks your 2:1 RR rule before outputting the setup.

04

Position Sizer

Give Claude your account size and the setup. It calculates the **exact position size** to risk your configured 1% per trade, accounting for stop distance and fees.

05

Macro Context Read

Claude pulls your TOTAL, TOTAL3, and BTC.D charts and tells you whether the **macro environment supports new longs**, sitting in cash, or rotating into dominance plays.

06

Daily Briefing

Ask Claude for a morning briefing. It scans your full watchlist, reads macro dominance, checks for high-impact events, and outputs a **structured daily plan** in under 60 seconds.

/// EXAMPLE TRADING RULESET · CUSTOMISE THIS FOR YOUR STRATEGY

Your config. *Your rules.*

The setup prompt creates this file automatically. The version below is an **example swing-trading config for crypto** that Claude uses as its reference for every chart read, watchlist scan, and trade setup it produces. Edit any field to match your own strategy. Change the pairs, the timeframes, the bias logic, the risk percentage, all of it.

EXAMPLE: ~/TRADINGVIEW-MCP/RULES.JSON

```
{
  "watchlist": {
    "majors": ["BINANCE:BTCUSDT", "BINANCE:ETHUSDT", "BINANCE:SOLUSDT"],
    "alts": ["BINANCE:LINKUSDT", "BINANCE:AVAXUSDT", "BINANCE:SUIUSDT"],
    "macro": ["CRYPTOCAP:TOTAL", "CRYPTOCAP:TOTAL3", "CRYPTOCAP:BTC.D"]
  },
  "timeframes_to_check": ["1W", "1D", "4H"],
  "bias_criteria": {
    "bullish": "Price above 50D EMA, RSI 45-70, higher highs and higher lows on 4H",
    "bearish": "Price below 50D EMA, RSI below 45, lower highs and lower lows on 4H",
    "neutral": "Price chopping around 50D EMA, RSI 40-60, no clear structure"
  },
  "risk_rules": {
    "max_risk_per_trade": "1% of portfolio",
    "min_rr_ratio": 2,
    "no_trades_during": ["major US CPI", "FOMC", "weekend thin liquidity"]
  },
  "indicators": ["RSI (14)", "MACD (12, 26, 9)", "50 EMA", "200 EMA", "Volume"]
}
```

/// WHAT EACH FIELD DOES

watchlist is what Claude scans. **timeframes_to_check** is how deep it looks. **bias_criteria** is the logic it uses to call bullish, bearish, or neutral. **risk_rules** governs every trade setup it generates. **indicators** tells Claude which values to pull from each chart. You can write these in plain English, Claude understands it.

/// WHAT TO SAY TO CLAUDE ONCE IT'S CONNECTED

Talk to it *like this.*

Once setup is complete, these are the kinds of things you can ask. All plain English, no commands, no syntax.

EXAMPLE PROMPTS

```
"Scan my full watchlist and tell me which pairs have the cleanest setups right now."

"Read the BTC daily chart. What's the current bias based on my rules?"

"ETH is at support on the 4H. Give me a long setup with entry, stop, and two take-profit levels."

"My account is $10,000. I want to short SOL with a stop 3% above entry. What size should I take?"

"Check BTC dominance and TOTAL3. Should I be in alts right now or waiting?"

"Give me a morning briefing. What's setting up today across majors and alts?"

"Has LINK broken structure on the daily? Is the trend still intact?"

"Flag any pairs on my watchlist that are approaching key levels in the next 24 hours."
```

Resources & Credits

/// MCP SERVER

TradingView MCP

[github.com/tradesdontlie/
tradingview-mcp](https://github.com/tradesdontlie/tradingview-mcp)

/// DESKTOP APP

TradingView Desktop

tradingview.com/desktop

/// CLAUDE CODE

Install Claude Code

claude.ai/claude-code

/// CREDIT

The TradingView MCP server was built by [@tradesdontlie](#) on GitHub. This guide packages the setup into a single prompt and adds the swing-trading configuration layer. All credit for the underlying MCP goes to the original author.

The most reliable *CFA mocks.*

Full-length CFA mock exams for Level I, II, and III. Realistic. Rigorous. Practice under exam conditions and benchmark your readiness against the real thing.

Exam-Condition Format

Full-length, timed, weighted exactly like the real CFA exam.

Honest Pricing

\$300 quality at a fraction of the cost. Built lean by design.

STARTING

\$9

OR INR

/ ₹599

VISIT NOW

levelprep.org

Now connect *the terminal.*

One prompt, five steps, and Claude is reading your charts. The setup takes ten minutes. After that you have an AI analyst sitting inside TradingView that knows your rules, reads your watchlist, and speaks plain English.

INSTAGRAM

[@ishaan_576](#)

CFA MOCKS FROM \$9

[levelprep.org](#)
