INTELLIGENCE SYSTEM DEVELOPMENT PTIT – D21CNTT, Semester I, 2024

quetd@ptit.edu.vn, tdque@yahoo.com

Thinking: The more you study, the more you recognize that you understand nothing

Due Date: THÚ BA 27/08/2024

BÀI TẬP 2: Hiểu biết về xử lý dữ liệu và các thuật toán học máy cơ bản

2.1. Split a set into training and testing sets?

Presenting your knowledge in >3 pages and 5 code examples with running images https://machinelearningmastery.com/train-test-split-for-evaluating-machine-learning-algorithms/

https://towardsdatascience.com/how-to-split-a-dataset-into-training-and-testing-sets-b146b1649830

https://realpython.com/train-test-split-python-data/

https://www.geeksforgeeks.org/how-to-split-a-dataset-into-train-and-test-sets-using-python/

- 2.2. Cleaning data ([2], pag 107) writing > 3 pages and running the example code
- 2.3. Wrangling data: Các bước wrangling data? writing > 3 pages an running examples

 https://www.javatpoint.com/data-wrangling

 https://www.jobsity.com/blog/a-guide-to-data-wrangling-in-python

 https://www.geeksforgeeks.org/data-wrangling-in-python/

 https://www.tutorialspoint.com/python data science/python data wrangling.htm
- 2.4. Evaluate ML models [TextBook 1.3]:

Presenting your knowledge in > pages and 5 code examples with running images https://towardsdatascience.com/various-ways-to-evaluate-a-machine-learning-models-performance-230449055f15

https://www.jeremyjordan.me/evaluating-a-machine-learning-

model/#:~:text=The%20three%20main%20metrics%20used,the%20number%20of%20total %20predictions

https://www.altexsoft.com/blog/machine-learning-metrics/

- 2.5. Reading and running to discover k-nearest and k-means ([1.1] Chap 9, 10)
- 2.6. Sinh viên chạy ví dụ sau đây và giải thích từng dòng code

import numpy as np import matplotlib.pyplot as plt from matplotlib.colors import ListedColormap from sklearn import datasets from sklearn.neighbors import KNeighborsClassifier iris = datasets.load_iris() $x = iris.data[:,:2] \#X-Axis - sepal length-width y = iris.target \#Y-Axis - species x_min, x_max = x[:,0].min() - .5,x[:,0].max() + .5 y_min, y_max = x[:,1].min() - .5,x[:,1].max() + .5 \#MESH cmap_light = ListedColormap(['#AAAAFF','#AAFFAA','#FFAAAA']) h = .02 xx, yy = np.meshgrid(np.arange(x_min, x_max, h), np.arange(y_min, y_max, h)) knn = KNeighborsClassifier() knn.fit(x,y) Z = knn.predict(np.c_[xx.ravel(),yy.ravel()]) Z = Z.reshape(xx.shape) plt.figure()$

plt.pcolormesh(xx,yy,Z,cmap=cmap_light) #Plot the training points plt.scatter(x[:,0],x[:,1],c=y) plt.xlim(xx.min(),xx.max()) plt.ylim(yy.min(),yy.max())

2.7. Linear regression là gì? Sinh viên chạy ví dụ sau đây và giả thích từng dòng code

import numpy as np import matplotlib.pyplot as plt from sklearn import linear_model from sklearn import datasets diabetes = datasets.load_diabetes() x_train = diabetes.data[:-20] y_train = diabetes.target[:-20] x_test = diabetes.data[-20:] y_test = diabetes.target[-20:] x0_test = x_test[:,0] x0_train = x_train[:,0] x0_test = x0_test[:,np.newaxis] x0_train = x0_train[:,np.newaxis] linreg = linear_model.LinearRegression() linreg.fit(x0_train,y_train) y = linreg.predict(x0_test) plt.scatter(x0_test,y_test,color='k') plt.plot(x0_test,y,color='b',linewidth=3)

2.8. Chạy ví dụ và giải thích từng dòng code

import numpy as np import matplotlib.pyplot as plt from sklearn import linear_model from sklearn import datasets diabetes = datasets.load_diabetes() x_train = diabetes.data[:-20] y_train = diabetes.target[:-20] x_test = diabetes.data[-20:] y_test = diabetes.target[-20:] plt.figure(figsize=(8,12)) for f in range(0,10): xi_test = x_test[:,f] xi_train = x_train[:,f] xi_test = xi_test[:,np.newaxis]

xi_train = xi_train[:,np.newaxis] linreg.fit(xi_train,y_train) y = linreg.predict(xi_test) plt.subplot(5,2,f+1) plt.scatter(xi_test,y_test,color='k') plt.plot(xi_test,y,color='b',linewidth=3)

- 2.9. Logistic regression la gì? Chạy các ví dụ và giải thích https://www.geeksforgeeks.org/understanding-logistic-regression/
- 2.10. SVM là gì? Chạy ví dụ và giải thích từng dòng code import numpy as np import matplotlib.pyplot as plt from sklearn import svm
 x = np.array([[1,3],[1,2],[1,1.5],[1.5,2],[2,3],[2.5,1.5],
 [2,1],[3,1],[3,2],[3.5,1],[3.5,3]])
 y = [0]*6 + [1]*5
 plt.scatter(x[:,0],x[:,1],c=y,s=50,alpha=0.9)
- 2.11. Chạy ví dụ và giai thích từng dòng code
 - import numpy as np import matplotlib.pyplot as plt from sklearn import svm from sklearn import datasets diabetes = datasets.load_diabetes() x_train = diabetes.data[:-20] y_train = diabetes.target[:-20] x_test = diabetes.data[-20:] y_test = diabetes.target[-20:] x0_test = x_test[:,2] x0_train = x_train[:,2] x0_test = x0_test[:,np.newaxis] x0_train = x0_train*100 svr = svm.SVR(kernel='linear',C=1000) svr2 = svm.SVR(kernel='poly',C=1000,degree=2) svr3 = svm.SVR(kernel='poly',C=1000,degree=3) svr.fit(x0_train,y_train) svr2.fit(x0_train,y_train) svr3.fit(x0_train,y_train) y = svr.predict(x0_test) y2 = svr2.predict(x0_test) y3 = svr3.predict(x0_test) plt.scatter(x0_test,y_test,color='k') plt.plot(x0_test,y,color='b') plt.plot(x0_test,y2,c='r') plt.plot(x0_test,y3,c='g')
- 2.12. Clustering là gì? Giải thích và ví dụ (>3 trang).

https://www.geeksforgeeks.org/clustering-in-machine-learning/
https://www.geeksforgeeks.org/different-types-clustering-algorithm/?ref=ml_lbp
https://www.tutorialspoint.com/machine_learning_with_python/clustering_algorithms_k
means_algorithm.htm