

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (Bsc.IT Semester III)
Data Structures Practical

Practical - II

Roll No. :S040	Name:ADITYA SOPTE
Class :SY BSC IT	Batch :
Date of Assignment :10-07-2026	Date/Time of Submission :10-07-2026

2. Linked List Manipulation:

Write a program to:

- a. Create a singly linked list.
- b. Insert a node at the beginning, end, and at a given position in a linked list.
- c. Delete a node from a given position in a linked list.

Code:

```
class Node:
    def __init__(self, data):
        self.data = data
        self.next = None

node1 = Node(11)
node2 = Node(12)
node3 = Node(14)
node4 = Node(1)

node1.next = node2
node2.next = node3
node3.next = node4

global head
head = node1

def traver(head):
    curr = head

    while(curr):
        print(curr.data, end="=>")
        curr = curr.next
    print("Null")

def insert_beg(data):
    global head
    new = Node(data)
    new.next = node1
    head = new
```

```

def insert_end(data):
    global head
    new = Node(data)

    if head is None:
        head = new
    else:
        temp = head
        while temp.next:
            temp = temp.next
        temp.next = new

def ins_pos(pos,data):
    global head
    new =Node(data)
    temp = head
    for i in range(pos-2):
        temp = temp.next
    new.next = temp.next
    temp.next = new

def dele_pos(pos):
    global head
    temp = head
    for i in range(pos-2):
        temp = temp.next
    temp.next = temp.next.next

insert_beg(10)
insert_end(7)
ins_pos(2,17)

dele_pos(4)
traver(head)
print("Aditya Sopte S040")

```

Output:

```

===== RESTART: C:/I
10=>17=>11=>14=>1=>7=>Null
Aditya Sopte S040

```

Curiosity Questions:

- a. Why is inserting a node at the beginning of a singly linked list faster than inserting at the end?
- b. What will happen if we don't update the head pointer when inserting a node at the beginning?
- c. Why do we need to use a loop when inserting a node at a specific position in the linked list?
- d. What would happen if you forgot to update the next pointer during deletion at a given position?
- e. What should you check before deleting a node from a position in the linked list? How would you ensure that your program does not crash with invalid positions or empty list operations?