

EZCHAT

EASYCART BARCADE & LOUNGE

Complete Operating Manual

Venue Ordering, Chat & Point-of-Sale System

For the Owner and Staff

Catarman, Northern Samar

Version 1.0 · July 2026

Contents

- 1. **What This System Is** — the idea in one page
- 2. **For Staff** — the part you read standing up
 - Logging in · Kitchen · Bar · Cashier
 - Taking payment, splitting a bill, voiding, moving a table
 - The two buttons people confuse: New Round vs Close Table
- 3. **For the Owner** — running the business on it
 - Daily summary · Reports · Backups · PINs
 - Opening and closing routine
- 4. **Technical Manual** — how it actually works
- 5. **Known Limits & Honest Warnings**
- 6. **Troubleshooting**

Read this first. Section 2 is the only part your staff need. It is written to be printed and pinned up behind the bar. Everything after that is for you.

1. What This System Is

A guest sits at a table, scans the QR code stuck to it, and lands in EZChat. No app to install. No account to make. They can chat with the room, browse the menu, and order — and everything they order goes onto that **table's tab**.

Behind the scenes, the order splits itself:

WHAT THEY ORDERED	WHERE THE TICKET APPEARS
Food	Kitchen screen
Drinks & Spirits	Bar screen

Kitchen and Bar each mark their own items ready. The Cashier sees the whole tab, takes payment, and prints nothing — the guest screenshots their own bill.

The one idea that explains everything else

The tab belongs to the TABLE, not to the person.

Three friends at table C4 all scan the QR. They all see the same tab. Any of them can add to it. That is deliberate — it's how a bar actually works. You don't open three separate bills for three people sharing a booth.

The 33 tables

L1	L2	L3					
R1	R2	R3	R4				
C1	C2	C3	C4				
D1	D2	D3	D4	D5			
B1	B2	B3	B4	B5	B6	B7	
M1							
F1	F2	F3					
KTV ROOM 1			KTV ROOM 2				
SAPPHIRE			RUBY			DIAMOND	

Each has its own QR code, which encodes its table name. Nothing else.

2. For Staff

Print this section. Pin it up. It's the only part you need.

2.1 Logging In

Go to the site and add `/staff` to the address. Pick your role. Type your 6-digit PIN.

ROLE	WHAT YOU SEE
KITCHEN	Food tickets only
BAR	Drinks & spirits tickets only
CASHIER	All tabs, payments, discounts, voids
ADMIN	Everything, plus reports and settings

Your PINs are set by the owner. Don't share them. Five wrong tries locks that role for 60 seconds.

You can run Kitchen, Bar and Cashier in three tabs on one laptop. Each tab keeps its own login. They won't kick each other out.

2.2 Kitchen & Bar

A ticket appears the moment a guest orders. Work through it:

1. **Accept Order** — you've seen it, you're starting
2. **Mark Ready** — it's done, someone can run it out
3. **Mark Served** — it's on the table

You only ever touch your own items. If the Kitchen marks the burger ready, the Bar's beer stays "pending" until the Bar pours it. Neither of you can move the other's items. The order only counts as fully ready when both stations are done.

Voiding an item

Out of stock, dropped it, guest changed their mind. Tap **Void**, pick a reason.

- Only **your own** items get voided — if you void the food, the guest's beer stays on the Bar's screen and still gets made.
- The tab total **drops immediately**. The guest is not charged for it.
- Every void is logged with your role, the reason, and the time.

2.3 Cashier

Taking payment

1. Guest taps **Request Bill** on their phone — the table appears under **Bill Req**
2. Tap the table, check the items
3. **Process Payment** → pick the method → confirm

You cannot double-charge a guest. If you tap Confirm twice, or another cashier is paying the same tab at the same moment, the second one is refused. The system takes the money once. This is enforced by the database, not by luck.

Discounts

Tap **Discount** before taking payment. Percentage, fixed peso amount, or comp a single item. A discount bigger than the bill charges **₱0** — never a negative.

Splitting a bill

Two friends, one tab, and they want to pay separately.

1. Tap  **Split Bill**
2. **Tap the items** the first person is paying for — they highlight blue
3. Tap **Charge ₱X** → take their payment

They get their own real receipt. Those items now show **PAID**. The tab stays open with what's left. Repeat for the next person. When the last item is paid, the tab closes by itself.

You cannot split a discounted tab. A discount on the whole table can't be fairly divided between people. Remove the discount, or take the whole bill in one payment. The system will stop you rather than charge someone the wrong amount.

Moving a table

Guests move from a booth to a KTV room. Tap ↔ **Move**, pick the new table. The whole bill goes with them. Blocked if that table already has an open tab.

2.4 The two buttons people confuse

This is the most important page in the manual. Get these two wrong and either you annoy a customer, or you let a stranger order onto their bill.

+ NEW ROUND	🔒 CLOSE TABLE
They paid, but they're still sitting there.	They paid and they LEFT.
They want another round.	The seats are empty. You're clearing the glasses.
Opens a fresh tab for the same table. Their paid receipt is untouched — it stays in their bill history.	Closes the table and locks their phones out of it . The next group scans the QR and gets a clean slate.
They keep ordering. No re-scan. No friction.	Use this every time a table empties.

Why Close Table matters. The QR code is just a link. A guest who paid and went home *still has it in their browser*. If you never close the table, they could — by accident or on purpose — order food to a table where new customers are now sitting, and those customers would be billed for it.

Close Table is the only thing that stops that. It takes one tap. Do it when you clear the table, the same way you'd wipe it down.

Close Table refuses to close a table that still owes money. If the guests walked out on the bill, void the items first (that records what happened), then close it.

2.5 If the screen goes red

⚠️ **Connection lost — this screen is NOT updating.**

The wifi has dropped. **Your ticket list is now stale.** Orders are still being placed but you can't see them. Don't keep working from what's on screen — fix the wifi first, or tell someone who can.

3. For the Owner

3.1 Your nightly number

Log in as Admin →  **Daily** tab. Pick the date.

LINE	WHAT IT MEANS
Gross sales	Everything sold, before discounts
Discounts given	What you gave away
NET SALES	What actually came in. This is your number.
Payments	Split by cash / GCash / Maya / card
Cash expected	Count the drawer against this before you close.
Voided	How much was written off, and how many items
Top sellers	Your best 10 items that day

This is computed by the database from the actual receipts. It cannot drift from what your cashier collected.

3.2 Backups — do this weekly

There is no automatic backup. The free Supabase plan has no restore. If the database is lost, your menu (121 items, 23 categories) and every sale goes with it, permanently.

Admin →  **Backup**:

- **Full backup (JSON)** — everything. Menu, tabs, orders, receipts, voids, audit log.
- **Receipts (CSV)** — opens in Excel. For your books or your accountant.

Download it weekly. Move the file OFF the venue laptop — a cloud drive, a USB stick, anywhere else. A backup that dies with the machine is not a backup.

3.3 PINs

Admin → **Staff** tab. Type the current admin PIN at the top to authorise, then set new ones. **Change admin last.**

The panel **will not show you the existing PINs**. That's deliberate — they're stored on the server and the browser genuinely cannot read them. The fields are write-only. Write your new PINs down somewhere safe.

3.4 Opening and closing routine

Before service

- Open Kitchen, Bar, Cashier on their screens and log each in
- Check no table shows an open tab left over from last night
- Confirm the wifi is up — no red banner on any screen

During service

- **Close Table every time a table empties.** This is the habit that matters most.

After service

- Admin →  **Daily** → count the drawer against **Cash expected**
- Check **Voided** — if it's unusually high, ask why
- Any tab still open? Close it.
- Weekly: download a backup

The 1PM daily reset. Every day at 1PM the system wipes guests and chat messages. **Sales, orders, tabs and receipts are never touched.** Your money data is safe from it.

4. Technical Manual

4.1 The stack

LAYER	WHAT
Frontend	React 18 + Vite, react-router-dom v6
Hosting	Vercel (auto-deploys from GitHub <code>main</code>)
Database	Supabase — PostgreSQL + Realtime (websockets)
Auth	None for guests. Staff use server-verified PINs.
Live site	<code>ezchat-bar.vercel.app</code>

4.2 Project layout

<code>src/</code>	
<code> App.jsx</code>	guest app (chat, menu, cart, bill) + admin panel
<code> main.jsx</code>	routes + staff route guard
<code> lib/</code>	
<code> supabase.js</code>	the ONE shared Supabase client
<code> prod.js</code>	error logging, rate limits, connection hook
<code> staff/</code>	
<code> StaffLogin.jsx</code>	PIN entry (verified server-side)
<code> Kitchen.jsx</code>	food tickets
<code> Bar.jsx</code>	drink tickets
<code> Cashier.jsx</code>	tabs, payments, splits, voids
<code> Reports.jsx</code>	sales, analytics, daily summary, backup, PINs
<code> AlertEngine.jsx</code>	staff alerts
<code> shared.js</code>	constants, session, table list
<code> sql/</code>	every migration, in order

4.3 The data model, in one breath

<code>table_tabs</code>	one live tab per table; many closed ones over time
<code> orders</code>	a submission from a guest
<code> order_items</code>	the actual things. THIS is where truth lives.
<code>receipts</code>	one per payment. A split tab has several.
<code>table_sessions</code>	the "epoch" per table — bumped on Close Table

order_items is the source of truth for money. Not `orders` , not `table_tabs.total` . Every item carries its own status, its own voided flag, and its own `paid_receipt_id` .

Tab totals and order statuses are **computed by database triggers** from the items. The frontend never calculates a total and writes it back — that's what used to lose money.

4.4 Key database functions

FUNCTION	WHAT IT GUARANTEES
<code>verify_staff_pin()</code>	PINs never reach the browser
<code>pay_tab()</code>	Receipt + tab close in ONE transaction. Locks the tab, so two cashiers can't double-charge.
<code>pay_tab_partial()</code>	Split bills. An item can only ever be paid once.
<code>move_tab()</code>	Moves tab + orders + items together
<code>close_table()</code>	Bumps the epoch, locking out departed phones. Refuses if money is owed.
<code>daily_summary()</code>	The Z-report, computed from receipts
<code>cleanup_ezchat()</code>	Hourly: stale guests, old chat, expired rate limits

4.5 Triggers (the safety net)

- `recalc_tab_total` — tab total is **always** the sum of its live items. This is why voiding an item makes the total drop.
- `recalc_order_status` — an order is only "ready" when **every** station's items are ready. This is why the Kitchen can't mark the Bar's drinks ready.

4.6 Deploying a change

SQL first. Always. The code calls database functions. Push code that calls a function which doesn't exist yet, and staff logins break.

1. Run the `.sql` file in Supabase → SQL Editor
2. Copy the changed files into the repo
3. `git add . && git commit -m "... " && git push`
4. Vercel deploys automatically. Wait for green.
5. Hard-refresh (`Ctrl+Shift+R`) — otherwise you're running cached code

A failed build cannot hurt you. Vercel only swaps in the new version once it builds successfully. Red build = live site keeps running the old code.

Rolling back

Vercel → Deployments → pick yesterday's → **Promote to Production**. Back in 30 seconds. This rolls back code only, not the database.

5. Known Limits & Honest Warnings

5.1 The QR code is a password glued to a table

Anyone who scans, screenshots, or bookmarks `?table=C4` can act as that table — from anywhere, forever. **This cannot be fully solved in software.**

What contains it:

- **Close Table** locks out old phones the moment the seats empty
- Rate limits cap how fast anyone can order
- **Your staff see every ticket.** A table with two people that just ordered eight beers is obvious to a human.

The residual risk is a prank order that staff spot and void. Small, visible, reversible.

5.2 There is no offline mode

No internet, no orders. The red banner tells everyone honestly rather than failing silently. Power cuts don't lose data — it all lives in the cloud — but a guest's **un-submitted cart** is lost.

5.3 Supabase free tier

Watch your usage. Supabase → Settings → Usage. If you exceed the free quota, requests start returning errors — which means **ordering stops mid-service**. If the venue gets busy, budget for the paid plan. It is cheap insurance against your bar going down on a Saturday.

5.4 Tax and receipts

This system has not been checked against BIR requirements. It issues receipts to paying customers, but VAT handling and service charge have **not** been verified, and it is not a registered POS.

Talk to your accountant before relying on these receipts for anything official.

5.5 One tab per table

Everyone at a table shares one bill. That's deliberate. But it means a guest can see what the rest of their table ordered — fine among friends, worth knowing.

6. Troubleshooting

Symptom	What's happening	Fix
Red bar across the top	Connection to the database is down	Fix the wifi. The screen is stale until it clears.
Guest says "table has been closed"	Staff pressed Close Table	Correct behaviour. They re-scan the QR.
"This tab has already been paid"	Someone already took the money	Check the Closed tab list. Do NOT charge again.
Can't close a table	It still owes money	Take payment, or void the items first.
Can't split the bill	A discount is applied to the tab	Remove the discount, or take one payment.
Ticket never appeared	Guest never tapped Confirm Order	Their cart isn't an order. Ask them to confirm.
Wrong PIN 5 times	Locked for 60 seconds	Wait. It's a brute-force guard.
Two tables show the same guests	A tab was moved	Check the audit log in Admin.

Where to look when something's wrong

- **Admin → ✕ Voids** — what was written off, by whom, and why
- **Admin → 👤 Staff** — every login and action
- **Supabase → error_logs** — the app reports its own crashes:

```
SELECT context, message, COUNT(*) AS times, MAX(created_at) AS last_seen
FROM error_logs
GROUP BY context, message
ORDER BY times DESC
LIMIT 20;
```

An empty table is a good sign.

EZCHAT

EasyCart Barcade & Lounge

Designed, built and deployed by

Luis Emanuel Daclag

Catarman, Northern Samar · Philippines

Version 1.0 · July 2026