

## Tutorial 3 – Star Schemas

### PART I: The USELOG Case Study

#### Description

University Computer Lab's director keeps track of the lab usage, measured by the number of students using the lab. This particular function is very important for budgeting purposes. The computer lab director assigns you the task of developing a small Data Warehouse in which to keep track of the lab usage statistics. The main requirements for this database are to:

- a. Show the usage numbers by different time periods (e.g. morning, afternoon, night)
- b. Show the usage numbers by time period (e.g. morning, afternoon, night), by major, and by student's class
- c. Compare the usage numbers for different majors and semesters (e.g. semester 1, semester 2).

Use the provided database that includes the following tables: USELOG, STUDENT, MAJOR, and CLASS

USELOG contains the student access data

**USELOG (Log\_Date, Log\_Time, Student\_ID, Act)**

STUDENT is a table containing student data

**STUDENT (Student\_ID, Sex, Full/Part, Type, Class\_ID, Major\_Code)**

MAJOR is a table containing major data

**MAJOR (Major\_Name, Major\_Code)**

CLASS is a table containing class data

**CLASS (Class\_Description, Class\_ID)**

#### Tasks

The above case study has been discussed in the lecture this week. Given the requirements above, complete the following:

1. Create a star schema for the charter data.
2. Define the dimensions and attributes for the Uselog star schema.
3. Write the SQL statements for the implementation of the star schema.

The following operational databases have been provided for you:

**dw.Class:** table that stores information about classification ids and descriptions

**dw.Major:** table that stores information about major codes and descriptions

**dw.Student:** table that stores information about students as described above


**dw.Uselog:** table that stores information about lab usage as described above

You do not need to copy these four tables (**dw.Class**, **dw.Major**, **dw.Student**, and **dw.Uselog**) into your account. You can just simply use these tables.

4. Write the SQL statements to produce the following reports:
  - a. Show the usage numbers by different time periods (e.g. morning, afternoon, night)
  - b. Show the usage numbers by time period (e.g. morning, afternoon, night), by major, and by student's class
  - c. Show the usage numbers for different majors and semesters (e.g. semester 1, semester 2).

## Solutions

### Tasks: Q1 and Q2: Star Schema



### Task: Q3 The SQL to Create the Dimensions and Fact

```

--first create the dimensions
--create semester dimension
create table semesterDIM
(SemID      varchar2(10),
 Sem_Desc   varchar2(20),
 begin_date date,
 end_date   date);

-- create time dimension (note do not use time as a
-- table name, it is a reserve keyword)
create table labtimeDIM
(TimeID      number,
 Time_Desc   varchar2(15),
 begin_time  date,
 end_time    date);
  
```

```

-- create major and class dimensions
create table majorDIM as
select * from dw.major;

create table classDIM as
select * from dw.class;

-- populate semester dimension
-- (the begin and end date can be changed)

insert into semesterDIM values ('S1', 'Semester1',
to_date('01-JAN', 'DD-MON'), to_date('15-JUL', 'DD-MON'));

insert into semesterDIM values ('S2', 'Semester2',
to_date('16-JUL', 'DD-MON'), to_date('31-DEC', 'DD-MON'));

--populate labtime dimension
insert into labtimeDIM values(1, 'morning', to_date('06:01',
'HH24:MI'), to_date('12:00', 'HH24:MI'));

insert into labtimeDIM values(2, 'afternoon', to_date('12:01',
'HH24:MI'), to_date('18:00', 'HH24:MI'));

insert into labtimeDIM values(3, 'night', to_date('18:01',
'HH24:MI'), to_date('06:00', 'HH24:MI'));

-- secondly, create a temp table to extract from uselog table
create table tempfact_uselog as
select U.log_date , U.log_time,
U.student_ID, S.class_id, S.major_code
from dw.uselog U, dw.student S
where U.student_id = S.student_id;

-- add a column in the tempfact table to store timeid
-- (cannot directly do this in the tempfact table because
-- log_time was of DATE type and timeid is of NUMBER type).

alter table tempfact_uselog
add (timeid number);

update tempfact_uselog
set timeid = 1
where to_char(log_time, 'HH24:MI') >= '06:01'
and to_char(log_time, 'HH24:MI') <='12:00';

update tempfact_uselog
set timeid = 2
where to_char(log_time, 'HH24:MI') >= '12:01'
and to_char(log_time, 'HH24:MI') <='18:00';

-- note that we use OR in the last update statement to
-- include the time between 18:01 and 06:00.
update tempfact_uselog
set timeid = 3
where to_char(log_time, 'HH24:MI') >= '18:01'
or to_char(log_time, 'HH24:MI') <='06:00';

```

```

-- alternatively, you may want to update timeid=3
-- for all other records where the time_id is still empty
    -- update tempfact_uselog
    -- set timeid = 3
    -- where timeid is NULL;

-- add a column in the tempfact_uselog table to store semid
-- (cannot directly do this in the test table because
-- log_date was of DATE type and semid is of VARCHAR type.)

alter table tempfact_uselog
add (semid varchar2(10));

-- populate the new attribute semid by summarizing
-- the date(log_date)

update tempfact_uselog
set semid = 'S1'
where to_char(log_date, 'MMDD') >= '0101'
and to_char(log_date, 'MMDD') <= '0715';

update tempfact_uselog
set semid = 'S2'
where to_char(log_date, 'MMDD') >= '0716'
and to_char(log_date, 'MMDD') <= '1231';

-- Now, create the fact table,
-- make sure to include the TOTAL aggregate.
-- This is an aggregate table of the earlier tempfact table.

create table fact_uselog as
select t.semid, t.timeid, t.class_id,
       t.major_code, count(t.student_id) as total_usage
from tempfact_uselog t
group by t.semid, t.timeid, t.class_id, t.major_code;

```

## Task: Q4 The Reports

a) Show the usage numbers by different time periods (e.g. morning, afternoon, night)

```

select u.timeid, l.time_desc, sum(u.total_usage) as usage_numbers
from fact_uselog u, labtimedim l
where u.timeid = l.timeid
group by u.timeid, l.time_desc
order by u.timeid;

```

TIMEID	TIME_DESC	USAGE_NUMBERS
1	morning	39921
2	afternoon	48261
3	night	20079

b) Show the usage numbers by time period (e.g. morning, afternoon, night), by major, and by student's class)

```
select u.timeid, l.time_desc, u.major_code, m.major_name, u.class_id,
       c.class_description, sum(u.total_usage) as usage_numbers
from fact_uselog u, labtimedim l, majordim m, classdim c
where u.timeid = l.timeid
and u.major_code = m.major_code
and u.class_id = c.class_id
group by u.timeid, l.time_desc, u.major_code, m.major_name,
        u.class_id, c.class_description;
```

TIMEID	TIME_DESC	MAJOR_CO	MAJOR_NAME	CLASS_ID	CLASS_DES	USAGE_NUMBERS
3	night	ENVI	Environmental Science Technology	JR	Junior	3
2	afternoon	SEd1	Special Education	FR	Freshman	3
2	afternoon	HEAL	Health Education	JR	Junior	6
2	afternoon	SSTU	Social Studies	SO	Sophomore	3
3	night	RIP1	Recording Industry Production	SO	Sophomore	3

773 rows selected.

c) Show the usage numbers for different majors and semesters (e.g. semester 1, semester 2).

```
select u.major_code, m.major_name, u.sem_id, s.sem_desc,
       sum(u.total_usage) as usage_numbers
from fact_uselog u, majordim m, semesterdim s
where u.major_code = m.major_code
and u.sem_id = s.sem_id
group by u.major_code, m.major_name, u.sem_id, s.sem_desc
order by u.major_code;
```

MAJOR	MAJOR_NAME	SEMID	SEM_DESC	USAGE_NUMBERS
UNIL	Business Degree/ Liberal Arts	S1	Semester1	18
UNIL	Business Degree/ Liberal Arts	S2	Semester2	18
VTE	Vocational Tech Education	S1	Semester1	69
VTE	Vocational Tech Education	S2	Semester2	177
WELL	Wellness	S1	Semester1	27
WELL	Wellness	S2	Semester2	24

207 rows selected.

## PART II: The ROBCOR Aviation Charters Case Study


### Description

ROBCOR, Inc. provides “on demand” aviation charters, using a mix of different airplane and airplane types. Because ROBCOR, Inc., has grown rapidly, it has hired you to be its first database manager. Your first and critical assignment is to develop a decision support system to analyze the charter data.

The charter operations manager wants to be able to analyze charter data such as total hours flown, total fuel used, and total revenue (charter distance x model charge per mile). She would also like to be able to drill-down by pilot, airplane model, and time periods. The main requirements for this database are to:

- Show the total revenue each month/year
- Show the total hours flown by each pilot
- Show the total fuel used by each airplane model.

The database currently has the following tables:



The tables can be copied from the dw account, using:

```
Select * from dw.<table_name>;
```

Or


```
Create Table <your_table_name> As  
Select ...  
From dw.<table_name>  
Where ...
```

Given these requirements, complete the following:

1. Create a star schema for the charter data.
2. Define the dimensions and attributes for the charter operation's star schema.
3. Define the SQL statements for the implementation of the star schema.
4. Write the SQL statements to produce the following reports:
  - a. Show the total revenue each year
  - b. Show the total hours flown by each pilot
  - c. Show the total fuel used by each aircraft model

## Solutions

### Tasks: Q1 and Q2: Star Schema



### Task: Q3 The SQL to Create the Dimensions and Fact

**--First create the dimensions**

**--create time dimension**

```

Create table Time As
Select Distinct to_char(char_date, 'YYYYMM') as Time_ID,
               to_char(char_date, 'Month') as Time_Month,
               to_char(char_date, 'YYYY') as Time_Year
from dw.Charter;
  
```

**--copy model and pilot dimensions**

```

create table model as
select * from dw.model;
  
```

```

create table pilot as
select * from dw.pilot;
  
```

```
--Second, create the Charter_fact (the fact table) table
create table charter_fact as
select C.Char_Pilot as EMP_Num,
       M.Mod_Code,
       to_char(C.Char_Date, 'YYYYMM') as Time_ID,
       sum(C.Char_Hours_Flown) as Tot_Char_Hours,
       sum(C.Char_Fuel_Gallons) as Tot_Fuel,
       sum(C.Char_Distance * M.Mod_chg_mile) as Revenue
from   dw.Charter C, dw.Model M, dw.Aircraft A
where  C.AC_Number=A.AC_Number and A.Mod_Code=M.Mod_Code
group by C.Char_Pilot, M.Mod_Code, to_char(C.Char_Date, 'YYYYMM');
```

## Task: Q4 The Reports

a. Show the total revenue each year

```
select t.time_year as Year, sum(c.revenue) as total_revenue
from charter_fact c, time t
where c.time_id = t.time_id
group by t.time_year
order by t.time_year;
```

YEAR	TOTAL_REVENUE
1994	452579.08
1995	472881.69
1996	450564.01
1997	217264.37

b. Show the total hours flown by each pilot

```
select EMP_NUM, sum(TOT_CHAR_HOURS) as total_hours_flown
from charter_fact
group by EMP_NUM
order by EMP_NUM;
```

EMP_NUM	TOTAL_HOURS_FLOWN
101	672.7
104	716.5
105	739
106	965.1
109	721.5

c. Show the total fuel used by each aircraft model.

```
select m.mod_code as model_code, m.mod_name as model_name,
       sum(c.tot_fuel) as total_fuel_used
from charter_fact c, model m
where m.mod_code = c.mod_code
group by m.mod_code, m.mod_name;
```

MODEL_CODE	MODEL_NAME	TOTAL_FUEL_USED
PA23-250	Aztec	31265
PA31-350	Navajo Chieftain	83790.5
C-90A	KingAir	61708.4