Predicting Dropout in MOOCs with Clickstream Data

1 INTRODUCTION

We use the OULAD dataset (https://analyse.kmi.open.ac.uk/open_dataset), which is publicly available.
Our code is released at https://github.com/edm-lab/dropout-prediction.
Preprocessed logs are on OSF: osf.io/x7k2m.
The ASSISTments data can be obtained from https://sites.google.com/site/assistmentsdata/home/2012-13-school-data-with-affect.
Model weights: https://huggingface.co/edm-lab/dropout-bert (see Sec. 4).

Additional scripts are in our repository [link].
Results on the KDD Cup 2010 data (pslcdatashop.web.cmu.edu/KDDCup) are shown in Table 2.
Survey items: https://github. com/edm-lab/survey
Instructor page: https://www.cs.example.edu/·yamada/
Dataset on Kaggle (kaggle.com) is also used.
1https://zenodo.org/records/7654321

REFERENCES

[1] J. Kuzilek et al. 2017. Open University Learning Analytics dataset. Sci. Data 4, 170171. https://doi.org/10.1038/sdata.2017.171

[2] R. Baker. 2010. Data mining for education. https://doi.org/10.1016/B978-0-08-044894-7.01318-X

[3] Our previous repository github.com/edm-lab/dropout-prediction