Mutual Unbiased Bases as a Countermeasure to Barren Plateaus

Ittay Alfassi*

September 27, 2022

Contents

1	Introduction	2
2	Preliminaries 2.1 Variational Quantum Algorithms	2 2 2 2
3	Barren Plateaus 3.1 Barren Plateaus in Gradient-Free Optimization	2 2
4	Mutually Unbiased Bases 4.1 Generation of Mutually Unbiased Bases	2 2 2
5	MUB Utilization Techniques5.1 Using All MUB states5.2 Sampling k MUB states5.3 "Half-MUB" states	2 2 2 2
6	Experiments6.1 Control Group: Random Initialization Vectors6.2 Experiment 1: Reproducing the Arrasmith Barren Plateau6.3 Experiment 2: 3 qubits and n layers6.4 Experiment 3: n qubits and n layers	2 2 2 2 2
7	Discussion	2

^{*}Email: ittay.al@cs.technion.ac.il

1 Introduction

- 2 Preliminaries
- 2.1 Variational Quantum Algorithms
- 2.1.1 Variational Quantum Compiling
- 2.2 Optimizers for Variational Quantum Algorithms
- 3 Barren Plateaus
- 3.1 Barren Plateaus in Gradient-Free Optimization
- 4 Mutually Unbiased Bases
- 4.1 Generation of Mutually Unbiased Bases
- 4.2 MUB States as an Exhaustive Search
- 5 MUB Utilization Techniques
- 5.1 Using All MUB states
- 5.2 Sampling k MUB states
- 5.3 "Half-MUB" states
- 6 Experiments
- 6.1 Control Group: Random Initialization Vectors
- 6.2 Experiment 1: Reproducing the Arrasmith Barren Plateau
- **6.3** Experiment 2: 3 qubits and n layers
- **6.4** Experiment 3: n qubits and n layers
- 7 Discussion