

Section F - HLX PPT presentation

Overview & Current Status


HOBART
Proud supporter of you.








HLX



Topics




- History & Current Status
- 2010 Plans



HOBART
Proud supporter of you.™


History & Current Status



- Access VxWorks code ported to Windows Xpe
  - June through September 2006
- HLX Released in June 2007
- Software Features Added Since Release
  - Production Entry, Virtual Printer, Print Multiple Labels, Fresh Production Planning, Dual Language, Continuous Label Stock Support, Transaction Totals, Backup Wireless Settings, File Base Write Filter, Improved Keyboard for PLU Search, Solidcore.
- Currently on test
  - Accumulate Items & EAN128
  - RFID Labels

HOBART
Proud supporter of you.™

2010 Plans



HLX Enhancements (Release to Production dates)

- Self Service scale - 3/1/2010
- New user interface - 7/1/2010
- Linux operating system - 10/1/2010
- Integrated 7" graphical customer display - 10/1/2010
- Large (>9”) external graphical customer display - TBD by 3/1/2010
- External printer capability - 12/31/2010

HOBART
Proud supporter of you.™

Contact Information



HOBART

Proud supporter of you.™

Debra Dyer

(937) 332-2276

Debra.Dyer@itwfeg.com

Section G - LX Service Scale presentation

hlx


HOBART

Proud supporter of you.




HLX Service Scale

System Hardware Overview




- AMD LX800 CPU
- 512 MB DDR RAM (1 GB max)
- 1/2/4 GB Compact Flash (for persistent storage)
- 10.4" 800 X 600 Color LCD
- 5-wire Touch Screen (resistive)
- 8 dpmm thermal print head (higher resolution images, smaller bar codes)
- 2 x 20 VFD customer display
- Optional 10/100 wired Ethernet card OR Cardbus card (wireless Ethernet)
- 1 internal PCI slot for expansion

System Hardware Overview




- 1 internal USB 2.0 connection for expansion
- 2 external 2.0 USB ports
- Optional RFID support (134 KHz)
- 1 internal hard drive slot (future expansion)
- 150 Watt universal switching power supply
- Internal surge protection
- 1 internal fan
- 1 internal speaker
- Lithium battery for keeping time when unplugged

System Hardware Overview




- Two-piece scale (external weigher)
- Elevated customer display
- Hanging Scale


MS Windows Components



- Windows Embedded XP
- Internet Explorer
- Windows media player
- Outlook express
- General Software Bios
- Go ahead web server
- Sun's JVM
- On screen keyboard
- Calculator
- Notepad
- Windows Explorer
- Time Synchronization

System Components Overview





HOBART
Proud supporter of you.™

Section H- HLX Version Info

Current SLS/Middle Ware/UI	Version	Targeted SLS/Middle Ware/UI	Targeted Version
Microsoft Windows XP Embedded Version 2002	Service Pack 2		
Hotfix for Windows XP - KB918997	6		
Security Update for Windows XP - KB958644	1		
Hotfix for Windows XP - KB909394	1		
Windows Media Player Hotfix	KB894476		
More Windows...	See Joe Component List Tab		
MSXML 6.0 Parser	6.00.3883.8		
Microsoft Activesync (TBD GCD Project)	4.5.5096.0		
J2SE Runtime Environment 5.0 Update 10	1.5.0.100		
Foxit Reader	2.3 Build 3309		
Cisco Aironet Installation Program	5		
Hampshire TSHARC Control Panel	Rev 6.02cs		
WinDDK	3790.1830		
General Software (Phoenix) BIOS	Hobart BIOS Version 1.3	General Software (Phoenix) BIOS	Hobart BIOS Version 1.1
Cisco CB21AG	2.1		
Summit Datacom (Radio)	1.3.17.0		
Cisco Systems 350 Series Wireless LAN Adapter	5.1.2600, R620		
Symbol LA-41x1 Spectrum24 Wireless LAN PC Card	5.1.2600.1106, R1806		
Atmel SAM 7S	1.0, R2		
Microsoft Visual C++ 2005 redistributable	8.0.50727.42		
Internet Explorer 6 (SP2)	6.0.2900.2180.xpsp.050301-1521		
Internet Explorer - Security Update KB928090	5.1.2600.3333.2, R3351		
Internet Explorer (Additional Support) - Security Update KB928090	5.1.2600.3333.2, R3351		
Internet Explorer Group Policy Support	5.1.2600.2180, R2890		
Internet Explorer Help Files	5.1.2600.2180, R2890		
Internet Explorer Technologies	5.1.2600.2180, R2890		
Click n Type keyboard	3.2.0.337		
GoAhead Webserver	Version 2.1 (Jan 29, 2008) (Hobart Modified)		
Codebase	6503011 (via D4All.h)		
Zip Lib	ZLIB_VERSION "1.2.3" (zlib.h)		
IIS FTP Server(ftpsvc2.dll)	5.1.2600.2180, R2890		
Solidcore	4.9.0.5403		
Columbitech Windows XP WVPN Client	v2.0.3.42	Columbitech WVPN Linux Client	
ASP	version 3 .0 (came with IIS version 5)		
Javascript	Java IE Plug-in 1.5.0_10, javascript 1.2/1.4		
HTML 4	DTD HTML 4.0 Transitional		
HTML Help	5.1.2600.2180, R2890		
HTML Help Engine - Security Update KB928843	5.1.2600.3333.1, R3350		
HTML Rendering Engine - Security Update KB928090	5.1.2600.3333.2, R3351		
GCD -> Win CE v 6.0	R3		
GCD -> .net framework	3.5		
GCD -> Activesync	N/A -> part of OS		
GCD -> Adobe Flash lite v3.1	N/A -> part of OS		

Section I - Module build report

Accessibility Core [Version 5.1.2600, R620], [Visibility=200]
Accessories/Communications Programs [Version 5.1.2600.3333, R3333], [Visibility=1000]
Accessories/System Tools [Version 5.1.2600.2180, R2890], [Visibility=1000]
Acm Core Codecs [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
ACPI Fixed Feature Button [Version 5.1.2600, R620], [Visibility=1000]
ACPI Power Button [Version 5.1.2600, R620], [Visibility=1000]
ACPI Sleep Button [Version 5.1.2600, R620], [Visibility=1000]
Active Directory Service Interface (ADSI) Core [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Active Directory Service Interface (ADSI) LDAP Provider [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Active Directory Service Interface (ADSI) Windows NT Provider [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Active IMM Library [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Active Template Library (ATL) [Version 5.1.2600.2180, R2890], [Visibility=200]
Add Hardware Control Panel [Version 5.1.2600.2180, R2890], [Visibility=1000]
Add/Remove Programs Control Panel [Version 5.1.2600.2180, R2890], [Visibility=1000]
Administration Support Tools [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Administrator Account [Version 5.1.2600.1106, R1507], [Visibility=1000], [NewRev=3333]
Advanced Configuration and Power Interface (ACPI) PC [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Advanced Micro Devices Win XP Graphics Driver [Version 2.01.05, R4], [Visibility=1000]
Analog TV [Version 5.1.2600.2180, R2890], [Visibility=1000]
AOL ART Image Format Support [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Application Compatibility Core [Version 5.1.2600.2180, R2890], [Visibility=1000]
Application Sharing for .NET Messenger [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Asynchronous Transfer Mode (ATM) Support [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Atmel Sam7s support [Version 1.0, R2], [Visibility=1000]
Audio Codecs [Version 5.1.2600, R620], [Visibility=1000]
Audio Control Panel [Version 5.1.2600, R620], [Visibility=1000]
Audio Volume Control [Version 5.1.2600, R620], [Visibility=1000]
Automatic Logon [Version 5.1.2600.1106, R1507], [Visibility=1000], [NewRev=3333]
Background Disk Defragmentation Disable [Version 5.1.2600.2180, R2890], [Visibility=1000]
Background Intelligent Transfer Service [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Base Performance Counters [Version 5.1.2600.2180, R2890], [Visibility=200]
Base Support Binaries [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Basic TCP/IP Networking [Version 5.1.2600.2180, R2890], [Visibility=2000]
Beep Driver [Version 5.1.2600, R620], [Visibility=200]

CDFS [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
CD-ROM Drive [Version 5.1.2600, R620], [Visibility=1000]
Certificate Request Client & Certificate Autoenrollment [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Certificate User Interface Services [Version 5.1.2600.1106, R1507], [Visibility=1000]
Cisco Systems 350 Series Wireless LAN Adapter [Version 5.1.2600, R620], [Visibility=1000]
Class Install Library - Desk [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Install Library - Fxsocm [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Install Library - Image Device [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Install Library - Mdminst [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Install Library - Mmsys [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Install Library - Msports [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Install Library - Netcfgx [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Install Library - Storprop [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Install Library - System Devices [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Installer - Computer [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Installer - Disk drives [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Installer - Display adapters [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Installer - DVD/CD-ROM drives [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Installer - Floppy disk controllers [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Installer - Floppy disk drives [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Installer - Human Interface Devices [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Installer - IDE ATA/ATAPI controllers [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Installer - Keyboards [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Installer - Mice and other pointing devices [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Installer - Monitors [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Installer - Network adapters [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Installer - Other devices [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Installer - PCMCIA adapters [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Installer - Ports (COM & LPT) [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Installer - Processors [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Installer - Sound, video and game controllers [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Installer - Storage volumes [Version 5.1.2600.2180, R2890], [Visibility=200]
Class Installer - Stream [Version 5.1.2600, R620], [Visibility=200], [NewRev=3333]
Class Installer - System devices [Version 5.1.2600.2180, R2890], [Visibility=200]

Class Installer - Universal Serial Bus controllers [Version 5.1.2600.2180, R2890], [Visibility=200]
Client / Server Runtime (Console) [Version 5.1.2600.3333, R3333], [Visibility=1000]
Client for Microsoft Networks [Version 5.1.2600.1106, R1507], [Visibility=1000], [NewRev=3333]
Client Printing [Version 5.1.2600.1106, R1507], [Visibility=1000]
Client Services for NetWare - Security Update KB923980 [Version 5.1.2600.3333.1, R3350], [Visibility=1000]
Cluster Management Support [Version 5.1.2600.2180, R2890], [Visibility=1000]
CMD - Windows Command Processor [Version 5.1.2600.2180, R2890], [Visibility=1000]
Codepage Prototype [Version 5.1.2600.2180, R2890], [Visibility=250]
CodePage: 10000 (MAC - Roman) [Version 5.1.2600, R620], [Visibility=500]
CodePage: 10029 (MAC - Latin II) [Version 5.1.2600, R620], [Visibility=500]
CodePage: 1047 (IBM EBCDIC - Latin-1/Open System) [Version 5.1.2600, R620], [Visibility=500]
CodePage: 1140 (IBM EBCDIC - U.S./Canada (37 + Euro)) [Version 5.1.2600, R620], [Visibility=500]
CodePage: 1145 (IBM EBCDIC - Latin America/Spain (20284 + Euro)) [Version 5.1.2600, R620], [Visibility=500]
CodePage: 1147 (IBM EBCDIC - France (20297 + Euro)) [Version 5.1.2600, R620], [Visibility=500]
CodePage: 1252 (ANSI - Latin I) [Version 5.1.2600, R620], [Visibility=500]
CodePage: 20127 (US-ASCII) [Version 5.1.2600, R620], [Visibility=500]
CodePage: 20284 (IBM EBCDIC - Latin America/Spain) [Version 5.1.2600, R620], [Visibility=500]
CodePage: 20297 (IBM EBCDIC - France) [Version 5.1.2600, R620], [Visibility=500]
CodePage: 20924 (IBM EBCDIC - Latin-1/Open System (1047 + Euro)) [Version 5.1.2600, R620], [Visibility=500]
CodePage: 28591 (ISO 8859-1 Latin I) [Version 5.1.2600, R620], [Visibility=500]
CodePage: 28593 (ISO 8859-3 Latin 3) [Version 5.1.2600, R620], [Visibility=500]
CodePage: 28599 (ISO 8859-9 Latin 5) [Version 5.1.2600, R620], [Visibility=500]
CodePage: 28605 (ISO 8859-15 Latin 9) [Version 5.1.2600, R620], [Visibility=500]
CodePage: 37 (IBM EBCDIC - U.S./Canada) [Version 5.1.2600, R620], [Visibility=500]
CodePage: 437 (OEM - United States) [Version 5.1.2600, R620], [Visibility=500]
CodePage: 850 (OEM - Multilingual Latin I) [Version 5.1.2600, R620], [Visibility=500]
CodePage: 852 (OEM - Latin II) [Version 5.1.2600, R620], [Visibility=500]
CodePage: 858 (OEM - Multilingual Latin I + Euro) [Version 5.1.2600, R620], [Visibility=500]
CodePage: 863 (OEM - Canadian French) [Version 5.1.2600, R620], [Visibility=500]
CodePage: ISO-2022 Core File [Version 5.1.2600, R620], [Visibility=500]
CoDevice Installer - Disk drives [Version 5.1.2600.2180, R2890], [Visibility=200]
CoDevice Installer - DVD/CD-ROM drives [Version 5.1.2600.2180, R2890], [Visibility=200]
CoDevice Installer - Floppy disk drives [Version 5.1.2600.2180, R2890], [Visibility=200]
CoDevice Installer - IDE ATA/ATAPI controllers [Version 5.1.2600.2180, R2890], [Visibility=200]

CoDevice Installer - Keyboards [Version 5.1.2600.2180, R2890], [Visibility=200]
CoDevice Installer - Mice and other pointing devices [Version 5.1.2600.2180, R2890], [Visibility=200]
CoDevice Installer - System devices [Version 5.1.2600.2180, R2890], [Visibility=200]
COM Base [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
COM Server Registration [Version 5.1.2600.2180, R2890], [Visibility=200]
COM+ Services [Version 5.1.2600.3333, R3333], [Visibility=200]
Command Window Property Page [Version 5.1.2600, R620], [Visibility=200]
Common Control Libraries Policy XPSP2 [Version 5.1.2600.3333, R3333], [Visibility=200]
Common Control Libraries Version 5 [Version 5.1.2600.3333, R3333], [Visibility=1000]
Common Control Libraries Version 6 [6.0.0.0] [Version 5.1.2600.2180, R2890], [Visibility=1000]
Common Control Libraries Version XPSP2 [Version 5.1.2600.3333, R3333], [Visibility=1000]
Common File Dialogs - Extended Support [Version 5.1.2600.1106, R1507], [Visibility=1000]
Common File Dialogs [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Communications Port [Version 5.1.2600, R620], [Visibility=1000]
Compression and Expansion Tools [Version 5.1.2600, R620], [Visibility=1000], [NewRev=3333]
Computer Browser Service [Version 5.1.2600.2180, R2890], [Visibility=1000]
Computer Name User Interface [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
ConfigurationExplorer [Version 1.0, R11], [Visibility=1000]
Connection Manager Runtime [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Control Panel Applet for "Wireless Setup Wizard" and "Home Networking Wizard" [Version 5.1.2600.2180, R2890], [Visibility=1000]
Control Panel Command Line Support [Version 5.1.2600.2180, R2890], [Visibility=1000]
Core Certificate Services [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Core Networking [Version 5.1.2600.2180, R2890], [Visibility=1000]
Credential Management User Interface [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Cryptographic Network Services [Version 5.1.2600.2180, R2890], [Visibility=200]
Cryptographic Service Providers [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
CUAS IME [Version 5.1.2600.2180, R2890], [Visibility=1000]
Date/Time Control Panel [Version 5.1.2600.2180, R2890], [Visibility=1000]
Default Monitor [Version 5.1.2600, R620], [Visibility=1000]
DependencyExplorer [Version 1.0, R11], [Visibility=1000], [Disabled]
DeriveExplorer [Version 1.0, R12], [Visibility=1000], [Disabled]
Device Manager [Version 5.1.2600.2180, R2890], [Visibility=1000]
Device Update Agent [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
DHCP Client Service [Version 5.1.2600.3333, R3333], [Visibility=1000]

DHCP Monitor Library [Version 5.1.2600, R620], [Visibility=200], [NewRev=3333]
Dialer Application [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Dial-up Client for Windows [Version 5.1.2600.2180, R2890], [Visibility=1000]
Dial-Up Networking Common Libraries [Version 5.1.2600.3333, R3333], [Visibility=200]
Dial-up Server for Windows [Version 5.1.2600.2180, R2890], [Visibility=1000]
Direct memory access controller [Version 5.1.2600, R620], [Visibility=1000]
Direct Parallel [Version 5.1.2600, R620], [Visibility=1000]
Direct3D [Version 5.1.2600.2180, R2890], [Visibility=1000]
DirectDraw [Version 5.1.2600.2180, R2890], [Visibility=200]
DirectDrawEx [Version 5.1.2600.2180, R2890], [Visibility=200]
Directory Service Common User Interface [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
DirectShow ASF/DMO - Update KB907507 [Version 5.1.2600.3802, R2951], [Visibility=1000], [NewRev=3333]
DirectShow Capture [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
DirectShow Core [Version 5.1.2600.3333, R3333], [Visibility=1000]
DirectShow DVD [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
DirectSound [Version 5.1.2600.2180, R2890], [Visibility=1000]
DirectX Registry Info [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Disk Defragmenter Core [Version 5.1.2600.2180, R2890], [Visibility=200]
Disk Defragmenter for FAT [Version 5.1.2600.2180, R2890], [Visibility=1000]
Disk drive [Version 5.1.2600, R620], [Visibility=1000]
Disk Management Basic Volume Runtime [Version 5.1.2600, R620], [Visibility=1000]
Disk Management Command Line Utility [Version 5.1.2600.2180, R2890], [Visibility=1000]
Disk Management MMC Snap-In [Version 5.1.2600.2180, R2890], [Visibility=1000]
Disk Management Services [Version 5.1.2600.2180, R2890], [Visibility=200]
Disk Performance Counters [Version 5.1.2600.2180, R2890], [Visibility=1000]
Display Control Panel [Version 5.1.2600.2180, R2890], [Visibility=1000]
Distributed Transaction Coordinator (MSDTC) [Version 5.1.2600.3333, R3333], [Visibility=200]
DNS Cache Support [Version 5.1.2600.2180, R2890], [Visibility=200]
Domain Participation [Version 5.1.2600.2180, R2890], [Visibility=2000]
Dos Windows on Windows Support [Version 5.1.2600.2180, R2890], [Visibility=200]
Down-level Shell Compat [Version 5.1.2600.2180, R2890], [Visibility=200]
DXMRTP Policy XPSP2 [Version 5.1.2600.2180, R2890], [Visibility=200]
DXMRTP XPSP2 [Version 5.1.2600.2180, R2890], [Visibility=200]
Embedded Trust [Version 5.1.2600.2180, R2890], [Visibility=200]

English Language Support [Version 5.1.2600.1106, R1507], [Visibility=1000]
English MUI Resource [Version 5.1.2600, R620], [Visibility=500]
Event Log [Version 5.1.2600.2180, R2890], [Visibility=1000]
Explorer Application [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Explorer shell [Version 5.1.2600.1106, R1507], [Visibility=1000]
FAT [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
FAT Format [Version 5.1.2600, R620], [Visibility=1000]
FAT/NTFS Common Format/Tools Files [Version 5.1.2600.2180, R2890], [Visibility=1000]
Fax [Version 5.1.2600.2180, R2890], [Visibility=1000]
FBA: Crypto [Version 5.1.2600.1106, R1507], [Visibility=1000], [NewRev=3333]
FBA: Driver Signing [Version 5.1.2600.2180, R2890], [Visibility=1000]
FBA: Net Common [Version 5.1.2600.2180, R2890], [Visibility=200]
FBA: Optional Components [Version 5.1.2600.2180, R2890], [Visibility=200]
FBA: PnP [Version 5.1.2600.2180, R2890], [Visibility=200]
FBA: SCE [Version 5.1.2600.1106, R1507], [Visibility=200]
File Based Write Filter [Version 5.1.2600.3333, R3333], [Visibility=1000]
File Server For Macintosh Management Interface [Version 5.1.2600, R620], [Visibility=200]
File Sharing [Version 5.1.2600.3333, R3333], [Visibility=1000]
File system recognizer [Version 5.1.2600.1106, R1507], [Visibility=200], [NewRev=3333]
Filter Manager [Version 5.1.2600.2180, R2890], [Visibility=1000]
First Boot Agent (FBA) [Version 5.1.2600.3333, R3333], [Visibility=200]
Flashplayer registry fix [Version 1.0, R2], [Visibility=1000]
Floppy disk drive [Version 5.1.2600, R620], [Visibility=1000]
Font: Marlett [Version 5.1.2600, R620], [Visibility=1000]
Fonts MSDLG874.fon [Version 5.1.2600, R620], [Visibility=1000]
Fonts: 8514oem_fon [Version 5.1.2600, R620], [Visibility=1000]
Fonts: app850_fon [Version 5.1.2600, R620], [Visibility=1000]
Fonts: cga40850_fon [Version 5.1.2600.1106, R1507], [Visibility=1000]
Fonts: cga40woa_fon [Version 5.1.2600, R620], [Visibility=1000]
Fonts: cga80850_fon [Version 5.1.2600, R620], [Visibility=1000]
Fonts: cga80woa.fon [Version 5.1.2600, R620], [Visibility=1000]
Fonts: dos869 [Version 5.1.2600, R620], [Visibility=1000]
Fonts: dosapp_fon [Version 5.1.2600, R620], [Visibility=1000]
Fonts: EGA [Version 5.1.2600, R620], [Visibility=1000]

Fonts: ega40850_fon [Version 5.1.2600, R620], [Visibility=1000]
Fonts: ega40woa.fon [Version 5.1.2600, R620], [Visibility=1000]
Fonts: ega80850_fon [Version 5.1.2600, R620], [Visibility=1000]
Fonts: ega80woa_fon [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Font directory setup [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Font mapper [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts Arial [Version 5.1.2600.2180, R2890], [Visibility=1000]
Fonts: Fonts Arial bold [Version 5.1.2600.2180, R2890], [Visibility=1000]
Fonts: Fonts Arial Bold Italic [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts Arial Italic [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts comic_sans [Version 5.1.2600.2180, R2890], [Visibility=1000]
Fonts: Fonts comic_sans_bold [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts Courier [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts Courier bold [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts Courier Bold Italic [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts Courier Italic [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts Courier New [Version 1.0, R3], [Visibility=1000]
Fonts: Fonts franklin_gothic_medium [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts franklin_gothic_medium_italic [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts georgia [Version 5.1.2600.1106, R1507], [Visibility=1000]
Fonts: Fonts georgia_bold [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts georgia_bold_italic [Version 5.1.2600.1106, R1507], [Visibility=1000]
Fonts: Fonts georgia_italic [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts impact [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts lucida_console [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts lucida_sans_unicode [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts Microsoft_San_Serif [Version 5.1.2600.2180, R2890], [Visibility=1000]
Fonts: Fonts pala [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts pala_bold [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts pala_bold_italic [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts pala_italic [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts Tahoma [Version 5.1.2600.2180, R2890], [Visibility=1000]
Fonts: Fonts tahoma_bold [Version 5.1.2600.2180, R2890], [Visibility=1000]
Fonts: Fonts times_new_roman [Version 5.1.2600.2180, R2890], [Visibility=1000]

Fonts: Fonts times_new_roman_bold [Version 5.1.2600.2180, R2890], [Visibility=1000]
Fonts: Fonts times_new_roman_bold_italic [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts times_new_roman_italic [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts trebuc [Version 5.1.2600.1106, R1507], [Visibility=1000]
Fonts: Fonts trebuc_bold [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts trebuc_bold_italic [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts trebuc_italic [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts verdana [Version 5.1.2600.1106, R1507], [Visibility=1000]
Fonts: Fonts verdana_bold [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts verdana_bold_italic [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts verdana_italic [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts webdings [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Fonts wingdings [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Modern [Version 5.1.2600, R620], [Visibility=1000]
Fonts: MS Dialog Light 8 [Version 5.1.2600, R620], [Visibility=1000]
Fonts: MS Dialog Light 8 120 [Version 5.1.2600, R620], [Visibility=1000]
Fonts: serife_fon [Version 5.1.2600, R620], [Visibility=1000]
Fonts: seriff_fon [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Small Fonts 8514a res [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Small Fonts VGA res [Version 5.1.2600, R620], [Visibility=1000]
Fonts: sserife_fon [Version 5.1.2600, R620], [Visibility=1000]
Fonts: sseriff_fon [Version 5.1.2600, R620], [Visibility=1000]
Fonts: vga852.fon [Version 5.1.2600, R620], [Visibility=1000]
Fonts: vgaf874 [Version 5.1.2600, R620], [Visibility=1000]
Fonts: vgafixe.fon [Version 5.1.2600, R620], [Visibility=1000]
Fonts: vgasyse.fon [Version 5.1.2600, R620], [Visibility=1000]
Fonts: Western Europe font substitute [Version 5.1.2600, R620], [Visibility=500]
Fonts:8514fix.fon [Version 5.1.2600, R620], [Visibility=1000]
Fonts:8514fixg_fon [Version 5.1.2600, R620], [Visibility=1000]
Fonts:8514fixr_fon [Version 5.1.2600, R620], [Visibility=1000], [NewRev=3333]
Fonts:vga850_fon [Version 5.1.2600, R620], [Visibility=1000]
Fonts:vgafix_fon [Version 5.1.2600, R620], [Visibility=1000]
Fonts:vgafixg_fon [Version 5.1.2600, R620], [Visibility=1000]
Fonts:vgafixr_fon [Version 5.1.2600, R620], [Visibility=1000]

Fonts:vgaoem_fon [Version 5.1.2600, R620], [Visibility=1000]
Format Common User Interface [Version 5.1.2600, R620], [Visibility=1000]
French Language Support [Version 5.1.2600.1106, R1507], [Visibility=1000]
Friendly Logon User Interface [Version 5.1.2600.2180, R2890], [Visibility=200]
GDI+ Policy XPSP2 [Version 5.1.2600.2180, R2890], [Visibility=200]
GDI+ Side By Side Manifest 1.0.0.0 [Version 5.1.2600.2180, R2890], [Visibility=200]
GDI+ XP [Version 5.1.2600.2180, R2890], [Visibility=200]
GDI+ XPSP2 [Version 5.1.2600.2180, R2890], [Visibility=200]
General Purpose USB Hub [Version 5.1.2600.2180, R2890], [Visibility=1000]
Generic Packet Classifier [Version 5.1.2600.2180, R2890], [Visibility=1000]
Generic USB Audio Device [Version 5.1.2600, R620], [Visibility=1000]
Generic USB Composite Device [Version 5.1.2600.2180, R2890], [Visibility=1000]
Generic USB Hub [Version 5.1.2600.2180, R2890], [Visibility=1000]
Generic USB Input Device Support [Version 5.1.2600.2180, R2890], [Visibility=2000]
GEODE - GX3 Audio Driver (WDM) [Version 2.01.04, R5], [Visibility=1000]
Geode GX3 AES Crypto Driver [Version 2.0.3.0, R4], [Visibility=1000]
Group Policy Client Core [Version 5.1.2600, R620], [Visibility=200]
Group Policy Core - Support Files [Version 5.1.2600.2180, R2890], [Visibility=200]
Group Policy Core Administration MMC Snap-In [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
GUI Based Format Common Libraries [Version 5.1.2600.2180, R2890], [Visibility=200]
H323 Telephony Service Provider [Version 5.1.2600.2180, R2890], [Visibility=200]
Headless VGA Driver [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
HID Keyboard Device [Version 5.1.2600, R620], [Visibility=1000]
HID Phone Telephony Service Provider [Version 5.1.2600.2180, R2890], [Visibility=1000]
HID-compliant consumer control device [Version 5.1.2600, R620], [Visibility=1000]
HID-compliant mouse [Version 5.1.2600, R620], [Visibility=1000]
HLX Desktop [Version 1.0, R7], [Visibility=1000]
HLX encaKeyboard [Version 1.0, R7], [Visibility=1000]
HLX enusKeyboard [Version 1.0, R8], [Visibility=1000]
HLX esmxKeyboardV5 [Version 1.0, R7], [Visibility=1000]
HLX Foxit PDFViewerV1 [Version 1.0, R6], [Visibility=1000]
HLX frcaKeyboardV5 [Version 1.0, R7], [Visibility=1000]
HLX Scale Service Application [Version 1.0, R65], [Visibility=1000]
HLXFontComponent [Version 1.0, R5], [Visibility=1000]

HLXJRE_15010v2bComponent [Version 1.0, R7], [Visibility=1000]
Hobart APC Driver [Version 1.0, R4], [Visibility=1000]
Hobart Hardware [Version 1.0, R5], [Visibility=1000]
Hobart SMBUS driver [Version 1.0, R3], [Visibility=1000]
Home Networking Monitory Library [Version 5.1.2600, R620], [Visibility=1000]
HTML Help (Shared files) [Version 5.1.2600.2180, R2890], [Visibility=200]
HTML Help Engine - Security Update KB928843 [Version 5.1.2600.3333.1, R3350], [Visibility=1000]
HTML Rendering Engine - Security Update KB928090 [Version 5.1.2600.3333.2, R3351], [Visibility=200]
I/O Error Log Messages [Version 5.1.2600, R620], [Visibility=200]
ICM Core [Version 5.1.2600.3333, R3333], [Visibility=200]
ICM User Interface [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
IIS Common Libraries [Version 5.1.2600.2180, R2890], [Visibility=200]
IIS Core Libraries [Version 5.1.2600.2180, R2890], [Visibility=200]
IIS Documentation [Version 5.1.2600.2180, R2890], [Visibility=1000]
IIS FTP Server [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
IIS Internet Manager [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
IIS Virtual Printer Directory [Version 5.1.2600, R620], [Visibility=1000]
IIS Virtual Script Directory [Version 5.1.2600, R620], [Visibility=1000]
IIS Web Server - Security Update KB917537 [Version 5.1.2600.2180.1, R2900], [Visibility=1000], [NewRev=3333]
Images and Media [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
IME Prototype [Version 5.1.2600.1106, R1507], [Visibility=250]
Indexing Service [Version 5.1.2600.3333, R3333], [Visibility=200]
Infrared Support [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Intel Microcode Update Driver [Version 5.1.2600.2180, R2890], [Visibility=200]
International Control Panel [Version 5.1.2600.2180, R2890], [Visibility=1000]
Internet Authentication Service (IAS) and Remote Access Common Files [Version 5.1.2600.2180, R2890], [Visibility=200]
Internet Authentication Service (IAS) Net Shell Context [Version 5.1.2600, R620], [Visibility=200]
Internet Authentication Service (IAS) Server Data Objects (SDO) and RAP Engine [Version 5.1.2600, R620], [Visibility=200]
Internet Connection Wizard [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Internet Explorer - Security Update KB928090 [Version 5.1.2600.3333.2, R3351], [Visibility=1000]
Internet Explorer (Additional Support) - Security Update KB928090 [Version 5.1.2600.3333.2, R3351], [Visibility=1000]
Internet Explorer Group Policy Support [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Internet Explorer Help Files [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Internet Explorer Technologies [Version 5.1.2600.2180, R2890], [Visibility=2000]

Internet Gateway Discovery and Control Client [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Internet Gateway Discovery and Control Server [Version 5.1.2600.2180, R2890], [Visibility=1000]
Internet Information Services Technologies (IIS) [Version 5.1.2600.2180, R2890], [Visibility=2000]
Internet Protocol Network Address Translation [Version 5.1.2600.2180, R2890], [Visibility=200]
IP Conference Telephony Service Provider [Version 5.1.2600.2180, R2890], [Visibility=1000]
IP Router Monitor Library [Version 5.1.2600.2180, R2890], [Visibility=1000]
IP Security Services [Version 5.1.2600.2180, R2890], [Visibility=200]
IP Security Tools and User Interface [Version 5.1.2600.2180, R2890], [Visibility=1000]
Ipx / Spx Transport Stack [Version 5.1.2600.2180, R2890], [Visibility=200]
ISAPNP Read Data Port [Version 5.1.2600, R620], [Visibility=1000]
Jet Database Engine [Version 5.1.2600.2180, R2890], [Visibility=200]
Jet Database OLEDB Support [Version 5.1.2600.2180, R2890], [Visibility=200]
Kernel Mode Crypto Driver for RSA [Version 5.1.2600, R620], [Visibility=1000]
Kernel Streaming User Mode Support [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Key Manager [Version 5.1.2600.2180, R2890], [Visibility=200]
Keyboard & Mouse Control Panel [Version 5.1.2600.2180, R2890], [Visibility=1000]
Keyboard Class Driver [Version 5.1.2600.2180, R2890], [Visibility=100], [NewRev=3333]
Keyboard Layout Prototype [Version 5.1.2600.2180, R2890], [Visibility=250]
Keyboard: Canadian French (Legacy) [Version 5.1.2600, R620], [Visibility=500]
Keyboard: Canadian French [Version 5.1.2600, R620], [Visibility=500]
Keyboard: Canadian Multilingual Standard [Version 5.1.2600, R620], [Visibility=500]
Keyboard: French [Version 5.1.2600, R620], [Visibility=500]
Keyboard: Latin American [Version 5.1.2600, R620], [Visibility=500]
Keyboard: Spanish [Version 5.1.2600, R620], [Visibility=500]
Keyboard: Spanish Variation [Version 5.1.2600, R620], [Visibility=500]
Keyboard: United States - Dvorak [Version 5.1.2600, R620], [Visibility=500]
Keyboard: United States - International [Version 5.1.2600, R620], [Visibility=500]
Keyboard: United States English [Version 5.1.2600, R620], [Visibility=500]
Language: English (Australian) - 0c09 [Version 5.1.2600, R620], [Visibility=500]
Language: English (Belize) - 2809 [Version 5.1.2600, R620], [Visibility=500]
Language: English (Canadian) - 1009 [Version 5.1.2600, R620], [Visibility=500]
Language: English (Caribbean) - 2409 [Version 5.1.2600.2180, R2890], [Visibility=500]
Language: English (Irish) - 1809 [Version 5.1.2600, R620], [Visibility=500]
Language: English (Jamaica) - 2009 [Version 5.1.2600, R620], [Visibility=500]

Language: English (New Zealand) - 1409 [Version 5.1.2600, R620], [Visibility=500]
Language: English (Philippines) - 3409 [Version 5.1.2600.2180, R2890], [Visibility=500]
Language: English (South Africa) - 1c09 [Version 5.1.2600, R620], [Visibility=500]
Language: English (Trinidad) - 2c09 [Version 5.1.2600, R620], [Visibility=500]
Language: English (United Kingdom) - 0809 [Version 5.1.2600, R620], [Visibility=500]
Language: English (United States) - 0409 [Version 5.1.2600, R620], [Visibility=500]
Language: English (Zimbabwe) - 3009 [Version 5.1.2600, R620], [Visibility=500]
Language: French - 040c [Version 5.1.2600, R620], [Visibility=500]
Language: French (Belgian) - 080c [Version 5.1.2600, R620], [Visibility=500]
Language: French (Canadian) - 0c0c [Version 5.1.2600, R620], [Visibility=500]
Language: French (Luxembourg) - 140c [Version 5.1.2600, R620], [Visibility=500]
Language: French (Monaco) - 180c [Version 5.1.2600, R620], [Visibility=500]
Language: French (Swiss) - 100c [Version 5.1.2600, R620], [Visibility=500]
Language: Spanish (Argentina) - 2c0a [Version 5.1.2600, R620], [Visibility=500]
Language: Spanish (Bolivia) - 400a [Version 5.1.2600, R620], [Visibility=500]
Language: Spanish (Chile) - 340a [Version 5.1.2600, R620], [Visibility=500]
Language: Spanish (Colombia) - 240a [Version 5.1.2600, R620], [Visibility=500]
Language: Spanish (Costa Rica) - 140a [Version 5.1.2600, R620], [Visibility=500]
Language: Spanish (Dominican Republic) - 1c0a [Version 5.1.2600, R620], [Visibility=500]
Language: Spanish (Ecuador) - 300a [Version 5.1.2600, R620], [Visibility=500]
Language: Spanish (El Salvador) - 440a [Version 5.1.2600, R620], [Visibility=500]
Language: Spanish (Guatemala) - 100a [Version 5.1.2600, R620], [Visibility=500]
Language: Spanish (Honduras) - 480a [Version 5.1.2600, R620], [Visibility=500]
Language: Spanish (Mexican) - 080a [Version 5.1.2600, R620], [Visibility=500]
Language: Spanish (Modern Sort) - 0c0a [Version 5.1.2600, R620], [Visibility=500]
Language: Spanish (Nicaragua) - 4c0a [Version 5.1.2600, R620], [Visibility=500]
Language: Spanish (Panama) - 180a [Version 5.1.2600, R620], [Visibility=500]
Language: Spanish (Paraguay) - 3c0a [Version 5.1.2600, R620], [Visibility=500]
Language: Spanish (Peru) - 280a [Version 5.1.2600, R620], [Visibility=500]
Language: Spanish (Puerto Rico) - 500a [Version 5.1.2600, R620], [Visibility=500]
Language: Spanish (Traditional Sort) - 040a [Version 5.1.2600, R620], [Visibility=500]
Language: Spanish (Uruguay) - 380a [Version 5.1.2600, R620], [Visibility=500]
Language: Spanish (Venezuela) - 200a [Version 5.1.2600, R620], [Visibility=500]
Legacy Audio Drivers [Version 5.1.2600, R620], [Visibility=1000]

Legacy COM Support Library (16 Bit) [Version 5.1.2600.2180, R2890], [Visibility=200]
Legacy Video Capture Devices [Version 5.1.2600, R620], [Visibility=1000]
Lightweight Directory Access Protocol (LDAP) client [Version 5.1.2600.1106, R1507], [Visibility=1000]
Local Network Bridge [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Local Printing [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Local Profile Core [Version 5.1.2600, R620], [Visibility=1000]
Local Security Authority Subsystem (LSASS) - Security Update KB924270 [Version 5.1.2600.3333.1, R3350], [Visibility=200]
Map Network Drives/Network Places Wizard [Version 5.1.2600.2180, R2890], [Visibility=1000]
Mapi32 Libraries [Version 5.1.2600, R620], [Visibility=200]
MCI Support [Version 5.1.2600.2180, R2890], [Visibility=200]
Media Control Devices [Version 5.1.2600, R620], [Visibility=1000]
Media Files [Version 5.1.2600, R620], [Visibility=1000]
Message Queuing (MSMQ) Administration [Version 5.1.2600.2180, R2890], [Visibility=1000]
Message Queuing (MSMQ) COM Library [Version 5.1.2600.2180, R2890], [Visibility=1000]
Message Queuing (MSMQ) Core [Version 5.1.2600.2180, R2890], [Visibility=1000]
Message Queuing (MSMQ) DCOM Library [Version 5.1.2600, R620], [Visibility=1000]
Message Queuing (MSMQ) for Active Directory Environment [Version 5.1.2600.2180, R2890], [Visibility=1000]
Message Queuing (MSMQ) Help [Version 5.1.2600.2180, R2890], [Visibility=1000]
Message Queuing (MSMQ) HTTP Support [Version 5.1.2600.2180, R2890], [Visibility=1000]
Message Queuing (MSMQ) Performance Diagnostics [Version 5.1.2600, R620], [Visibility=1000]
Message Queuing (MSMQ) Trigger Service [Version 5.1.2600.2180, R2890], [Visibility=1000]
Microcode Update Device [Version 5.1.2600, R620], [Visibility=1000]
Microsoft ACPI-Compliant System [Version 5.1.2600, R620], [Visibility=1000]
Microsoft Audio Compression Manager (MME Core) [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Microsoft Data Access Components (MDAC) - Security Update KB927779 [Version 5.1.2600.3333.1, R3350], [Visibility=200]
Microsoft Foundation Class Library (Legacy) - Security Update KB924667 [Version 5.1.2600.3333.1, R3350], [Visibility=200]
Microsoft Foundation Class Library (MFC) - Security Update KB924667 [Version 5.1.2600.2180.1, R3350], [Visibility=200]
Microsoft Internet Keyboard Composite Device [Version 5.1.2600.2180, R2890], [Visibility=1000]
Microsoft Kernel Acoustic Echo Canceller [Version 5.1.2600.2180, R2890], [Visibility=1000]
Microsoft Kernel Audio Splitter [Version 5.1.2600.2180, R2890], [Visibility=1000]
Microsoft Kernel DLS Synthesizer [Version 5.1.2600.2180, R2890], [Visibility=1000]
Microsoft Kernel DRM Audio Descrambler [Version 5.1.2600.2180, R2890], [Visibility=1000]
Microsoft Kernel GS Wavetable Synthesizer [Version 5.1.2600.2180, R2890], [Visibility=1000]
Microsoft Kernel System Audio Device [Version 5.1.2600.2180, R2890], [Visibility=1000]

Microsoft Kernel Wave Audio Mixer [Version 5.1.2600.2180, R2890], [Visibility=1000]
Microsoft Line Services [Version 5.1.2600, R620], [Visibility=200]
Microsoft Management Console (MMC) [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Microsoft Streaming Clock Proxy [Version 5.1.2600, R620], [Visibility=1000]
Microsoft Streaming Quality Manager Proxy [Version 5.1.2600, R620], [Visibility=1000]
Microsoft Streaming Service Proxy [Version 5.1.2600, R620], [Visibility=1000]
Microsoft System Management BIOS Driver [Version 5.1.2600.2180, R2890], [Visibility=1000]
Microsoft System Management BIOS Driver Installer [Version 5.1.2600.2180, R2890], [Visibility=100]
Microsoft Vector Graphics Rendering (VML) - Security Update KB929969 [Version 5.1.2600.3333.1, R3350], [Visibility=200]
Microsoft Visual C++ Run Time (Legacy) [Version 5.1.2600, R620], [Visibility=200]
Microsoft Visual C++ Run Time [Version 5.1.2600.2180, R2890], [Visibility=200]
Microsoft WINMM WDM Audio Compatibility Driver [Version 5.1.2600.2180, R2890], [Visibility=1000]
Microsoft-Windows-HTTP [Version 5.1.2600.2180, R2890], [Visibility=1000]
Mitsumi USB Floppy [Version 5.1.2600, R620], [Visibility=1000]
Motherboard resources [Version 5.1.2600, R620], [Visibility=1000]
Mount Manager [Version 5.1.2600.2180, R2890], [Visibility=100], [NewRev=3333]
Mouse Class Driver [Version 5.1.2600.2180, R2890], [Visibility=100], [NewRev=3333]
MSFS [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Msxml 3.1 [Version 5.1.2600.3333, R3333], [Visibility=1000]
Msxml Libraries [Version 5.1.2600.2180, R2890], [Visibility=1000]
Multicast DHCP [Version 5.1.2600, R620], [Visibility=1000], [NewRev=3333]
Multiple UNC Provider [Version 5.1.2600.2180, R2890], [Visibility=200]
Multi-Protocol Router Service Messages Library [Version 5.1.2600.2180, R2890], [Visibility=200]
Ndis [Version 5.1.2600.2180, R2890], [Visibility=200]
NDIS Tunnel Miniport Driver [Version 5.1.2600.2180, R2890], [Visibility=100]
NDIS User-Mode I/O Driver [Version 5.1.2600.2180, R2890], [Visibility=200]
Ndisuio Inf [Version 5.1.2600, R620], [Visibility=200]
Net.exe Utility [Version 5.1.2600.2180, R2890], [Visibility=1000]
Netauni Inf [Version 5.1.2600, R620], [Visibility=200]
Netbios Driver [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Netbios over TCP/IP [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Netbrdgs Inf [Version 5.1.2600, R620], [Visibility=200]
NetDav Inf [Version 5.1.2600, R620], [Visibility=200]
netepvcp Inf [Version 5.1.2600, R620], [Visibility=200]

Netgpc Inf [Version 5.1.2600, R620], [Visibility=200]
NetIP6 Inf [Version 5.1.2600.2180, R2890], [Visibility=200]
Netirda Inf [Version 5.1.2600, R620], [Visibility=200]
Netlanep Inf [Version 5.1.2600, R620], [Visibility=200]
Netlm Inf [Version 5.1.2600, R620], [Visibility=200]
Netlogon/NetJoin [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Netmeeting [Version 5.1.2600.2180, R2890], [Visibility=200]
Netmscli Inf [Version 5.1.2600.2180, R2890], [Visibility=200]
Netnb Inf [Version 5.1.2600, R620], [Visibility=200]
Netnwcli Inf [Version 5.1.2600, R620], [Visibility=200]
Netpschd Inf [Version 5.1.2600, R620], [Visibility=200]
Netrasa Inf [Version 5.1.2600, R620], [Visibility=200]
Netrass Inf [Version 5.1.2600.2180, R2890], [Visibility=200]
Netrast Inf [Version 5.1.2600, R620], [Visibility=200]
Netrsvp Inf [Version 5.1.2600, R620], [Visibility=200]
Netrwan Inf [Version 5.1.2600, R620], [Visibility=200]
Netsap Inf [Version 5.1.2600, R620], [Visibility=200]
Netserv Inf [Version 5.1.2600, R620], [Visibility=200]
Netshell [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Nettcpip Inf [Version 5.1.2600.2180, R2890], [Visibility=200]
NetUser Windows API [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Netwlnk Inf [Version 5.1.2600, R620], [Visibility=200], [NewRev=3333]
Network Command Shell [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Network Command Shell Interface Context [Version 5.1.2600.2180, R2890], [Visibility=1000]
Network Configuration [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Network Diagnostics [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Network Location Awareness Service [Version 5.1.2600, R620], [Visibility=1000]
Network Monitor Driver [Version 5.1.2600.2180, R2890], [Visibility=1000]
Network Performance Counters [Version 5.1.2600.2180, R2890], [Visibility=200]
Network Provisioning Service [Version 5.1.2600.2180, R2890], [Visibility=1000]
Network Routing [Version 5.1.2600.2180, R2890], [Visibility=1000]
Network Setup Wizard [Version 5.1.2600.2180, R2890], [Visibility=1000]
Network Setup Wizard Down Level Setup [Version 5.1.2600.2180, R2890], [Visibility=1000]
Networking Application Compatibility [Version 5.1.2600.2180, R2890], [Visibility=1000]

Netwzc Inf [Version 5.1.2600.2180, R2890], [Visibility=200]
NLS: Core Files [Version 5.1.2600.2180, R2890], [Visibility=500]
NLS: Locale Map IDs [Version 5.1.2600, R620], [Visibility=500]
NLS: Time Zones - Update KB931836 [Version 5.1.2600.2890.2, R2901], [Visibility=500], [NewRev=3351]
NPFS [Version 5.1.2600.2180, R2890], [Visibility=200]
NT Hardware Detect [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
NT Loader [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
NTFS [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Null Device Driver [Version 5.1.2600, R620], [Visibility=200]
Numeric data processor [Version 5.1.2600, R620], [Visibility=1000]
Offline Browsing for Internet Explorer [Version 5.1.2600.2180, R2890], [Visibility=1000]
Ole Automation [Version 5.1.2600.2180, R2890], [Visibility=200]
OLE Dialog Interfaces - Security Update KB926436 [Version 5.1.2600.1, R2900], [Visibility=200], [NewRev=3350]
Oledb Provider for Internet Publishing [Version 5.1.2600.2180, R2890], [Visibility=200]
On-screen Keyboard [Version 5.1.2600.2180, R2890], [Visibility=1000]
Other TCP/IP Services [Version 5.1.2600.2180, R2890], [Visibility=1000]
Outlook Express - Security Update KB923694 [Version 5.1.2600.2180.3, R2902], [Visibility=1000], [NewRev=3350]
Packet Scheduler Miniport [Version 5.1.2600, R620], [Visibility=1000]
Partition Manager [Version 5.1.2600.1106, R1507], [Visibility=100], [NewRev=3333]
PCI bus [Version 5.1.2600, R620], [Visibility=1000]
PCI standard host CPU bridge [Version 5.1.2600, R620], [Visibility=1000]
PCI standard ISA bridge [Version 5.1.2600, R620], [Visibility=1000]
Performance Counter Configuration [Version 5.1.2600.2180, R2890], [Visibility=1000]
Performance Counter WMI Provider [Version 5.1.2600.2180, R2890], [Visibility=1000]
Performance Data Helper [Version 5.1.2600.2180, R2890], [Visibility=200]
Performance Logs and Alerts Service [Version 5.1.2600.2180, R2890], [Visibility=200]
Performance Monitor [Version 5.1.2600.2180, R2890], [Visibility=1000]
Phone and Modem Control Panel [Version 5.1.2600.2180, R2890], [Visibility=1000]
Plug and Play Monitor [Version 5.1.2600, R620], [Visibility=1000]
Plug and Play Software Device Enumerator [Version 5.1.2600, R620], [Visibility=1000]
PnP (Kernel-mode) [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
PnP (User-mode) [Version 5.1.2600.1106, R1507], [Visibility=1000]
Power Management Application [Version 5.1.2600, R620], [Visibility=1000], [NewRev=3333]
Power Meter Control Panel [Version 5.1.2600.2180, R2890], [Visibility=1000]

Pragmatic General Multicast (Reliable Multicast protocol) [Version 5.1.2600.3333, R3333], [Visibility=1000]
Primary IDE Channel [Version 5.1.2600.2180, R2890], [Visibility=1000]
Primitive: 1394bus.sys [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Acledit [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Aclui [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: ACTXPRXY.DLL [Version 5.1.2600.3333, R3333], [Visibility=1000]
Primitive: Advpack [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Afd [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: AuthZ- HotFix Q890859 [Version 5.1.2600.2180.1, R2900], [Visibility=200], [NewRev=3333]
Primitive: Browselc [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Browseui - Security Update KB928090 [Version 5.1.2600.3333.2, R3351], [Visibility=200]
Primitive: Browsewm [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Cabinet [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Cdfview - Security Update KB928090 [Version 5.1.2600.3333.2, R3351], [Visibility=200]
Primitive: Cdrom.sys [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: CertCli [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Cfgmgr32 [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Clbcatq [Version 5.1.2600.3333, R3333], [Visibility=200]
Primitive: Clusapi [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Comcat [Version 5.1.2600, R620], [Visibility=200], [NewRev=3333]
Primitive: Comres [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Crypt32 [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: cryptdlg.dll [Version 5.1.2600.3333, R3333], [Visibility=1000]
Primitive: Cryptdll [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: CryptUI [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Dbghelp [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Devmgr [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Digest [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Dnsapi [Version 5.1.2600.3333, R3333], [Visibility=200]
Primitive: Dpcdll [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Drmk.sys [Version 5.1.2600.2180, R2890], [Visibility=1000]
Primitive: Dssec [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Duser [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Dxapi.sys [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]

Primitive: Dxg [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Dxgthk [Version 5.1.2600, R620], [Visibility=200]
Primitive: DXTRANS.DLL - Security Update KB928090 [Version 5.1.2600.3333.2, R3351], [Visibility=1000]
Primitive: Els [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Esent [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: FBASec [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Fixmapi [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Hid.dll [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Hidclass.sys [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Hidparse.sys [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: HLINK.DLL [Version 5.1.2600.3333, R3333], [Visibility=1000]
Primitive: HNETCFG.DLL [Version 5.1.2600.3333, R3333], [Visibility=500]
Primitive: HTUI [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Icfgnt5 [Version 5.1.2600.1106, R1507], [Visibility=200]
Primitive: Icmp [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: iedkcs32.dll [Version 5.1.2600.3333, R3333], [Visibility=1000]
Primitive: IEINFO5.OCX [Version 5.1.2600.3333, R3333], [Visibility=1000]
Primitive: IEXPLORE.EXE [Version 5.1.2600.3333, R3333], [Visibility=1000]
Primitive: IExpress [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Imagehlp [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: IMGUTIL.DLL [Version 5.1.2600.3333, R3333], [Visibility=1000]
Primitive: Imm32 [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: INETCPL.CPL [Version 5.1.2600.3333, R3333], [Visibility=1000]
Primitive: INSENG.DLL - Security Update KB928090 [Version 5.1.2600.3333.2, R3351], [Visibility=1000]
Primitive: Iphlpapi [Version 5.1.2600.3333, R3333], [Visibility=200]
Primitive: jscript.dll [Version 5.1.2600.3333, R3333], [Visibility=1000]
Primitive: JSPROXY.DLL - Security Update KB928090 [Version 5.1.2600.3333.2, R3351], [Visibility=1000]
Primitive: Kdcom [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Ks.inf [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Ks.sys [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Ksecdd [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Licdll [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Localspl [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: lz32.dll [Version 5.1.2600.3333, R3333], [Visibility=1000]

Primitive: Mlang [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: MMSYS [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Mpr [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Mprapi [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: MPRUI [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Msasn1 [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Mscms [Version 5.1.2600.3333, R3333], [Visibility=200]
Primitive: Msctf [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Msh263 [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: MSHTA.EXE [Version 5.1.2600.3333, R3333], [Visibility=1000]
Primitive: Msi [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: MSIDENT.DLL [Version 5.1.2600.3333, R3333], [Visibility=1000]
Primitive: MSIDNTLD.DLL [Version 5.1.2600.3333, R3333], [Visibility=1000]
Primitive: Msimg32 [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Mspatcha [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: MSRATING.DLL - Security Update KB928090 [Version 5.1.2600.3333.2, R3351], [Visibility=1000]
Primitive: Msvcrt40 [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Mswsock [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Ncobjapi [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: nddeapi.dll [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: NetApi [Version 5.1.2600.1106, R1507], [Visibility=200]
Primitive: Netapi32 - Security Update KB924270 [Version 5.1.2600.3333.1, R3350], [Visibility=200]
Primitive: Netcfgx [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: NetClass [Version 5.1.2600.1106, R1507], [Visibility=200]
Primitive: Netevent [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Netman [Version 5.1.2600.3333, R3333], [Visibility=200]
Primitive: Netrap [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Ntdll [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Ntlsapi [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Ntshrui [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Odbc32 [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Odbcint [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Ohci1394.sys [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Ole32 [Version 5.1.2600.3333, R3333], [Visibility=200]

Primitive: Oleaut32 [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Olecli32 [Version 5.1.2600.3333, R3333], [Visibility=200]
Primitive: Olesvr32 [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Osuninst [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Pidgen [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Pjlmon.dll [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Portcls.sys [Version 5.1.2600.2180, R2890], [Visibility=1000]
Primitive: Powrprof [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: PrintUI [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Profmap [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Psapi [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Pstorsvc [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Rasapi32 [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Rasman [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Rdbss [Version 5.1.2600.3333, R3333], [Visibility=200]
Primitive: Regapi [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Regsvr32 [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Rundll32 [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Sclgntfy [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Secur32 [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Security [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Sendmail [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: SENS [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: SENSAPI [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Setupapi [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Sfc [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Sfcfiles [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Sfcos [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Shdoclc [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Shdocvw - Security Update KB928090 [Version 5.1.2600.3333.2, R3351], [Visibility=200]
Primitive: Shell32 - Security Update KB928255 [Version 5.1.2600.3333.1, R3350], [Visibility=200]
Primitive: Shlwapi - Security Update KB928090 [Version 5.1.2600.3333.2, R3351], [Visibility=200]
Primitive: Shmgrate [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: snmpapi.dll [Version 5.1.2600.3333, R3333], [Visibility=1000]

Primitive: Spoolss [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Storprop.dll [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Stream.sys [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: SWENINST [Version 5.1.2600.1106, R1507], [Visibility=200]
Primitive: SxS - Security Update KB926255 [Version 5.1.2600.3333.1, R3350], [Visibility=200]
Primitive: SysSetup [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Tapi32 [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Ufat [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Umpnpmgr [Version 5.1.2600.3333, R3333], [Visibility=200]
Primitive: Uniplat [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Untfs [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Usb.inf [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Userenv [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Userinit [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Utildll [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: uxtheme [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: vbscript.dll [Version 5.1.2600.3333, R3333], [Visibility=1000]
Primitive: Version [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Wdmaud.drv [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Win32Spl [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: WinHTTP [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Winmm [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Winrnr [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Winscard [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Winsock [Version 5.1.2600, R620], [Visibility=200]
Primitive: Winspool [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Winsta [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Winstrm [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Wintrust [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Wldap32 [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Wlnotify [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Wmi [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Wmilib [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Ws2_32 [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]

Primitive: Ws2Help [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Wsock32 [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Wtsapi32 [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Primitive: Wzcsvc [Version 5.1.2600.2180, R2890], [Visibility=200]
Primitive: Xenroll [Version 5.1.2600.2180, R2890], [Visibility=200]
Print Services for Unix [Version 5.1.2600.2180, R2890], [Visibility=1000]
Print Spooler [Version 5.1.2600.3333, R3333], [Visibility=200]
Printer Common #1 (Client Side Shared Components) [Version 5.1.2600.2180, R2890], [Visibility=200]
Printing (Server/Shared) [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Processor [Version 5.1.2600, R620], [Visibility=1000]
Programmable interrupt controller [Version 5.1.2600, R620], [Visibility=1000]
Protected Storage Service [Version 5.1.2600.2180, R2890], [Visibility=200]
PS/2 Compatible Mouse [Version 5.1.2600, R620], [Visibility=1000]
Quality of Service RSVP [Version 5.1.2600.1106, R1507], [Visibility=1000]
Quality of Service Traffic Control [Version 5.1.2600.2180, R2890], [Visibility=1000]
RAS Async Adapter [Version 5.1.2600, R620], [Visibility=1000]
Realtek RTL8029(AS) PCI Ethernet Adapter [Version 5.1.2600, R620], [Visibility=1000]
Realtek RTL8139 Family PCI Fast Ethernet NIC [Version 5.1.2600.2180, R2890], [Visibility=1000]
Realtek RTL8169/8110 Family Gigabit Ethernet NIC [Version 5.641.0209.2006, R3], [Visibility=1000]
Regional and Language Options [Version 5.1.2600.2180, R2890], [Visibility=1000]
Registry Editor [Version 5.1.2600.2180, R2890], [Visibility=1000]
Registry Filter [Version 5.1.2600.3333, R3333], [Visibility=1000]
Remote Access Monitor [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Remote Ndis [Version 5.1.2600.2180, R2890], [Visibility=1000]
Remote Registry Service [Version 5.1.2600.2180, R2890], [Visibility=200]
Remote Service Provider [Version 5.1.2600.3333, R3333], [Visibility=1000]
Removable Storage Service [Version 5.1.2600.2180, R2890], [Visibility=1000]
Rendezvous Control [Version 5.1.2600, R620], [Visibility=200]
Rich Edit Control Version 1.0 [Version 5.1.2600, R620], [Visibility=200]
Rich Edit Control Version 3.0 [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3350]
Rich Edit Control Version 4.1 [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3350]
Routing Common Files [Version 5.1.2600.2180, R2890], [Visibility=200]
Routing Table Library [Version 5.1.2600.2180, R2890], [Visibility=200]
RPC Local Support [Version 5.1.2600.2180, R2890], [Visibility=1000]

RPC Remote [Version 5.1.2600, R620], [Visibility=1000]
RPC Server [Version 5.1.2600.3333, R3333], [Visibility=200]
RTCDLL Policy XPSP2 [Version 5.1.2600.2180, R2890], [Visibility=200]
RTCDLL XPSP2 [Version 5.1.2600.2180, R2890], [Visibility=200]
RTCRES XPSP2 [Version 5.1.2600.2180, R2890], [Visibility=200]
Screen Savers [Version 5.1.2600.2180, R2890], [Visibility=1000]
SDP Blob Parser [Version 5.1.2600, R620], [Visibility=200]
Secondary IDE Channel [Version 5.1.2600.2180, R2890], [Visibility=1000]
Secure RPC over Kerberos [Version 5.1.2600, R620], [Visibility=1000]
Secure RPC over Negotiate [Version 5.1.2600, R620], [Visibility=1000]
Secure RPC over NTLM [Version 5.1.2600, R620], [Visibility=1000]
Security Accounts Manager Client [Version 5.1.2600.2180, R2890], [Visibility=200]
Security Accounts Manager Server Library [Version 5.1.2600.2180, R2890], [Visibility=1000]
Security Shell Extension [Version 5.1.2600.2180, R2890], [Visibility=200]
Server Printing [Version 5.1.2600.2180, R2890], [Visibility=1000]
Service Control Manager (SCM) [Version 5.1.2600.2180, R2890], [Visibility=200]
Session Manager (Windows subsystem) [Version 5.1.2600.2180, R2890], [Visibility=1000]
Shell Control Panel Registry Data (Pro) [Version 5.1.2600, R620], [Visibility=200]
Shell Control Panel Registry Data [Version 5.1.2600, R620], [Visibility=200]
Shell Core Registry Data [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Shell Explorer Registry Data (Pro) [Version 5.1.2600, R620], [Visibility=200]
Shell Explorer Registry Data [Version 5.1.2600.2180, R2890], [Visibility=200]
Shell Group Conversion Registry Data [Version 5.1.2600, R620], [Visibility=200]
Shell Hyperterminal Registry Data [Version 5.1.2600, R620], [Visibility=200]
Shell Legacy Registry Data [Version 5.1.2600, R620], [Visibility=200]
Shell Namespace Extensions - Security Update KB900725 [Version 5.1.2600.2180.1, R2900], [Visibility=200], [NewRev=3333]
Shell Namespace Registry Data [Version 5.1.2600.2180, R2890], [Visibility=200]
Shell Notepad Registry Data [Version 5.1.2600, R620], [Visibility=200], [NewRev=3333]
Shell Paint Registry Data [Version 5.1.2600, R620], [Visibility=200]
Shell Screen Saver Registry Data [Version 5.1.2600, R620], [Visibility=200]
Shell Utilities Registry Data [Version 5.1.2600, R620], [Visibility=200]
Shell Wordpad Registry Data [Version 5.1.2600, R620], [Visibility=200]
Shockwave Flash [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3350]
Simple Network Management Protocol (SNMP) - Security Update KB926247 [Version 5.1.2600.2180.1, R3350], [Visibility=1000]

Smart Card Cryptographic Service Providers [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Smart card Subsystem [Version 5.1.2600.2180, R2890], [Visibility=200]
SmartUpgrade [Version 1.0, R11], [Visibility=1000]
SMB Redirector - Security Update KB924270 [Version 5.1.2600.3333.1, R3350], [Visibility=1000]
SMTP Server [Version 5.1.2600.2180, R2890], [Visibility=1000]
SNMP Event Translator [Version 5.1.2600.2180, R2890], [Visibility=1000]
SNMP MIB Files [Version 5.1.2600, R620], [Visibility=1000]
Soap Client Runtime [Version 5.1.2600, R620], [Visibility=200], [NewRev=3333]
Spanish Language Support [Version 5.1.2600.1106, R1507], [Visibility=1000], [NewRev=3333]
Speech API Core [Version 5.1.2600.2180, R2890], [Visibility=200]
Speech API English Text To Speech Engine [Version 5.1.2600, R620], [Visibility=1000]
Speech API English Text To Speech Voice (Sam) [Version 5.1.2600, R620], [Visibility=1000]
Speech Control Panel [Version 5.1.2600.2180, R2890], [Visibility=1000]
Speech Text Services v1.1 [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Standard 101/102-Key or Microsoft Natural PS/2 Keyboard [Version 5.1.2600, R620], [Visibility=1000]
Standard Dual Channel PCI IDE Controller [Version 5.1.2600.2180, R2890], [Visibility=1000]
Standard Enhanced PCI to USB Host Controller [Version 5.1.2600.2180, R2890], [Visibility=1000]
Standard floppy disk controller [Version 5.1.2600, R620], [Visibility=1000]
Standard OpenHCD USB Host Controller [Version 5.1.2600.2180, R2890], [Visibility=1000]
Standard Start Menu Shortcuts [Version 5.1.2600.1106, R1507], [Visibility=1000], [NewRev=3333]
Standard Template Libraries (STL) [Version 5.1.2600.2180, R2890], [Visibility=200]
Symbol LA-41x1 Spectrum24 Wireless LAN PC Card [Version 5.1.2600.1106, R1806], [Visibility=1000]
System Cloning Tool [Version 5.1.2600.3333, R3333], [Visibility=1000]
System CMOS/real time clock [Version 5.1.2600, R620], [Visibility=1000]
System Compatible Manifest [Version 5.1.2600.2180, R2890], [Visibility=200]
System Compatible Manifest Policy XPSP2 [Version 5.1.2600.2180, R2890], [Visibility=200]
System Compatible Manifest XPSP2 [Version 5.1.2600.2180, R2890], [Visibility=200]
System Control Panel [Version 5.1.2600.2180, R2890], [Visibility=1000]
System Event Notification Service (SENS) [Version 5.1.2600.2180, R2890], [Visibility=1000]
System speaker [Version 5.1.2600, R620], [Visibility=1000]
System timer [Version 5.1.2600, R620], [Visibility=1000]
TAPI 16 bit Support [Version 5.1.2600, R620], [Visibility=1000]
TAPI 2.2 Client [Version 5.1.2600, R620], [Visibility=1000]
TAPI COM Client [Version 5.1.2600.2180, R2890], [Visibility=1000]

TAPI Performance DLL [Version 5.1.2600, R620], [Visibility=1000]
TAPI Terminal Manager [Version 5.1.2600.2180, R2890], [Visibility=1000]
TAPI User Interface [Version 5.1.2600, R620], [Visibility=1000]
Task Manager [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Task Scheduler [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
TCP/IP Arp Command [Version 5.1.2600.2180, R2890], [Visibility=1000]
TCP/IP Netstat Command [Version 5.1.2600.2180, R2890], [Visibility=1000]
TCP/IP Networking [Version 5.1.2600.3333, R3333], [Visibility=1000]
TCP/IP Networking with Client For MS Networks [Version 5.1.2600.2180, R2890], [Visibility=2000]
TCP/IP Networking with File Sharing and Client For MS Networks [Version 5.1.2600.2180, R2890], [Visibility=2000]
TCP/IP Over 1394 [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
TCP/IP Over 1394 INF Files [Version 5.1.2600, R620], [Visibility=200]
TCP/IP PathPing Command [Version 5.1.2600.2180, R2890], [Visibility=1000]
TCP/IP Utilities [Version 5.1.2600.2180, R2890], [Visibility=1000]
TCP/IP Version 6 [Version 5.1.2600.3333, R3333], [Visibility=1000]
TCP/IP Version 6 Service [Version 5.1.2600.3333, R3333], [Visibility=200]
TCP/IP Version 6 Utilities [Version 5.1.2600.2180, R2890], [Visibility=1000]
Telephony [Version 5.1.2600.3333, R3333], [Visibility=1000]
Telephony Service Provider Configuration Utility [Version 5.1.2600, R620], [Visibility=1000]
Terminal Server Keyboard Driver [Version 5.1.2600, R620], [Visibility=1000]
Terminal Server Mouse Driver [Version 5.1.2600, R620], [Visibility=1000]
Terminal Server Remote Desktop [Version 5.1.2600.2180, R2890], [Visibility=1000]
Terminal Services [Version 5.1.2600.2180, R2890], [Visibility=2000]
Terminal Services Core [Version 5.1.2600.3333, R3333], [Visibility=200]
Terminal Services Runtime [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Texas Instruments PCI-1510 CardBus Controller [Version 5.1.2600, R620], [Visibility=1000]
Text Services Framework [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Text To Speech Core [Version 5.1.2600, R620], [Visibility=1000]
Time Service Core [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Transport Driver Interface [Version 5.1.2600.2180, R2890], [Visibility=200]
Tray Icon Add/Remove Support [Version 5.1.2600.2180, R2890], [Visibility=1000]
TSF Shared Candidate User Interface Service [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
TSHARC 6.20cs COMMON [Version 6.20cs, R57], [Visibility=100]
TSHARC 6.20cs SERIAL [Version 6.20cs, R12], [Visibility=1000]

Unimodem [Version 5.1.2600.2180, R2890], [Visibility=200]
Universal Plug & Play [Version 5.1.2600.2180, R2890], [Visibility=1000]
Universal Plug & Play Device Host [Version 5.1.2600.2180, R2890], [Visibility=1000]
Update Support - Security Update KB918899 [Version 5.1.2600.1, R2901 (EOL)], [Visibility=1000]
Urlmon Library - Security Update KB928090 [Version 5.1.2600.3333.2, R3351], [Visibility=200]
USB 2.0 [Version 5.1.2600.3333, R3333], [Visibility=1000]
USB 2.0 Common [Version 5.1.2600.3333, R3333], [Visibility=1000]
USB FloppyDisk Drive [Version 5.1.2600, R620], [Visibility=1000]
USB Human Interface Device [Version 5.1.2600, R620], [Visibility=1000]
USB Mass Storage Device [Version 5.1.2600, R620], [Visibility=1000]
USB Root Hub [Version 5.1.2600.2180, R2890], [Visibility=1000]
USB User Interface [Version 5.1.2600.2180, R2890], [Visibility=1000]
User Account [Version 5.1.2600.1106, R1507], [Visibility=1000], [NewRev=3333]
User Interface Core - Security Update KB928255 [Version 5.1.2600.3333.1, R3350], [Visibility=1000]
User Locale Prototype [Version 5.1.2600.2180, R2890], [Visibility=250]
User Locale: English - Australia [Version 5.1.2600, R621], [Visibility=500]
User Locale: English - Belize [Version 5.1.2600, R621], [Visibility=500]
User Locale: English - Canada [Version 5.1.2600, R621], [Visibility=500]
User Locale: English - Caribbean [Version 5.1.2600.2180, R2890], [Visibility=500]
User Locale: English - Ireland [Version 5.1.2600, R621], [Visibility=500]
User Locale: English - Jamaica [Version 5.1.2600, R621], [Visibility=500]
User Locale: English - New Zealand [Version 5.1.2600, R621], [Visibility=500]
User Locale: English - Philippines [Version 5.1.2600.2180, R2890], [Visibility=500]
User Locale: English - South Africa [Version 5.1.2600, R621], [Visibility=500]
User Locale: English - Trinidad [Version 5.1.2600, R621], [Visibility=500]
User Locale: English - United Kingdom [Version 5.1.2600, R621], [Visibility=500]
User Locale: English - United States [Version 5.1.2600, R621], [Visibility=500]
User Locale: English - Zimbabwe [Version 5.1.2600, R621], [Visibility=500]
User Locale: French - Belgium [Version 5.1.2600, R621], [Visibility=500]
User Locale: French - Canada [Version 5.1.2600, R621], [Visibility=500]
User Locale: French - France [Version 5.1.2600, R621], [Visibility=500]
User Locale: French - Luxembourg [Version 5.1.2600, R621], [Visibility=500]
User Locale: French - Monaco [Version 5.1.2600, R621], [Visibility=500]
User Locale: French - Switzerland [Version 5.1.2600, R621], [Visibility=500]

User Locale: Spanish - Argentina [Version 5.1.2600, R621], [Visibility=500]
User Locale: Spanish - Bolivia [Version 5.1.2600, R621], [Visibility=500]
User Locale: Spanish - Chile [Version 5.1.2600, R621], [Visibility=500]
User Locale: Spanish - Colombia [Version 5.1.2600, R621], [Visibility=500]
User Locale: Spanish - Costa Rica [Version 5.1.2600, R621], [Visibility=500]
User Locale: Spanish - Dominican Republic [Version 5.1.2600, R621], [Visibility=500]
User Locale: Spanish - Ecuador [Version 5.1.2600, R621], [Visibility=500]
User Locale: Spanish - El Salvador [Version 5.1.2600, R621], [Visibility=500]
User Locale: Spanish - Guatemala [Version 5.1.2600, R621], [Visibility=500]
User Locale: Spanish - Honduras [Version 5.1.2600, R621], [Visibility=500]
User Locale: Spanish - Mexico [Version 5.1.2600, R621], [Visibility=500]
User Locale: Spanish - Modern Sort [Version 5.1.2600, R621], [Visibility=500]
User Locale: Spanish - Nicaragua [Version 5.1.2600, R621], [Visibility=500]
User Locale: Spanish - Panama [Version 5.1.2600, R621], [Visibility=500]
User Locale: Spanish - Paraguay [Version 5.1.2600, R621], [Visibility=500]
User Locale: Spanish - Peru [Version 5.1.2600, R621], [Visibility=500]
User Locale: Spanish - Puerto Rico [Version 5.1.2600, R621], [Visibility=500]
User Locale: Spanish - Spain [Version 5.1.2600, R621], [Visibility=500]
User Locale: Spanish - Uruguay [Version 5.1.2600, R621], [Visibility=500]
User Locale: Spanish - Venezuela [Version 5.1.2600, R621], [Visibility=500]
Users Control Panel [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
VGA Boot Driver [Version 5.1.2600.1106, R1507], [Visibility=200], [NewRev=3333]
VGA Save [Version 5.1.2600.2180, R2890], [Visibility=200]
Video Codecs [Version 5.1.2600, R620], [Visibility=1000]
Video For Windows Core [Version 5.1.2600.2180, R2890], [Visibility=1000]
Virtual Display Driver [Version 5.1.2600.2180, R2890], [Visibility=200]
Visual Basic 6.0 Runtime Library [Version 5.1.2600.2180, R2890], [Visibility=1000]
Visual C++ Runtime Libraries (Side X Side) - Security Update KB924667 [Version 5.1.2600.2180.1, R3350], [Visibility=200]
Visual C++ Runtime Libraries Policy XPSP2 - Security Update KB924667 [Version 5.1.2600.2180.1, R3350], [Visibility=1000]
Visual C++ Runtime Libraries XPSP2 - Security Update KB924667 [Version 5.1.2600.2180.1, R3350], [Visibility=200]
Volume Manager [Version 5.1.2600, R620], [Visibility=1000]
Volume Shadow Copy Service [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
WAN Miniport (IP) [Version 5.1.2600, R620], [Visibility=1000]
WAN Miniport (L2TP) [Version 5.1.2600, R620], [Visibility=1000]

WAN Miniport (PPPOE) [Version 5.1.2600, R620], [Visibility=1000]
WAN Miniport (PPTP) [Version 5.1.2600, R620], [Visibility=1000]
Web Folders [Version 5.1.2600.1106, R1507], [Visibility=1000]
Webdav Client Redirector [Version 5.1.2600.3333, R3333], [Visibility=1000]
Windows Accessories [Version 5.1.2600.2180, R2890], [Visibility=1000]
Windows API - Advanced [Version 5.1.2600.2180, R2890], [Visibility=200]
Windows API - GDI [Version 5.1.2600.3333, R3333], [Visibility=200]
Windows API - Kernel [Version 5.1.2600.3333, R3333], [Visibility=200]
Windows API - User #2 [Version 5.1.2600.3333, R3333], [Visibility=200]
Windows API - User [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333], [Disabled]
Windows Clean-Up Utilities [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Windows Firewall Control Panel [Version 5.1.2600.2180, R2890], [Visibility=1000]
Windows Firewall/Internet Connection Sharing (ICS) [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Windows Image Acquisition Core - Security Update KB927802 [Version 5.1.2600.2180.1, R3350], [Visibility=200]
Windows Image Acquisition User Interface [Version 5.1.2600.2180, R2890], [Visibility=1000]
Windows Installer Service [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
Windows Logon (Standard) [Version 5.1.2600.2180, R2890], [Visibility=1000]
Windows Media Player 10 - Update KB907507 [Version 5.1.2600.3923, R2951], [Visibility=1000], [NewRev=3333]
Windows Media Player 10 Playlist - Update KB907507 [Version 5.1.2600.3802, R2951], [Visibility=1000], [NewRev=3333]
Windows Media Player 10 Skins - Update KB907507 [Version 5.1.2600.3802, R2951], [Visibility=1000], [NewRev=3333]
Windows Media Player 10 Technologies - Update KB907507 [Version 5.1.2600.3802, R2951], [Visibility=2000], [NewRev=3333]
Windows Media Player 6.4 - Update KB907507 [Version 5.1.2600.3802, R2951], [Visibility=1000], [NewRev=3333]
Windows NT MARTA Provider [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Windows RAM Disk Driver [Version 5.1.2600.2180, R2890], [Visibility=1000]
Windows Script Engines [Version 5.1.2600.3333, R3333], [Visibility=1000]
Windows Security Configuration Editor Client Engine [Version 5.1.2600.3333, R3333], [Visibility=1000]
Windows Security Configuration Editor Engine [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Windows Sockets [Version 5.1.2600, R620], [Visibility=200]
Windows subsystem [Version 5.1.2600.2180, R2890], [Visibility=200], [NewRev=3333]
Windows Update Agent [Version 5.1.2600.2180, R2890], [Visibility=100], [NewRev=3333]
Windows Update Agent for SUS 1.0 Servers [Version 5.1.2600.2180, R2890], [Visibility=200]
Windows Update for Device Drivers [Version 5.1.2600.2180, R2890], [Visibility=1000]
Windows XP Explorer User Interface [Version 5.1.2600.2180, R2890], [Visibility=2000]
Windows XP Service Pack 1 Resource DLL [Version 5.1.2600.2180, R2890], [Visibility=100]

Windows XP Service Pack 2 OOB Resource DLL [Version 5.1.2600.2180, R2890], [Visibility=100]
Windows XP Service Pack 2 Resource DLL [Version 5.1.2600.2180, R2890], [Visibility=100]
Windows XP Service Pack 3 Resource DLL [Version 5.1.2600.2900, R2900], [Visibility=1000]
WinHTTP [Version 5.1.2600.2180, R2890], [Visibility=1000]
Wininet Library - Security Update KB928090 [Version 5.1.2600.3333.2, R3351], [Visibility=200]
Wireless Zero Configuration [Version 5.1.2600.2180, R2890], [Visibility=1000]
WMI Consumers [Version 5.1.2600.2180, R2890], [Visibility=1000]
WMI Core [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
WMI Correlation [Version 5.1.2600, R620], [Visibility=1000]
WMI DS Provider [Version 5.1.2600, R620], [Visibility=1000]
WMI Extensions to WDM Property Page Provider [Version 5.1.2600, R620], [Visibility=200]
WMI Extensions to WDM Service [Version 5.1.2600, R620], [Visibility=1000]
WMI Filter [Version 5.1.2600.2180, R2890], [Visibility=1000]
WMI Management Snapins [Version 5.1.2600.2180, R2890], [Visibility=1000]
WMI Scripting [Version 5.1.2600.2180, R2890], [Visibility=1000]
WMI SNMP Provider [Version 5.1.2600.2180, R2890], [Visibility=1000]
WMI Tools [Version 5.1.2600.2180, R2890], [Visibility=1000]
WMI View provider [Version 5.1.2600.2180, R2890], [Visibility=1000]
WMI Win32 Provider [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
WMI Windows Installer provider [Version 5.1.2600, R620], [Visibility=1000]
WordPad Text Converters- HotFix Q885836 [Version 5.1.2600.2180.1, R2900], [Visibility=1000], [NewRev=3333]
Workstation Service [Version 5.1.2600.2180, R2890], [Visibility=1000], [NewRev=3333]
XPe Tools [Version 1.0, R20], [Visibility=1000], [Disabled]

Section J – Memory and I/O map