

FIRST FLOOR POWER & SYSTEMS PLAN

1/4" = 1'-0"

GENERAL SHEET NOTES:

A. REFER TO E000 FOR ELECTRICAL SYMBOLS, ABBREVIATIONS, INSTALLATION NOTES, AND RENOVATION NOTES.
B. NEW DEVICES SHALL BE INSTALLED FLUSH IN WALL WITH CONDUIT CONCEALED. CUT, PATCH, AND REPAIR WALLS AS REQUIRED TO MATCH ADJACENT CONDITIONS.
C. PROVIDE A NEW DEDICATED GROUNDING CONDUCTOR BETWEEN THE CIRCUIT HOMERUN AND THE PANELBOARD, FOR EVERY CIRCUIT IN THE ROOM.

KEYNOTES:

INSTALL BENCH TOP WIRE MOLD IN EXISTING WIRE MOLD LOCATION. CONNECT TO EXISTING BACKBOX AND EXTEND ASSOCIATED WIRING AS REQUIRED. VERIFY EXISTENCE OF ELECTRIC GROUND CONDUCTOR. INSTALL RECEPTACLES AND SWITCHES IN EXISTING LOCATIONS. CONNECT TO EXISTING BACKBOXES AND EXTEND ASSOCIATED WIRING AS REQUIRED. VERIFY EXISTENCE OF ELECTRIC GROUND CONDUCTOR. . INSTALL A NEW RECEPTACLE FOR TV AND EXTEND ADJACENT RECEPTACLE CIRCUIT TO NEW RECEPTACLE WITH 2#10 & 1#10 GND IN . INSTALL A NEW AUDIO/VISUAL FIRE ALARM. NEW JOHNSON CONTROLS NOTIFICATION DEVICE SHALL BE TIED TO NEAREST FIRE ALARM CIRCUIT FED FROM EXISTING BUILDING SIMPLEX 4100 SYSTEM. DEVICE COLOR SHALL BE WHITE WITH RED LETTERS.





LILY HALL TEACHING LAB 1-129 RENOVATION


ARCHITECT

DELV Design 212 W 10th St, STE F125 Indianapolis, IN 46202 (317) 296-7400

MEP

8900 Keystone Crossing #210 Indianapolis, IN 46240 (317) 848-5045

100% CONSTRUCTION DOCUMENTS



| No. | Description | Date |
|-----|-------------|------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

PROJECT #: 24005124.00 ISSUE DATE: 10.03.2024 DRW: RT | CHK: CJE

FIRST FLOOR POWER & SYSTEMS PLAN

E221