Software Requirements Specification

WorxForge

A Collaborative Knowledge Asset Platform

Version 0.1 (Draft)

July 27, 2026

Prepared for Internal Project Use

Contents

1 Introduction **3**
1.1 Purpose . . . 3
1.2 Scope . . . 3
1.3 Intended Audience . . . 3
1.4 Definitions, Acronyms, and Abbreviations . . . 3
1.5 References . . . 3
1.6 Overview . . . 4

2 Overall Description **4**
2.1 Product Perspective . . . 4
2.2 Product Functions . . . 4
2.3 User Classes and Characteristics . . . 4
2.4 Operating Environment . . . 4
2.5 Design and Implementation Constraints . . . 4
2.6 Assumptions and Dependencies . . . 5

3 Functional Requirements **5**
3.1 Authentication (Login / Sign Up) . . . 7
3.2 Profile . . . 7
3.3 Settings . . . 8
3.4 Publish Asset . . . 8
3.5 My Library . . . 8
3.6 My Assets . . . 9
3.7 Admin Dashboard . . . 9
3.8 Home Module . . . 9
3.9 Explore Module . . . 10
3.10 Asset Details Module . . . 11
3.11 Notification Center Module . . . 12

4 Non-Functional Requirements **12**
4.1 Performance . . . 12
4.2 Security . . . 13
4.3 Usability . . . 13
4.4 Reliability and Availability . . . 13
4.5 Maintainability and Scalability . . . 13
4.6 Compliance and Data Privacy . . . 14

5 User Stories **14**
5.1 Publish Asset . . . 14
5.1.1 Create Asset . . . 14
5.1.2 Enter Asset Title . . . 14
5.1.3 Add Description . . . 14
5.1.4 Select Asset Type . . . 14
5.1.5 Select Domain . . . 15
5.1.6 Specify Use Case . . . 15
5.1.7 Select Compatible Tools . . . 15
5.1.8 Add Tags . . . 15
5.1.9 Specify Version . . . 15
5.1.10 Write Markdown Content . . . 15

5.1.11 Preview Asset . . . 16
5.2 My Library . . . 16
5.2.1 View Saved Assets . . . 16
5.2.2 View Recently Used Assets . . . 16
5.2.3 View Following Assets . . . 16
5.3 My Assets . . . 16
5.3.1 View My Assets Dashboard . . . 16
5.3.2 Edit My Asset . . . 16
5.4 Administration . . . 16
5.4.1 View User Dashboard . . . 16
5.4.2 Create User . . . 16
5.4.3 Delete User . . . 17
5.4.4 View Assets Dashboard . . . 17
5.4.5 Create Asset . . . 17
5.4.6 Delete Asset . . . 17
5.4.7 Moderate Comments . . . 17
5.4.8 Moderate Suggestions . . . 17
5.4.9 View Reports Dashboard . . . 17
5.5 Authentication . . . 17
5.5.1 Register account . . . 17
5.5.2 Verify Email . . . 18
5.5.3 Log In . . . 18
5.5.4 Protect Account from Unauthorized Access . . . 18
5.5.5 Reset Password . . . 18
5.5.6 Log Out . . . 19
5.6 Profile . . . 19
5.6.1 View My Profile . . . 19
5.6.2 View My Published Assets . . . 19
5.6.3 View Contribution Statistics . . . 19
5.6.4 Edit My Profile . . . 20
5.6.5 View Another Users' Profile . . . 20
5.7 Settings . . . 20
5.7.1 Update Email Address . . . 20
5.7.2 Change Password . . . 20
5.7.3 Delete Account . . . 21
5.8 Home Module . . . 21
5.8.1 Scenario 1 – View Personalized Home Dashboard . . . 21
5.8.2 Scenario 2 – Search Knowledge Assets from Home . . . 21
5.9 Explore Module . . . 22
5.9.1 Scenario 3 – Search and Explore Knowledge Assets . . . 22
5.9.2 Scenario 4 – Save Knowledge Assets During Exploration . . . 23
5.10 Asset Details Module . . . 23
5.10.1 Scenario 5 – View Knowledge Asset Details . . . 23
5.10.2 Scenario 6 – Interact with a Knowledge Asset . . . 24
5.11 Notification Center Module . . . 25
5.11.1 Scenario 7 – View and Manage Notifications . . . 25

1 Introduction

1.1 Purpose

This document specifies the Software Requirements Specification (SRS) for **WorxForge**, a platform designed to allow users to create, publish, discover, and reuse knowledge assets such as prompts, skills, and agents. The purpose of this document is to provide a detailed description of the functional and non-functional requirements of the system, intended to serve as a reference for the design, development, and testing teams throughout the project lifecycle.

1.2 Scope

WorxForge is a web-based platform that enables users to:

- Register and manage a personal account and profile.
- Create, publish, and manage knowledge assets (Prompts, Skills, Agents).
- Discover, save, and reuse knowledge assets published by other users.
- Access a personalized Home dashboard with curated, recent, and recommended content.
- Administer users, assets, comments, and reports through an Admin Dashboard.

The system aims to centralize organizational knowledge assets in a structured, searchable, and reusable format, improving productivity and knowledge sharing across teams.

1.3 Intended Audience

This document is intended for:

- Software developers and architects responsible for system design and implementation.
- Quality assurance engineers responsible for validating system behavior.
- Project managers and stakeholders overseeing project scope and delivery.
- UI/UX designers responsible for translating requirements into interfaces.

1.4 Definitions, Acronyms, and Abbreviations

Term	Definition
SRS	Software Requirements Specification
FR	Functional Requirement
NFR	Non-Functional Requirement
Asset / Knowledge Asset	A reusable unit of knowledge published on the platform (e.g., Prompt, Skill, or Agent)
Prompt	A predefined instruction template used with an AI tool
Skill	A packaged capability or reusable workflow
Agent	An autonomous or semi-autonomous AI-driven component
Admin	A user with elevated privileges to manage the platform
UI	User Interface

1.5 References

- IEEE Std 830-1998, IEEE Recommended Practice for Software Requirements Specifications.

1.6 Overview

The remainder of this document is organized as follows: Section 2 provides an overall description of the product, its functions, and its constraints. Section 3 details the functional requirements grouped by module, each identified with a unique sequential ID and priority. Section 4 specifies the non-functional requirements using the same format. Section 5 lists user stories (to be completed).

2 Overall Description

2.1 Product Perspective

WorxForge is a new, self-contained web application. It is not a modification of an existing system, though it may integrate with external AI tools (e.g., WorxGPT, Claude Code, GitHub Copilot) as compatible tools referenced by published assets.

2.2 Product Functions

At a high level, WorxForge provides the following functions:

- User authentication and account management (registration, login, password recovery).
- Profile management and public profile viewing.
- Account settings management (email, password, account deletion).
- Creation and publishing of knowledge assets.
- A personal library for saved, recently used, and followed assets.
- A personal dashboard for managing owned assets.
- A personalized Home dashboard for discovery and recommendations.
- An administrative dashboard for platform management.

2.3 User Classes and Characteristics

- **Guest/Unregistered User:** Can access public-facing pages but cannot create or interact with assets.
- **Registered User:** Can authenticate, manage their profile, publish assets, and interact with the platform's discovery and library features.
- **Administrator:** Has elevated privileges to manage users, assets, comments, suggestions, and reports.

2.4 Operating Environment

WorxForge is a web-based application accessible through modern web browsers, intended to run on standard client-server infrastructure with a backend server, database, and email delivery service for verification and password reset flows.

2.5 Design and Implementation Constraints

- The system must enforce email verification before account activation.
- The system must enforce a minimum password policy at sign-up and during password changes.
- Only published assets may be visible in discovery surfaces (e.g., Home).
- Access to assets must respect authorization rules.

2.6 Assumptions and Dependencies

- Users have access to a valid email account for verification and password recovery.
- An email delivery service is available and reliable.
- Recommendation data (user interests/activity) may not always be available; the system must handle this gracefully.

3 Functional Requirements

1. **Authentication (Login / Sign Up)**
2. **FR-1.1** The system shall allow a new user to register using a valid email address, a username, a password and confirmation of the password.
3. **FR-1.2** The system shall validate that the registration email is not already associated with an existing account.
4. **FR-1.3** The system shall enforce a minimum password policy (e.g., minimum length, at least one number/special character) at sign-up.
5. **FR-1.4** The system shall send a verification email/link upon registration, and shall not activate the account until the email is verified.
6. **FR-1.5** The system shall allow a registered user to log in using their email/username and password.
7. **FR-1.6** The system shall lock or throttle an account after a defined number of consecutive failed login attempts (e.g., 5 attempts).
8. **FR-1.7** The system shall allow a user to reset their password via a "Forgot Password" flow using a time-limited reset link sent to their registered email.
9. **FR-1.8** The system shall allow a user to log out, invalidating their active session/token.
10. **Profile**
11. **FR-2.1** The system shall allow an authenticated user to view their own profile information, including:
    - Display Name
    - Username
    - Email Address
    - Profile Picture (Avatar)
12. **FR-2.2** The system shall display a list of the authenticated user's published knowledge assets on their profile page.
13. **FR-2.3** The system shall display aggregate statistics on the user's profile, including:
    - Total Published Assets
    - Total Followers
    - Total Reactions Received
14. **FR-2.4** The system shall allow users to edit their profile information, including:
    - Display Name

- Username
- Profile Picture (Avatar)

15. **FR-2.5** The system shall allow users to view another user's public profile, including:
    - Display Name
    - Profile Picture
    - Published Knowledge Assets
16. **Settings**
17. **FR-3.1** The system shall allow a user to update their registered email address. The system shall:
    - verify that the new email address is unique;
    - send a verification link to the new email address; and
    - require successful verification before the new email address becomes active.
18. **FR-3.2** The system shall allow a user to change their password by providing:
    - their current password;
    - a new password; and
    - confirmation of the new password.
19. **FR-3.3** The system shall allow a user to permanently delete their account after confirming the deletion request.

1. **Publish Asset**
2. **FR-4.1** The system shall allow a user to create a new asset. Asset consists of:
    - Title
    - Description (optional)
    - Type (Prompt, Skill, Agent...)
    - Domain (Development, Quality Assurance, DevOps...)
    - Use case (Code generation, Code review, Testing...)
    - Compatible tools (WorxGPT, Claude Code, GitHub Copilot...)
    - Tags (optional)
    - Version (optional)
    - Markdown content

   User can preview asset before creation.

1. **My Library**
2. **FR-5.1.** View saved assets.
3. **FR-5.2** View recently used assets.
4. **FR-5.3** View following assets
5. **My Assets**

6. **FR-6.1** User can view a dashboard of his assets
7. **FR.6.2** User can edit his assets
8. **Admin Dashboard**
9. **FR-7.1** The system shall allow admin to view a dashboard of all users
10. **FR-7.2** The system shall allow admin to create/delete users
11. **FR-7.3** The system shall allow admin to view a dashboard of assets
12. **FR-7.4** The system shall allow admin to create/delete assets
13. **FR-7.5** The system shall allow admin to create/delete comments and suggestions
14. **FR-7.6** The system shall allow admin to view a dashboard of reports

All functional requirements below share a single, continuous numbering scheme (FR-001, FR-002, ...) and a common table format (ID, Requirement, Priority), regardless of the module they belong to.

3.1 Authentication (Login / Sign Up)

ID	Functional Requirement	Priority
FR-001	The system shall allow a new user to register using a valid email address, a username, a password and confirmation of the password.	High
FR-002	The system shall validate that the registration email is not already associated with an existing account.	High
FR-003	The system shall enforce a minimum password policy (e.g., minimum length, at least one number/special character) at sign-up.	High
FR-004	The system shall send a verification email/link upon registration, and shall not activate the account until the email is verified.	High
FR-005	The system shall allow a registered user to log in using their email/username and password.	High
FR-006	The system shall lock or throttle an account after a defined number of consecutive failed login attempts (e.g., 5 attempts).	Medium
FR-007	The system shall allow a user to reset their password via a "Forgot Password" flow using a time-limited reset link sent to their registered email.	High
FR-008	The system shall allow a user to log out, invalidating their active session/token.	High

3.2 Profile

ID	Functional Requirement	Priority
FR-009	The system shall allow an authenticated user to view their own profile information, including: Display Name, Username, Email Address, Profile Picture (Avatar).	High
FR-010	The system shall display a list of the authenticated user's published knowledge assets on their profile page.	Medium
FR-011	The system shall display aggregate statistics on the user's profile, including: Total Published Assets, Total Followers, Total Reactions Received.	Medium
FR-012	The system shall allow users to edit their profile information, including: Display Name, Username, Profile Picture (Avatar).	High
FR-013	The system shall allow users to view another user's public profile, including: Display Name, Profile Picture, Published Knowledge Assets.	Medium

3.3 Settings

ID	Functional Requirement	Priority
FR-014	The system shall allow a user to update their registered email address. The system shall: verify that the new email address is unique; send a verification link to the new email address; and require successful verification before the new email address becomes active.	High
FR-015	The system shall allow a user to change their password by providing: their current password; a new password; and confirmation of the new password.	High
FR-016	The system shall allow a user to permanently delete their account after confirming the deletion request, while retaining published assets under an anonymous publisher.	Medium

3.4 Publish Asset

ID	Functional Requirement	Priority
FR-017	The system shall allow a user to create a new asset. An asset consists of: Title; Description (optional); Type (Prompt, Skill, Agent...); Domain (Development, Quality Assurance, DevOps...); Use case (Code generation, Code review, Testing...); Compatible tools (WorxGPT, Claude Code, GitHub Copilot...); Tags (optional); Version (optional); Markdown content. The user can preview the asset before creation.	High

3.5 My Library

ID	Functional Requirement	Priority
FR-018	The system shall allow a user to view saved assets.	Medium
FR-019	The system shall allow a user to view recently used assets.	Medium
FR-020	The system shall allow a user to view assets from followed users/assets.	Medium

3.6 My Assets

ID	Functional Requirement	Priority
FR-021	The system shall allow a user to view a dashboard of their own assets.	High
FR-022	The system shall allow a user to edit their own assets.	High

3.7 Admin Dashboard

ID	Functional Requirement	Priority
FR-023	The system shall allow an admin to view a dashboard of all users.	High
FR-024	The system shall allow an admin to create/delete users.	High
FR-025	The system shall allow an admin to view a dashboard of assets.	High
FR-026	The system shall allow an admin to create/delete assets.	High
FR-027	The system shall allow an admin to create/delete comments and suggestions.	Medium
FR-028	The system shall allow an admin to view a dashboard of reports.	Medium

3.8 Home Module

ID	Functional Requirement	Priority
FR-HOME-001	The system shall display a personalized Home dashboard after successful user authentication.	High
FR-HOME-002	The system shall display personalized recommendations based on the user's activity, interests, permissions, and organizational relevance when available.	High
FR-HOME-003	The system shall display organization-wide featured, trending, and recommended knowledge assets to promote knowledge discovery.	High
FR-HOME-004	The system shall display recently accessed knowledge assets for quick access.	Medium
FR-HOME-005	The system shall display standardized asset summaries including essential metadata such as title, owner, category, tags, and available quality indicators.	High
FR-HOME-006	The system shall allow users to search for knowledge assets directly from the Home dashboard.	High

ID	Functional Requirement	Priority
FR-HOME-007	The system shall allow users to open Asset Details by selecting any displayed asset.	High
FR-HOME-008	The system shall refresh Home content to reflect newly available assets and organizational updates.	Medium
FR-HOME-009	The system shall display organizational announcements and important platform updates when available.	Medium
FR-HOME-010	The system shall display appropriate empty-state or informational messages when personalized content or assets are unavailable.	Medium
FR-HOME-011	The system shall enforce user authorization when displaying Home content and recommended assets.	High
FR-HOME-012	The system shall maintain the user's Home navigation context during the active session.	Medium

3.9 Explore Module

ID	Functional Requirement	Priority
FR-EXP-001	The system shall provide an Explore module that enables users to discover published knowledge assets.	High
FR-EXP-002	The system shall allow users to search knowledge assets using one or more supported criteria, including keywords, asset name, tags, categories, business domains, and asset types.	High
FR-EXP-003	The system shall allow users to refine search results using one or more filters simultaneously.	High
FR-EXP-004	The system shall allow users to browse knowledge assets by category, business domain, asset type, or other supported classifications.	High
FR-EXP-005	The system shall display matching assets together with standardized summary information for each result.	High
FR-EXP-006	The system shall allow users to sort exploration results using supported sorting options.	Medium
FR-EXP-007	The system shall support removing individual filters and clearing all active filters.	Medium
FR-EXP-008	The system shall preserve the user's search criteria, filters, and sorting preferences during the current session.	Medium
FR-EXP-009	The system shall display appropriate empty-state messages when no assets match the selected search criteria.	Medium
FR-EXP-010	The system shall support incremental loading or pagination for large result sets.	Medium
FR-EXP-011	The system shall allow users to bookmark or remove bookmarks from knowledge assets directly from the Explore module.	High
FR-EXP-012	The system shall immediately reflect bookmark status changes across the platform.	Medium
FR-EXP-013	The system shall allow users to open the Asset Details page from any exploration result.	High
FR-EXP-014	The system shall enforce authorization rules by displaying only assets accessible to the authenticated user.	High

ID	Functional Requirement	Priority
FR-EXP-015	The system shall notify users when search or exploration services are temporarily unavailable.	Medium

3.10 Asset Details Module

ID	Functional Requirement	Priority
FR-ASSET-001	The system shall display comprehensive information for each authorized knowledge asset.	High
FR-ASSET-002	The system shall display standardized asset metadata, including title, description, asset type, owner, category, tags, version, publication status, publication date, and last updated date.	High
FR-ASSET-003	The system shall display supporting resources, references, and related knowledge assets when available.	Medium
FR-ASSET-004	The system shall display available quality indicators, adoption metrics, and other relevant asset information.	Medium
FR-ASSET-005	The system shall allow users to view, access, or download supported asset content and associated resources according to their permissions.	High
FR-ASSET-006	The system shall allow users to copy supported asset content where applicable.	Medium
FR-ASSET-007	The system shall allow users to bookmark or remove bookmarks from knowledge assets.	High
FR-ASSET-008	The system shall allow users to follow or unfollow knowledge assets to receive future updates.	Medium
FR-ASSET-009	The system shall allow users to submit feedback and comments on authorized knowledge assets.	High
FR-ASSET-010	The system shall display previously submitted comments associated with the selected knowledge asset.	Medium
FR-ASSET-011	The system shall generate appropriate notifications for supported asset activities, including updates, comments, and feedback, when applicable.	Medium
FR-ASSET-012	The system shall preserve the user's navigation context when moving between Asset Details and other platform modules.	Medium
FR-ASSET-013	The system shall prevent unauthorized access to restricted knowledge assets and associated resources.	High
FR-ASSET-014	The system shall notify users when asset content or related resources are unavailable.	Medium
FR-ASSET-015	The system shall maintain the current asset state following supported user interactions without requiring the page to be reopened.	Medium
FR-ASSET-016	The system shall display an appropriate message when optional asset information or supporting resources are unavailable.	Low
FR-ASSET-017	The system shall support navigation between related knowledge assets.	Medium

ID	Functional Requirement	Priority
FR-ASSET-018	The system shall ensure that all asset interactions comply with the authenticated user's permissions and organizational access policies.	High

3.11 Notification Center Module

ID	Functional Requirement	Priority
FR-NOTIF-001	The system shall provide a Notification Center that displays notifications relevant to the authenticated user.	High
FR-NOTIF-002	The system shall generate notifications for supported platform events, including asset updates, comments, feedback, follows, and organizational announcements.	High
FR-NOTIF-003	The system shall display notification information, including the notification type, message, associated resource, timestamp, and read status.	High
FR-NOTIF-004	The system shall present notifications in reverse chronological order.	Medium
FR-NOTIF-005	The system shall allow users to open notifications and navigate to the associated platform resource when authorized.	High
FR-NOTIF-006	The system shall allow users to manage notification read status individually or collectively while maintaining unread notification counts.	High
FR-NOTIF-007	The system shall synchronize notification status and unread counts across the platform during the user's session.	Medium
FR-NOTIF-008	The system shall support incremental loading or pagination for notification history.	Medium
FR-NOTIF-009	The system shall display appropriate informational messages when notifications or referenced resources are unavailable.	Medium
FR-NOTIF-010	The system shall enforce authorization before allowing access to resources referenced by notifications.	High
FR-NOTIF-011	The system shall preserve notification history according to the platform's retention policy.	Medium
FR-NOTIF-012	The system shall notify users when notification services are temporarily unavailable.	Medium

4 Non-Functional Requirements

Non-functional requirements follow the same continuous numbering (NFR-001, NFR-002, ...) and table format as the functional requirements above.

4.1 Performance

ID	Requirement	Priority
NFR-001	The Home dashboard shall load within an acceptable response time under normal load conditions.	High

ID	Requirement	Priority
NFR-002	The system shall support concurrent access by multiple users without significant degradation in performance.	High

4.2 Security

ID	Requirement	Priority
NFR-003	The system shall store passwords using a secure, industry-standard hashing algorithm.	High
NFR-004	The system shall enforce authorization checks so that users only access data and assets they are permitted to view.	High
NFR-005	The system shall protect session tokens against unauthorized access and shall invalidate them upon logout.	High
NFR-006	The system shall use secure (encrypted) communication channels for data in transit.	High

4.3 Usability

ID	Requirement	Priority
NFR-007	The system shall provide a consistent and intuitive user interface across all modules.	Medium
NFR-008	The system shall provide clear error messages and empty states to guide user actions.	Medium

4.4 Reliability and Availability

ID	Requirement	Priority
NFR-009	The system shall gracefully handle and report temporary unavailability of content or services rather than failing silently.	Medium
NFR-010	The system shall maintain data consistency between updates made to assets and their display throughout the platform.	High

4.5 Maintainability and Scalability

ID	Requirement	Priority
NFR-011	The system architecture shall support the addition of new asset types, domains, and compatible tools with minimal structural changes.	Medium
NFR-012	The system shall be designed to scale to accommodate a growing number of users and published assets.	Medium

4.6 Compliance and Data Privacy

ID	Requirement	Priority
NFR-013	The system shall permanently remove a user's personal data upon confirmed account deletion, in accordance with applicable data protection requirements.	High

5 User Stories

5.1 Publish Asset

5.1.1 Create Asset

As a registered user, I want to create a new asset so that I can share reusable AI resources with others.
Acceptance Criteria

- User can create a new asset.
- Asset is saved successfully.
- Asset appears in the user's assets list.

5.1.2 Enter Asset Title

As a registered user, I want to provide a title for my asset so that users can easily identify it.
Acceptance Criteria

- Title is required.
- Empty titles are not allowed.

5.1.3 Add Description

As a registered user, I want to add an optional description so that I can provide additional context for my asset.
Acceptance Criteria

- Description is optional.
- Users can edit the description later.

5.1.4 Select Asset Type

As a registered user, I want to select the type of asset so that it is categorized correctly.
Acceptance Criteria

- User can select one predefined asset type.
- Type is required.

5.1.5 Select Domain

As a registered user, I want to choose a domain so that my asset is discoverable within its field. **Acceptance Criteria**

- User selects one domain.
- Domain is required.

5.1.6 Specify Use Case

As a registered user, I want to specify the intended use case so that users understand when to use the asset. **Acceptance Criteria**

- User selects one use case.
- Use case is required.

5.1.7 Select Compatible Tools

As a registered user, I want to indicate compatible AI tools so that users know where the asset can be used. **Acceptance Criteria**

- User can select one or more supported tools.
- Compatible tools are required.

5.1.8 Add Tags

As a registered user, I want to add optional tags so that my asset is easier to search and filter. **Acceptance Criteria**

- Tags are optional.
- Multiple tags are supported.
- Tags are added as comma separated words

5.1.9 Specify Version

As a registered user, I want to assign an optional version label so that I can track revisions. **Acceptance Criteria**

- Version field is optional.
- Version can be updated during editing.

5.1.10 Write Markdown Content

As a registered user, I want to write my asset in Markdown so that formatting is preserved. **Acceptance Criteria**

- Markdown editor is available.
- Markdown is saved correctly.

5.1.11 Preview Asset

As a registered user, I want to preview my asset before publishing so that I can verify its appearance. **Acceptance Criteria**

- Preview renders Markdown.
- Preview reflects unsaved changes.

5.2 My Library

5.2.1 View Saved Assets

As a registered user, I want to view all saved assets so that I can easily access them later.

5.2.2 View Recently Used Assets

As a registered user, I want to view my recently accessed assets so that I can quickly reopen them.

5.2.3 View Following Assets

As a registered user, I want to see assets I follow so that I receive updates about them.

5.3 My Assets

5.3.1 View My Assets Dashboard

As a registered user, I want to view a dashboard of my published assets so that I can manage my contributions. **Acceptance Criteria**

- Dashboard displays all owned assets.
- Dashboard shows basic statistics (e.g., likes, saves, comments).

5.3.2 Edit My Asset

As a registered user, I want to edit my published assets so that I can improve or update them. **Acceptance Criteria**

- Only the asset owner can edit.
- Changes are saved successfully.
- Versions can be updated.

5.4 Administration

5.4.1 View User Dashboard

As an administrator, I want to view all registered users so that I can manage platform accounts.

5.4.2 Create User

As an administrator, I want to create user accounts so that I can provision access when required.

5.4.3 Delete User

As an administrator, I want to delete user accounts so that inactive or inappropriate accounts can be removed.

5.4.4 View Assets Dashboard

As an administrator, I want to view all published assets so that I can monitor platform content.

5.4.5 Create Asset

As an administrator, I want to create assets so that official or sample assets can be published.

5.4.6 Delete Asset

As an administrator, I want to delete assets so that inappropriate or obsolete content can be removed.

5.4.7 Moderate Comments

As an administrator, I want to delete inappropriate comments so that discussions remain respectful and relevant.

5.4.8 Moderate Suggestions

As an administrator, I want to delete inappropriate suggestions so that only constructive contributions remain.

5.4.9 View Reports Dashboard

As an administrator, I want to view all reported content so that I can investigate violations. **Acceptance Criteria**

- Reports can be filtered.
- Reports show the associated asset, comment, or suggestion.

5.5 Authentication

5.5.1 Register account

As a new user, **I want** to create an account using my email address, username, password, and password confirmation, **So that** I can access the Knowledge Hub and contribute knowledge assets. **Acceptance criteria**

- **The registration form requires an email address, username, password, and password confirmation.**
- **The email address must not already exist in the system.**
- **The username must be unique.**
- **The password complies with the defined password policy.**
- **The password and confirmation password match.**
- **A verification email is sent after successful registration.**
- **The account remains inactive until the email address is verified.**

5.5.2 Verify Email

As a newly registered user, **I want** to verify my email address, **So that** my account becomes active.
Acceptance criteria

- The user receives a verification email.
- The verification link is valid for a limited period.
- Selecting the verification link activates the account.
- Unverified users cannot log in.

5.5.3 Log In

As a registered user, **I want** to log in using my email/username and password, **So that** I can access my account.
Acceptance criteria

- The user enters valid credentials.
- The system authenticates the user.
- The user is redirected to the Home page after successful login.
- Invalid credentials display an appropriate error message.

5.5.4 Protect Account from Unauthorized Access

As a registered user, **I want** my account to be protected against repeated failed login attempts, **So that** unauthorized users cannot easily access my account.
Acceptance criteria

- **Failed login attempts are counted.**
- **The account is temporarily locked or throttled after the configured number of failed attempts.**
- **The user is informed that access has been temporarily restricted.**

5.5.5 Reset Password

As a registered user, **I want** to reset my password if I forget it, **So that** I can regain access to my account.
Acceptance criteria

- The user can request a password reset using their registered email.
- A time-limited reset link is sent.
- The user can create a new password that satisfies the password policy.
- The old password is replaced after a successful reset.

5.5.6 Log Out

As an authenticated user, **I want** to securely log out of my account, **So that** no one else can access my session.
Acceptance criteria

- The active session is terminated.
- Protected pages are no longer accessible without logging in again.
- The user is redirected to the Login page or Home page.

5.6 Profile

5.6.1 View My Profile

As an authenticated user, **I want** to view my profile information, **So that** I can review my account details.
Acceptance criteria

- **The profile displays the user's display name.**
- **The profile displays the username.**
- **The profile displays the email address.**
- **The profile displays the profile picture.**

5.6.2 View My Published Assets

As an authenticated user, **I want** to view the knowledge assets I have published, **So that** I can easily access and manage my contributions.
Acceptance criteria

- **All published assets created by the user are displayed.**
- **Each asset links to its details page.**
- **If no assets exist, an appropriate empty-state message is displayed.**

5.6.3 View Contribution Statistics

As an authenticated user, **I want** to view my contribution statistics, **So that** I can monitor my participation within the platform.
Acceptance criteria

- The total number of published assets is displayed.
- The total number of followers is displayed.
- The total number of reactions received is displayed.

5.6.4 Edit My Profile

As an authenticated user, **I want** to update my profile information, **So that** my profile accurately represents me.
Acceptance criteria

- The user can update their display name.
- The user can update their username.
- The user can upload or replace their profile picture.
- Updated information is validated before saving.
- A success message is displayed after the update.

5.6.5 View Another Users' Profile

As an authenticated user, **I want** to view another user's public profile, **So that** I can discover their contributions and published assets.
Acceptance criteria

- The user's display name is shown.
- The user's profile picture is displayed.
- The user's published knowledge assets are displayed.

5.7 Settings

5.7.1 Update Email Address

As an authenticated user, **I want** to update my registered email address, **So that** I can keep my account information current.
Acceptance criteria

- **The new email address is validated for uniqueness.**
- **A verification email is sent to the new address.**
- **The new email becomes active only after verification.**
- **The previous email remains active until verification is completed.**

5.7.2 Change Password

As an authenticated user, **I want** to change my password, **So that** I can improve the security of my account.
Acceptance criteria

- **The current password must be entered correctly.**
- **The new password complies with the password policy.**
- **The confirmation password matches the new password.**
- **A success message is displayed after the password is updated.**

5.7.3 Delete Account

As an authenticated user, **I want** to permanently delete my account, **So that** my personal information is removed while my published assets remain available to the community.
Acceptance criteria

- The user is prompted to confirm the deletion request.
- The account is deleted only after confirmation.
- All previously published assets remain accessible on the platform while their publisher details are automatically updated to "Anonymous".
- The user is logged out after account deletion.

5.8 Home Module

5.8.1 Scenario 1 – View Personalized Home Dashboard

Actor: Authenticated User
Preconditions:

- User is authenticated.
- User has permission to access the platform.

Postconditions:

- Personalized Home dashboard is successfully displayed.

Acceptance Scenario

User action	System Reaction
User signs in successfully.	System displays the Home dashboard.
User reviews Home content.	System displays personalized recommendations, featured assets, recently accessed assets, and organizational announcements when available.
User selects an asset.	System opens the Asset Details page.
User refreshes Home.	System reloads available Home content while preserving the current session.

Failed Scenario

User Action	System Reaction
Home content cannot be retrieved.	System displays an appropriate error message while allowing the user to retry.
No personalized content exists.	System displays organization-wide content or an appropriate empty-state message.

5.8.2 Scenario 2 – Search Knowledge Assets from Home

Actor: Authenticated User
Preconditions:

- User is viewing the Home dashboard.

Postconditions:

- Relevant knowledge assets are displayed or an appropriate message is shown.

Acceptance Scenario

User Action	System Reaction
User enters a search query.	System searches available knowledge assets.
User reviews search results.	System displays matching assets.
User selects an asset.	System navigates to the corresponding Asset Details page.
User returns to Home.	System restores the previous Home context.

Failed Scenario

User Action	System Reaction
No matching assets are found.	System displays an informative no-results message.
Search service is temporarily unavailable.	System informs the user that search cannot currently be completed.

5.9 Explore Module

5.9.1 Scenario 3 – Search and Explore Knowledge Assets

Actor: Authenticated User

Preconditions:

- User is authenticated.
- Published knowledge assets are available.

Postconditions:

- Relevant knowledge assets are displayed according to the selected search criteria.

Acceptance Scenario

User Action	System Reaction
User opens the Explore module.	System displays searchable and browsable knowledge assets.
User enters a search query and applies one or more filters.	System retrieves matching assets.
User changes the sorting option.	System updates the displayed results.
User removes or clears filters.	System refreshes the displayed results accordingly.
User selects an asset.	System opens the corresponding Asset Details page.

Failed Scenario

User Action	System Reaction
No assets satisfy the search criteria.	System displays an informative no-results message.
Search service becomes unavailable.	System informs the user that search results cannot currently be retrieved.

5.9.2 Scenario 4 – Save Knowledge Assets During Exploration

Actor: Authenticated User

Preconditions:

- User is exploring authorized knowledge assets.

Postconditions:

- Asset bookmark status is updated successfully.

Acceptance Scenario

User Action	System Reaction
User selects the bookmark action on an asset.	System adds the asset to the user's saved collection.
User refreshes the Explore page.	System preserves the bookmark status.
User removes the bookmark.	System updates the saved collection accordingly.

Failed Scenario

User Action	System Reaction
Bookmark service is unavailable.	System informs the user that the operation could not be completed.
User attempts to bookmark an unauthorized asset.	System rejects the request and displays an authorization message.

5.10 Asset Details Module

5.10.1 Scenario 5 – View Knowledge Asset Details

Actor: Authenticated User

Preconditions:

- User has permission to access the selected knowledge asset.

Postconditions:

- Complete asset information is displayed.

Acceptance Scenario

User Action	System Reaction
User selects an asset from Home, Explore, or Notifications.	System opens the Asset Details page.
User reviews the asset information.	System displays the asset content, metadata, quality indicators, supporting resources, and related assets when available.
User accesses or downloads supported content.	System provides the requested resource according to the user's permissions.
User returns to the previous module.	System restores the previous navigation context.

Failed Scenario

User Action	System Reaction
Asset is unavailable or archived.	System informs the user that the asset is unavailable.
User does not have permission to access the asset.	System blocks access and displays an authorization message.
Asset content cannot be retrieved.	System displays an appropriate content retrieval error message.

5.10.2 Scenario 6 – Interact with a Knowledge Asset

Actor: Authenticated User

Preconditions:

- User is viewing an authorized knowledge asset.

Postconditions:

- Selected interaction is successfully completed.

Acceptance Scenario

User Action	System Reaction
User bookmarks the asset.	System updates the user's saved collection.
User follows or unfollows the asset.	System updates the user's subscription status.
User submits feedback or a comment.	System records the submitted information and updates the asset discussion where applicable.
User selects a related asset.	System opens the corresponding Asset Details page.

Failed Scenario

User Action	System Reaction
Interaction service is temporarily unavailable.	System informs the user that the requested action could not be completed.
User attempts an unauthorized interaction.	System rejects the request and displays an authorization message.

5.11 Notification Center Module

5.11.1 Scenario 7 – View and Manage Notifications

Actor: Authenticated User

Preconditions:

- User is authenticated.
- One or more notifications exist.

Postconditions:

- Notification status is updated and the user accesses the selected notification when applicable.

Acceptance Scenario

User Action	System Reaction
User opens the Notification Center.	System displays the user's notifications ordered from newest to oldest.
User reviews the notification list.	System displays notification details, timestamps, and read status.
User opens a notification.	System marks the notification as read and navigates to the referenced resource when authorized.
User marks notifications as read individually or collectively.	System updates the notification status and unread notification count.
User refreshes the Notification Center.	System retrieves the latest available notifications while preserving previously confirmed notification states.

Failed Scenario

User Action	System Reaction
Notification retrieval service is unavailable.	System informs the user that notifications cannot currently be retrieved.
Referenced resource is unavailable or unauthorized.	System displays an appropriate unavailable resource or authorization message.
No notifications exist.	System displays an appropriate empty-state message.