mongoDB

Database	Database
Table	Collection
Row	Document
Column	Field
Schema (fixed)	Schema (flexible)
SQL queries	MongoDB queries
Relational DB	NoSQL DB

My SQL

id	name	age
1	Manas	21
2	Ravi	22

MongoDB


```
{
  "_id": 1,
  "name": "Manas",
  "age": 21
},

{
  "_id": 2,
  "name": "Ravi",
  "age": 22,
  "hobby": "Gym"
}
```


MongoDB Database
• Can contain one or more collections
Collections
• Can contain different types of document (objects)
Document
• Key value pair list or array or nested document

```
{
  name: "al",
  age: 18,
  status: "D",
  groups: [ "politics", "news" ]
}
```

Collection

JSON

Name → Muskan
Age → 19
City → Bhagalpur
Previous Companies → uber, mahindra, amazon

Name → Manas
OrderedProducts:
(Shoe, 20000), (T-Shirt, 5000)

BSON

Binary JSON (Binary format of JSON)

It is a binary format of JSON used internally by MongoDB to store and transfer data.

Binary format is easier for computers to process compared to plain text JSON.

Application (Node.js / Express)
↓
JSON Data
↓
MongoDB converts it
↓
BSON Format
↓
Stored in Database

Database (BSON)
↓
Converted back to JSON
↓
Sent to Application

Thank You