(no subject)

Aditya Waghmare <diamondgamerz49@gmail.com> Fri, Sep 18, 2026 at 9:45 PM
To: Aditya Waghmare <diamondgamerz49@gmail.com>

LANXESS INDIA

FINISHED GOODS WAREHOUSE MANAGEMENT SYSTEM

PROPOSAL V2 – SYSTEM FLOW AND BUSINESS SOLUTION

Submitted By

i3PL India Pvt. Ltd.

For: LANXESS India
Project: Finished Goods Warehouse Management System
Proposal Version: V2.0
Document Type: Business Proposal and System Flow
Date: [Insert Date]
Proposal Reference: [Insert Reference Number]

---

1. Executive Summary

i3PL India Pvt. Ltd. is pleased to submit this proposal to LANXESS India for the implementation of a Finished Goods Warehouse Management System.

The proposed Warehouse Management System, hereafter referred to as the **WMS**, is intended to digitize and control the operational activities of the Finished Goods warehouse. The system will provide improved visibility of inventory, product batches, pallets, warehouse locations, stock movements, FIFO allocation, picking, staging, loading, and dispatch activities.

The current warehouse operation involves multiple systems and manual activities, including SAP/LXP, i-net, Excel-based bin tracking, emails, printed loading lists, physical checklists, manual reports, and physical stock verification. The proposed WMS will act as the operational warehouse layer that connects and controls the physical warehouse process while maintaining clear boundaries with the existing ERP and enterprise systems.

The initial implementation is proposed as a **standalone WMS**. SAP/LXP will continue to remain the system of record for applicable ERP-level stock accounting and enterprise transactions unless otherwise agreed in writing. During the initial phase, required data may be exchanged through approved Excel export and import processes.

The proposed system will provide:

- Product-wise and batch-wise inventory visibility.
- Pallet-wise inventory tracking.
- Exact warehouse, zone, rack, level, and bin location tracking.
- QR-based identification of pallets and warehouse bins.
- Rule-based storage and put-away recommendations.
- Product compatibility validation.
- FIFO-based inventory allocation.
- KG-wise stock allocation and dispatch.
- Digital picking and staging management.
- Loading and dispatch control.
- Inventory movement history.
- User-wise audit trail.
- Controlled stock adjustments and exception handling.
- Operational reports and dashboards.
- Future readiness for SAP/LXP or other enterprise integrations.

The objective is to establish a digitally controlled warehouse environment where every product, batch, pallet, quantity, location, movement, allocation, and dispatch activity can be traced through one operational WMS platform.

---

2. Background and Business Context

LANXESS India's Finished Goods warehouse operations require accurate control over material receiving, storage, inventory, picking, loading, and dispatch.

The current process uses a combination of operational tools and records, including:

- SAP/LXP for stock-related transactions and accounting.
- i-net for order-related activities.
- Excel sheets for physical rack and bin position tracking.
- Email communication for operational coordination and exceptions.
- Printed loading lists.
- Physical loading and unloading checklists.
- Manual reports and reconciliation.
- Physical stock verification.
- Separate vehicle and trip-related activities.

The existing process also requires compliance with operational rules such as:

- FIFO-based dispatch.
- Product and batch traceability.
- Product compatibility requirements.
- Designated warehouse storage locations.
- Quantity verification.
- Damage and quarantine handling.
- Loading and dispatch checks.
- Physical stock reconciliation.

The proposed WMS is designed to digitize these existing warehouse rules rather than replace the approved LANXESS operational procedures.

---

3. Business Objectives

The primary objectives of the proposed WMS are:

3.1 Inventory Visibility

Provide a centralized view of:

- Available inventory.
- Product-wise stock.
- Batch-wise stock.
- Pallet-wise stock.
- Location-wise stock.
- KG-wise stock.
- Allocated stock.
- Picked stock.
- Staged stock.
- Blocked stock.
- Damaged stock.
- Quarantined stock.
- Dispatched stock.

3.2 Accurate Location Tracking

Maintain the exact physical location of every pallet and product batch through the warehouse hierarchy:

> Warehouse → Zone → Area → Rack → Level → Bin

The system should reduce dependency on manual Excel-based location tracking and provide controlled digital location records.

3.3 Controlled FIFO Operations

The system should support FIFO-based allocation using the approved LANXESS rules, including receipt date, batch sequence, Business Unit requirements, customer requirements, and stock eligibility.

3.4 Improved Warehouse Utilization

Provide visibility of:

- Occupied locations.
- Available locations.

- Location capacity.
- Current utilization.
- Empty bins.
- Blocked locations.
- Incompatible locations.
- Product concentration.
- Zone-wise utilization.

3.5 Reduced Manual Work

Reduce repetitive activities related to:

- Manual Excel updates.
- Manual stock searching.
- FIFO calculation.
- Picking preparation.
- Loading preparation.
- Report preparation.
- Checklist paperwork.
- Manual movement tracking.
- Stock reconciliation.

3.6 Complete Traceability

Every important inventory transaction should record:

- Who performed the activity.
- When it was performed.
- Which product was involved.
- Which batch was involved.
- Which pallet was involved.
- How much quantity was moved.
- From which location.
- To which location.
- For what reason.
- Against which transaction or order.


---

4. Proposed WMS Overview

The proposed WMS will operate as a centralized operational platform for warehouse activities.

The system will manage the complete warehouse lifecycle from receiving to dispatch.

4.1 High-Level System Flow



The WMS will provide operational control over physical warehouse activities while maintaining a defined boundary with SAP/LXP and other enterprise systems.

---

5. Proposed System Scope

The proposed WMS scope includes the following major areas:

1. User and role management.
2. Product master management.
3. Batch management.
4. Warehouse and location master.
5. Product compatibility rules.
6. Inbound receiving.
7. Pallet creation and identification.
8. QR code generation and scanning.
9. Storage and put-away recommendation.
10. Inventory management.
11. Inventory movement management.
12. FIFO allocation.
13. KG-wise allocation.
14. Picking management.
15. Staging management.
16. Vehicle and loading-related information.
17. Dispatch confirmation.
18. Damage and exception handling.
19. Stock verification and reconciliation.
20. Operational reports.
21. Dashboard and visibility.
22. User-wise audit history.
23. Backup and security controls.
24. Future integration readiness.


The final approved scope will be confirmed through the technical specification, functional requirement document, and commercial proposal.

---

6. Inbound Receiving Process

The inbound process will record and control the receipt of finished goods into the warehouse.

6.1 Inbound Process Flow



6.2 Inbound Data

The system may capture:

- Receipt number.
- Receipt date.
- Vehicle number.
- Driver details, where required.
- Product code.
- Product name.
- Batch number.
- Quantity received.
- KG quantity.
- Packaging details.
- Business Unit.
- Customer details, where applicable.
- Reference document.
- Inspection status.
- Damage status.
- Pallet details.
- Storage location.
- User details.
- Remarks and attachments.

6.3 Receiving Validation

The system should support validation of:

- Product identity.
- Batch number.
- Quantity.
- Receipt reference.
- Vehicle information.
- Required documents.
- Inspection status.
- Damage status.
- Duplicate receipt records.
- Incomplete receiving information.

A receipt should not be treated as fully available inventory until the required receiving and verification steps are completed.

---

7. Pallet Identification and QR-Based Tracking

QR-based pallet identification will be used to improve physical traceability throughout the warehouse.

7.1 Pallet QR Process

For every verified pallet:

1. Create a unique pallet record.
2. Assign a unique pallet ID.
3. Generate a QR code.
4. Print the QR sticker.
5. Attach the sticker to the physical pallet.
6. Link the pallet to the product and batch.
7. Link the pallet to its current location.
8. Scan the pallet during future warehouse activities.

7.2 Pallet QR Usage

The pallet QR may be scanned during:

- Put-away.
- Internal transfer.
- Bin relocation.
- Picking.
- Staging.
- Loading.
- Dispatch.
- Stock verification.
- Damage recording.
- Quarantine movement.
- Reconciliation.

7.3 Bin QR Identification

Each approved warehouse bin may also be assigned a unique QR code.

The bin QR will help users identify:

- Warehouse.
- Zone.
- Area.
- Rack.
- Level.
- Bin.
- Location type.
- Capacity.
- Current utilization.
- Allowed product category.
- Compatibility group.
- Storage restrictions.


The system should validate that the scanned bin is active, available, compatible, and suitable for the selected product or pallet.

---

8. Storage and Put-Away Process

The WMS will provide rule-based storage recommendations based on predefined warehouse and product rules.

8.1 Put-Away Flow



8.2 Storage Recommendation Rules

The recommendation engine may consider:

- Product compatibility matrix.
- Product category.
- Business Unit.
- Storage restrictions.
- Zone restrictions.
- Rack restrictions.
- Bin capacity.
- Existing compatible stock.
- Current bin utilization.

- Availability of suitable locations.
- Customer-specific requirements.
- LANXESS-approved storage procedures.

8.3 Storage Controls

The system should prevent or warn against:

- Storage in inactive locations.
- Storage in full locations.
- Storage in incompatible locations.
- Storage in blocked locations.
- Storage beyond defined capacity.
- Storage without a valid pallet record.
- Storage without a valid product and batch.
- Storage without required authorization.

---

9. Inventory Management

The WMS will maintain inventory at multiple levels to provide accurate and useful operational visibility.

9.1 Inventory View

Inventory should be searchable by:

- Product.
- Product category.
- Batch.
- Pallet.
- Warehouse.
- Zone.
- Rack.
- Level.
- Bin.
- Business Unit.
- Customer.
- Inventory status.
- Receipt date.
- Ageing.
- Available quantity.
- Allocated quantity.
- Picked quantity.
- Staged quantity.
- Dispatched quantity.

9.2 Inventory Status

The system may maintain the following inventory statuses:

- Received.
- Under Inspection.
- Available.
- Allocated.
- Picked.
- Staged.
- Loaded.
- Dispatched.
- Hold.
- Damaged.
- Quarantine.
- Rejected.
- Blocked.

Only authorized users should be allowed to change critical inventory statuses.

9.3 Inventory Quantity Controls

The system should maintain quantity balances for:

- Received quantity.
- Available quantity.
- Allocated quantity.
- Picked quantity.

- Staged quantity.
- Loaded quantity.
- Dispatched quantity.
- Damaged quantity.
- Quarantined quantity.
- Adjusted quantity.

The system should prevent dispatch or allocation of stock that is not eligible or available.

---

10. Inventory Movement Management

The WMS will record all important stock movements between warehouse locations and operational stages.

10.1 Movement Types

The system may support:

- Inbound receipt.
- Put-away.
- Internal transfer.
- Bin-to-bin movement.
- Rack-to-rack movement.
- Picking.
- Staging.
- Loading.
- Dispatch.
- Return.
- Damage movement.
- Quarantine movement.
- Hold movement.
- Stock adjustment.
- Reconciliation adjustment.

10.2 Movement Record

Every movement should record:

- Movement transaction ID.
- Movement date and time.
- Product.
- Batch.
- Pallet.
- Quantity.
- Source location.
- Destination location.
- Movement type.
- Reason.
- Reference transaction.
- User.
- Approval details, where applicable.
- Remarks.

The movement history should not be overwritten. Each movement should remain available for audit and traceability.


---

11. FIFO Allocation Process

FIFO will be supported through a controlled system allocation process.

11.1 FIFO Flow

```
Dispatch Requirement Received
            |
            ▼
Identify Required Product
            |
            ▼
Find Eligible Batches
            |
            ▼
Exclude Blocked / Damaged / Hold / Quarantine Stock
            |
            ▼
```



11.2 FIFO Eligibility

The system should consider:

- Receipt date.
- Batch sequence.
- Available quantity.
- Inventory status.
- Product eligibility.
- Business Unit rules.
- Customer requirements.
- Approved exceptions.
- Existing allocation.
- Stock already picked or staged.

FIFO should be applied only to eligible stock and should not simply select the oldest record without checking stock status and operational restrictions.

11.3 FIFO Exception

If FIFO is not followed, the system should require:

- Exception reason.
- User identification.
- Date and time.
- Selected batch.
- Quantity.
- Approval, where applicable.
- Remarks.

The system should maintain a history of FIFO exceptions and overrides.

---

12. KG-Wise Inventory Allocation

The WMS will support allocation and dispatch based on KG requirements wherever applicable.

12.1 KG Allocation Features

The system should support:

- Product-wise KG availability.
- Batch-wise KG availability.
- Partial batch allocation.
- Multiple-batch allocation.
- Required KG.
- Allocated KG.
- Picked KG.
- Staged KG.
- Loaded KG.
- Dispatched KG.
- Remaining KG.
- Balance quantity validation.

12.2 Allocation Validation

The system should ensure that:

- Allocated quantity does not exceed available quantity.
- Picked quantity does not exceed allocated quantity.
- Staged quantity does not exceed picked quantity.

- Dispatched quantity does not exceed staged or approved quantity.
- Stock balances remain consistent after each transaction.

---

13. Outbound and Dispatch Process

The outbound process will control the movement of finished goods from inventory to dispatch.

13.1 Outbound Flow

```
Order / Dispatch Requirement Received
                |
                ▼
Product and Quantity Requirement
                |
                ▼
FIFO and Stock Eligibility Check
                |
                ▼
KG-Wise Allocation
                |
                ▼
Picking Task Generation
                |
                ▼
Bin QR Scan
                |
                ▼
Pallet QR Scan
                |
                ▼
Product / Batch / Quantity Validation
                |
                ▼
Picking Confirmation
                |
                ▼
Staging
                |
                ▼
Vehicle Assignment
                |
                ▼
Loading Verification
                |
                ▼
Dispatch Confirmation
                |
                ▼
Inventory and Movement History Updated
```

13.2 Picking Controls

The system should validate:

- Correct warehouse.
- Correct bin.
- Correct pallet.
- Correct product.
- Correct batch.
- Correct quantity.
- FIFO eligibility.
- Inventory status.
- Available quantity.
- Picking authorization.

The system should prevent picking of stock marked as:

- Blocked.
- Damaged.
- Hold.
- Quarantine.
- Rejected.
- Unavailable.

13.3 Staging Management

Staging should be treated as a separate operational inventory state.

The system should record:

- Picking completion.
- Staging location.
- Pallet details.
- Product and batch.
- Quantity.
- Dispatch reference.
- Vehicle reference.
- User.
- Date and time.
- Staging status.

13.4 Loading and Dispatch

The loading and dispatch process may include:

- Vehicle assignment.
- Vehicle information.
- Loading list.
- Pallet verification.
- Product verification.
- Quantity verification.
- Loading checklist.
- Document verification.
- Vehicle photographs, where required.
- Supervisor confirmation.
- Dispatch confirmation.

Final dispatch confirmation should update the relevant inventory and transaction records.

---

14. Damage, Hold and Quarantine Management


The WMS should provide controlled handling of inventory that cannot be treated as normal available stock.


14.1 Exception Categories

The system may support:

- Damaged material.
- Leakage.
- Quantity mismatch.
- Batch mismatch.
- Storage incompatibility.
- No suitable storage location.
- FIFO exception.
- Stock variance.
- Vehicle rejection.
- Loading failure.
- Missing checklist.
- Pending approval.
- Blocked inventory.

14.2 Exception Process





14.3 Controlled Release

Release from Hold, Damage, or Quarantine should require authorized action wherever applicable.

The system should record:

- Original status.
- New status.
- Reason.
- User.
- Date and time.
- Approval.
- Remarks.
- Supporting evidence.

---

15. Stock Verification and Reconciliation


The WMS should support stock verification and reconciliation activities.

15.1 Stock Verification Features

The system may support:

- Cycle-count scheduling.
- Product or SKU selection.
- Location-wise counting.
- Pallet-wise counting.
- Physical quantity entry.
- System quantity comparison.
- Variance identification.
- Supervisor approval.
- Reconciliation.
- Adjustment history.

15.2 Stock Variance Process



Stock adjustments should be restricted to authorized users and should maintain a complete audit history.

---

16. Reports and Dashboards

The WMS should provide operational visibility through dashboards and reports.

16.1 Daily Reports

Potential daily reports include:

- Inward movement report.
- Outward movement report.
- Inventory report.
- Pallet position report.
- Vehicle placement report.
- Picking report.
- Staging report.
- Loading report.
- Dispatch report.
- Damage report.
- Quarantine report.
- FIFO allocation report.
- Exception report.
- Stock variance report.

16.2 Monthly Reports

Potential monthly reports include:

- Stock reconciliation report.
- Cycle-count report.
- Monthly pallet position report.
- Inventory ageing report.
- FIFO compliance report.
- Inventory movement report.
- Warehouse utilization report.
- Damage summary.
- Exception summary.
- Operational KPI report.

16.3 Export Options

Reports may support:

- On-screen viewing.
- Excel export.
- PDF export.
- CSV export, where required.

The exact report list and format will be finalized during the requirement confirmation and technical specification stage.

---

17. User Roles and Access Control

The WMS should support role-based access so that users can perform only the activities assigned to their responsibilities.

Potential roles may include:

- System Administrator.
- Warehouse Manager.
- Supervisor.
- Inbound Operator.
- Put-Away Operator.
- Inventory Controller.
- Picker.
- Staging Operator.
- Loading Operator.
- Dispatch User.
- Auditor.
- Management Viewer.

Access permissions may be defined for:

- Viewing inventory.
- Creating receipts.
- Confirming put-away.
- Moving stock.
- Allocating FIFO stock.
- Picking.
- Staging.
- Loading.
- Dispatch confirmation.
- Stock adjustment.

- Master-data modification.
- FIFO override.
- Quarantine release.
- Report access.
- User management.

Critical transactions should require appropriate authorization.

---

18. SAP/LXP and External System Boundary

18.1 Initial Implementation

The initial WMS implementation is proposed as a standalone operational system.

SAP/LXP will continue to remain responsible for applicable ERP-level transactions and stock accounting unless the scope is separately revised.

18.2 Phase 1 Data Exchange

During the initial implementation, required data may be exchanged through:

- Approved Excel exports.
- Standardized Excel templates.
- Controlled Excel uploads.
- Data validation before import.
- Import error reporting.
- Authorized data correction.

Potential data may include:

- Product master.
- Batch details.
- Opening inventory.
- Receipt data.
- Order details.
- Dispatch requirements.
- Location data.

18.3 Future Integration

Future integration may include:

- SAP/LXP.
- ERP systems.
- Quality systems.
- External logistics systems.
- Other LANXESS enterprise applications.

Direct API or system-to-system integration will be considered as a separate technical and commercial scope unless explicitly included in the approved project scope.

---

19. Implementation Approach

The implementation will be carried out through structured stages.

Stage 1 – Requirement Confirmation

- Review current warehouse SOPs.
- Review inbound and outbound processes.
- Confirm product and batch requirements.
- Confirm warehouse hierarchy.
- Confirm compatibility rules.
- Confirm FIFO rules.
- Confirm user roles.
- Confirm reports.
- Confirm hardware and network requirements.
- Confirm SAP/LXP data exchange process.

Stage 2 – System Design

- Prepare system flow.
- Prepare technical architecture.
- Prepare database structure.
- Prepare role and permission structure.
- Prepare master-data templates.
- Prepare QR and barcode process.
- Prepare transaction flow.
- Prepare report structure.

Stage 3 – Development and Configuration

- Configure master data.
- Develop inbound process.
- Develop put-away logic.
- Develop inventory management.
- Develop FIFO allocation.
- Develop KG-wise allocation.
- Develop picking and staging.
- Develop loading and dispatch.
- Develop QR scanning.
- Develop reports and dashboards.

Stage 4 – Testing

- Functional testing.
- Inventory balance testing.
- FIFO testing.
- Location validation testing.
- QR scanning testing.
- Role and permission testing.
- Exception testing.
- Report testing.
- User acceptance testing.

Stage 5 – Deployment and Training

- Production setup.
- Master-data upload.
- Initial inventory upload.
- User creation.
- User training.
- Supervisor training.
- SOP alignment.
- Go-live support.

Stage 6 – Stabilization

- Monitor system usage.
- Resolve approved defects.
- Review reports.
- Review user feedback.
- Validate inventory transactions.
- Provide warranty and support assistance.

---

20. Expected Business Benefits

The proposed WMS is expected to support the following operational improvements:

20.1 Better Inventory Accuracy

The system will provide product-wise, batch-wise, pallet-wise, location-wise, and KG-wise inventory visibility.

20.2 Better FIFO Compliance

The system will identify eligible stock and support controlled FIFO allocation.

20.3 Better Location Control

The system will replace uncontrolled manual location tracking with a structured warehouse location hierarchy.

20.4 Improved Pallet Traceability

QR-based identification will support tracking of pallets through receiving, storage, movement, picking, staging, loading, and dispatch.

20.5 Reduced Manual Dependency

The system will reduce repetitive Excel updates, manual searches, manual FIFO calculations, and manual report preparation.

20.6 Better Warehouse Utilization

Location capacity and utilization information will help warehouse teams identify available and occupied locations.

20.7 Improved Auditability

The system will maintain user-wise transaction history and movement records.

20.8 Better Exception Visibility

The system will provide visibility of damaged, blocked, quarantined, mismatched, and pending-approval inventory.

20.9 Improved Operational Coordination

A centralized system will provide a common operational view for warehouse users, supervisors, and management.

---

21. Assumptions

The proposal is based on the following assumptions:

1. LANXESS will provide approved warehouse SOPs.
2. LANXESS will provide product and batch master data.
3. LANXESS will provide warehouse, zone, rack, level, and bin details.
4. LANXESS will provide the approved product compatibility matrix.
5. LANXESS will provide FIFO rules and approved exceptions.
6. LANXESS will provide opening inventory data.
7. LANXESS will provide required SAP/LXP exports.
8. LANXESS will nominate authorized users and approvers.
9. LANXESS will provide required business rules and operational approvals.
10. LANXESS will provide required hardware, printers, scanners, network, and site infrastructure unless specifically included in the commercial proposal.
11. Final workflows will be confirmed before development.
12. Any major change after scope approval may require a change request.
13. Third-party software, cloud, hardware, licenses, and infrastructure charges will be handled according to the commercial proposal.
14. Direct SAP/LXP integration is excluded from the initial standalone implementation unless separately approved.

---

22. Scope Exclusions

Unless specifically included in the approved commercial proposal, the following are excluded from the initial scope:

- Direct SAP/LXP API integration.
- Changes to SAP/LXP.
- ERP accounting functionality.
- Manufacturing planning.
- Production planning.
- Transporter payment processing.
- GPS tracking.
- Hardware procurement.
- Network infrastructure.
- Internet connectivity.
- Third-party license charges.
- Major workflow changes after approval.
- Additional warehouses.
- Unapproved reports.
- Unapproved dashboards.
- Custom integrations.
- Data correction caused by inaccurate client-provided information.
- Activities outside the approved warehouse scope.

---

23. Separate Supporting Documents

The following documents will be provided separately as part of the complete proposal package:

1. Proposal V2 – System Flow and Business Solution.
2. Technical Specification and Functional Requirements.
3. Backup and Disaster Recovery Policy.
4. Privacy Policy.
5. Security Policy.
6. Warranty and Support Policy.
7. Commercial Proposal and Costing.
8. Implementation Timeline.
9. Acceptance and Sign-Off Checklist.
10. Change Request Process, where required.

These documents will collectively define the business scope, technical scope, operational responsibilities, security controls, support terms, and commercial conditions.

---

24. Commercial Proposal

The commercial details will be provided in a separate document titled:

> LANXESS WMS – Commercial Proposal and Costing

The separate commercial document will include:

- Implementation cost.
- Module-wise costing.
- Phase-wise costing.
- QR and barcode-related cost.
- Data migration cost.
- Training cost.
- Deployment cost.
- Cloud and hosting cost.
- Warranty coverage.
- Annual maintenance cost.
- Support renewal cost.
- Third-party charges.
- Payment terms.
- Taxes.
- Change request charges.
- Commercial validity.
- Scope exclusions.

The costing document will be considered together with this proposal and the associated technical and policy documents.

---

25. Proposal Validity

This proposal shall remain valid for **[Insert Number] days** from the date of submission unless otherwise mentioned in the commercial proposal.

Any changes in scope, assumptions, infrastructure, integrations, hardware, or business requirements may require revision of the proposal and commercial terms.

---

26. Acceptance and Next Steps

Upon acceptance of this proposal, the following activities may be initiated:

1. Requirement confirmation meeting.
2. SOP and process review.
3. Warehouse visit and workflow validation.
4. Master-data collection.
5. Product compatibility rule confirmation.
6. FIFO rule confirmation.
7. User-role confirmation.
8. Hardware and infrastructure assessment.
9. Technical document approval.
10. Commercial approval.
11. Project kickoff.
12. Development and implementation planning.

The final implementation schedule will be prepared after confirmation of the approved scope, dependencies, data availability, infrastructure, and commercial terms.

---

27. Conclusion

i3PL India Pvt. Ltd. proposes the implementation of a digitally controlled Finished Goods Warehouse Management System for LANXESS India.

The proposed WMS will digitize the operational warehouse lifecycle, including receiving, pallet identification, storage, put-away, inventory management, FIFO allocation, KG-wise allocation, picking, staging, loading, and dispatch.

The system will provide improved inventory visibility, better location control, controlled FIFO operations, QR-based pallet traceability, transaction history, exception visibility, and operational reporting.

The initial implementation will operate as a standalone WMS while remaining ready for future SAP/LXP and enterprise integrations.

The solution will be delivered through a structured implementation process supported by separate technical, security, backup, privacy, warranty, support, and commercial documents.

Submitted By

i3PL India Pvt. Ltd.

Authorized Representative: _____

Name: _____

Designation: _____

Signature: _____

Date: _____

Company Seal: _____

Technology Partner

Stivate Technologies LLP

Role: Technology Partner / WMS Solution and Implementation Partner

Stivate Technologies LLP will support the technology design, software development, system implementation, technical documentation, deployment assistance, and post-implementation support activities as agreed under the approved scope and commercial terms.

Authorized Representative: _____

Name: _____

Designation: _____

Signature: _____

Date: _____

End of Proposal V2 – System Flow and Business Solution