

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (Bsc.IT Semester III)
Python for Data Science Practical

Practical - II

Roll No. :47	Name:JYOTI YADAV
Class :SY.IT	Batch : B1
Date of Assignment :22/07/26	Date/Time of Submission :22/07/26

Questions:

2a. Write a python code to create nested tuples.

CODE:

```
student = ("JYOTI",47, ("BscIT", "SEMESTER III"), 90)

print("Name : ",student[0])
print("Roll no :",student[1])
print("Department :",student[2][0])
print("Semester :",student[2][1])
print("Percentage :",student[-1])

print("\nJYOTI S047")|
```

OUTPUT:

```
-----
Name :  JYOTI
Roll no : 47
Department : BscIT
Semester : SEMESTER III
Percentage : 90

JYOTI S047
```

2b. Write a python code to sort the nested tuple using the sorted () function.

CODE:

```
data = [(6,7), (4,5), (5,8)]
sorted_data =sorted(data, key = lambda x : x[1])
print(sorted_data)
print("JYOTI S047")|
```

OUTPUT:

```
----- RE
[(4, 5), (6, 7), (5, 8)]
JYOTI S047
|
```

2c. Write a python code to copy or clone a list.

CODE:

```
list1 = [10,20,30,40,50]
list2 = list1.copy()
print("original list :",list1)
print("copied list :",list2)|
print("JYOTI S047")
```

OUTPUT:

```
original list : [10, 20, 30, 40, 50]
copied list : [10, 20, 30, 40, 50]
JYOTI S047
|
```

2d. Write a python code to check the immutability property of python tuples.

CODE:

```
fruit = ("APPLE", "MANGO", "LICH")  
fruit = ("PINEAPPLE")  
print[2](fruit)  
print("JYOTI S047")|
```

OUTPUT:

```
Traceback (most recent call last):  
  File "C:/Users/info/OneDrive/Documents/DATA STUCTURE/Practicalno2PDS.py", line 3, in <module>  
    print[2](fruit)  
TypeError: 'builtin_function_or_method' object is not subscriptable
```