

**Laxmi Charitable Trust's**  
**Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce**  
**Department of Information Technology (Bsc.IT Semester III)**  
**Data Structures Practical**

## Practical - IX

|                              |                                   |
|------------------------------|-----------------------------------|
| Roll No. :S053               | Name:Yadav Sakshi                 |
| Class :SYIT                  | Batch : 1                         |
| Date of Assignment :19/08/26 | Date/Time of Submission :19/08/26 |

### PART A - THEORY

#### 1. Linear Search

**Definition:**

Linear Search is a searching technique in which each element of the array is checked **sequentially from the beginning until the required element is found or the end of the array is reached.**

**Example:**

Array: 10 25 30 45 60

↑

Search

The elements are checked one by one.

**Features:**

- Works on both **sorted and unsorted arrays.**
- Simple to implement.
- Suitable for small lists.
- Time Complexity: **O(n).**

## 2. Binary Search

### Definition:

Binary Search is a searching technique that repeatedly **divides a sorted array into two halves** and determines which half may contain the required element.

**Important:** The array must be **sorted** before applying binary search.

10 20 30 40 50 60 70

↑

Middle

If the search element is smaller than the middle element, search the **left half**. Otherwise, search the **right half**.

### Features:

- Requires a **sorted array**.
- Faster than linear search for large sorted arrays.
- Time Complexity:  **$O(\log n)$** .

## Comparison

| Feature         | Linear Search       | Binary Search         |
|-----------------|---------------------|-----------------------|
| Array           | Sorted/Unsorted     | Sorted only           |
| Method          | Sequential checking | Divides into halves   |
| Time Complexity | $O(n)$              | $O(\log n)$           |
| Simplicity      | Easy                | Comparatively complex |
| Suitable for    | Small/unsorted data | Large/sorted data     |

### Conclusion

Linear Search checks elements one by one, whereas Binary Search reduces the search area by half at each step. Therefore, **Binary Search is generally faster for large sorted arrays**.

## PART B - QUESTIONS

Searching Algorithms:

Write programs to implement and compare:

a. Linear search

**Code:**

---

```
def binarySearch(array, x, low, high):  
  
    # Repeat until the pointers low and high meet each other  
    while low <= high:  
  
        mid = low + (high - low)//2  
  
        if x == array[mid]:  
            return mid  
  
        elif x > array[mid]:  
            low = mid + 1  
  
        else:  
            high = mid - 1  
  
    return -1  
  
array = [3, 4, 5, 6, 7, 8, 9]  
x = 4  
  
result = binarySearch(array, x, 0, len(array)-1)  
  
if result != -1:  
    print("Element is present at index " + str(result))  
else:  
    print("Not found")  
|
```

**Output:**

```
-----,-----,-----  
| Element is present at index 1
```

b. Binary search (on a sorted array)

Code:

```
# Linear Search in Python

def linearSearch(array, n, x):

    # Going through array sequentially
    for i in range(0, n):
        if (array[i] == x):
            return i
    return -1

array = [2, 4, 0, 1, 9]
x = 1
n = len(array)
result = linearSearch(array, n, x)
if(result == -1):
    print("Element not found")
else:
    print("Element found at index: ", result)
```

Output:

```
Element found at index: 3
```

### Curiosity Questions:

1. Why is Binary Search faster than Linear Search for a large sorted array?
2. What will happen if we apply Binary Search to an unsorted array?
3. Can Linear Search be used when the array contains duplicate elements?  
What will it return?
4. If an array has 1,000 elements, how many elements might Linear Search check in the worst case?
5. Why does Binary Search always check the middle element?
6. What happens when the element being searched is smaller than the middle element in Binary Search?
7. Can Binary Search be used to search a single element array? Why?
8. Which search would you prefer for a small unsorted list, and why?

9. If the same sorted array is searched many times, why might Binary Search be a better choice?
10. If Linear Search and Binary Search are given the same array and same element, will they always take the same number of comparisons? Why?