Cutting S.O.P

YJ.IK-CAD.0016



revised: 3-Apr-2024

Table of contents

1. Perencanaan Cutting (page 3)
   Cutting Planning

2. Menggelar Fabric (page 4)
   Expand the Fabric

3. Pemotongan Fabric (page 5)
   Fabric Cutting

4. Penggantian Fabric Reject (page 6)
   Replacement of Reject Fabric

1. Perencanaan Cutting

1. Cutting Planning

1.1. Bagian cut plan harus menyiapkan marker, cutting plan dan cutting schedule yang akan diberikan kepada assisten cutting.

1.1. Cut plan team must prepare a marker ratio, cutting plan, and cutting schedule which will be gives to cutting assistant

1.2. PPIC Material akan menyiapkan fabric, interlining, insulation dan memberikan fabric trim yang telah dicek sebelumnya kepada assisten cutting.

1.2. The PPIC Material will prepare the fabric, interlining, insulation, and gives the fabric trim that was already checked before to the cutting assistant.

1.3. Assisten Cutting akan mengecek ulang fabric trim, marker juga fabric yang disiapkan oleh ppic material dan cut plan.

1.3. The cutting assistant will re-check the fabric trim, marker, and fabric from PPIC Material and cut plan.

2. Menggelar Fabric

2. Expand the Fabric

2.1. Asisten cutting akan memberikan instruksi kepada operator cutting untuk memulai proses gelar kain. Style yang akan dicutting lebih dulu berurutan berdasarkan schedule cutting.

2.1. The cutting assistant instructs the cutting operator to start the fabric expand process. Fabric cutting is carried out sequentially based on cutting schedule.

2.2. Setelah fabric digelar, assisten cutting akan mengecek ulang fabric berdasarkan trim card (swatch fabric) dari PPIC Material. Pengecekan termasuk reject/defect fabric, color, item, serta arah serat.

2.2. After the fabric is expanded, the cutting assistant will re-check the fabric according to the trim card (fabric swatch) from PPIC Material. The checking include reject/defect fabric, color, item, also fiber directions.

2.3. Jika ditemukan reject/defet fabric, assisten cutting akan melaporkan hal tersebut kepada MD agar ditindak lebih lanjut. Sementara itu operator cutting yang bertugas menggelar fabric, akan mencatat data reject fabric ke dalam laporan reject fabric.

2.3. If it is found reject/defect fabric, cutting assistant will report to MD to be further acted. Meanwhile the responsible cutting operator for expanding the fabric will write the reject fabric data into the reject fabric report.

2.4. Assisten cutting akan menahan proses cutting sampai MD memberikan informasi lebih lanjut.

2.4. The cutting assistant will hold the cutting process until MD gives the further information.

2.5. Untuk menentukan arah serat, operator cutting akan mengikuti arah serat pada marker. Yang akan dicek kembali oleh assisten cutting.

2.5. To determine the cutting direction, cutting operator will following the fiber direction on marker. Which will be re-check by the cutting assistant.

2.6. Jika tidak ada masalah pada fabric, operator cam akan memulai proses cutting.

2.6. If there is no problem with the fabric, cam operator will start the cutting process.

3. Pemotongan Fabric

3. Fabric Cutting

3.1. Operator cutting harus mengecek marker dan sesuaikan dengan marker file mesin CAM.

3.1. Cutting operator must check the marker and adjust it to marker of CAM's machine file.

3.2. Operator cutting harus mencatat informasi pemotongan dalam laporan Cutting Schedule Sample.

3.2. Cutting operator must record the cutting information in Cutting Schedule Sample report.

3.3. Operator cutting harus mengecek lebar dan panjang sesuai marker dan file CAM komputer. Jika sudah sama tulis identitas laporan potong style, kuantitas, ratio, pcs, yang akan dipotong.

3.3. Cutting operator must check the width and length according to the marker and CAM computer's file. If it's the same, write the identity of the cut style report, quantity, ratio, pcs, which will be cut.

3.4. Pastikan potongan tidak bermasalah dan tentukan eksekusi CAM atau pengaturan sesuai jenis kain yang akan dipotong.

3.4. Make sure the cut is not problematic and specify the CAM execution or setting according of the type of fabric to be cut.

4. Penggantian Fabric Reject

4. Replacement of Reject Fabric

4.1. Operator cutting akan mengecek potongan panel yang akan diganti dari QC comment, identitas style dan panel yang akan diganti.

4.1. Cutting operator will check the panel cut to be replaced from the QC comment, the identity of the style and the panel to be replaced.

4.2. Meminta kain sesuai kebutuhan ke PPIC material, sesuai warna kain, item kain dan style order. Jika sudah sama antara panel yang akan diganti, potong sesuai pattern panel yang akan diganti. Jika sisa kain di cutting sudah tidak ada, maka operator cutting dapat mengajukan permohonan kain ke bagian PPIC material.

4.2. Request the fabric as needed to PPIC material, according to fabric color, fabric item and order style. If the panels to be replaced are the same, cut according to the pattern of the panels to be replaced. If there is no remaining fabric on the cutting, the cutting operator can apply for fabric to PPIC material team.

4.3. Setelah selesai kembalikan panel yang sudah diganti ke QC comment.

4.3. When finished, return the replaced panel to QC comment.

CHANGE LOG

Date	Description	Changed by
27-Jul-2023	change SOP format	Yayat
9-Jan-2024	add register # from ISO team	Yayat
3-Apr-2023	change SOP format	Yayat / Ilham