Grading S.O.P

YJ.IK-CAD.0027



revised: 9-Jan-2024

1. Pilih style yang akan di grading menggunakan pattern yang paling update.
   Select the style to be graded using the most updated pattern.

2. Menghitung size spec yang ada di Tech Pack untuk menentukan jarak antar size.
   Calculates the size spec in the Tech Pack to determine the distance between sizes.


A2U3L-INFANT TAILOUT RAIN JACKET / Base — **FT20 Youth**

Measurement Chart - A2U3L INFANT TAILOUT JACKET (I 3M-24M Tops)


Code	Description	Variation	QC	Tol(-)	Tol(+)	3M	6M	12M	18M	24M
A0003	Neck - Width Seam to Seam		Yes	1/4	1/4	5 13/16	5 13/16	6	6 3/16	6 3/16
A0001	Neck - Front Drop HPS to Seam (Collar/Band/Hood)		Yes	1/8	1/8	2 5/8	2 5/8	2 3/4	2 7/8	2 7/8
A0002	Neck - Back Drop HPS to Seam (Collar/Band/Hood)		Yes	1/8	1/8	3/4	3/4	3/4	3/4	3/4
A0010	Collar - Front Height		Yes	1/8	1/8	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
A0015	Hood - Height from HPS		Yes	1/4	1/4	9 1/4	9 5/8	10	10 3/8	10 3/4
A0018	Hood - Width at Half Hood Height		Yes	1/4	1/4	15 1/2	15 1/2	16	16 1/2	16 1/2
A0029	Hood - Circumference at Chin Edge		Yes	1/4	1/4	17	17	17 1/2	18	18
A0019	Hood - Run		Yes	1/4	1/4			14 1/2		
A0022	Hood - Center Panel Width at Opening Edge		Yes	1/8	1/8	3 1/2	3 1/2	3 1/2	3 1/2	3 1/2
A0023	Hood - Center Panel Width at Back Neck Seam		Yes	1/8	1/8	3	3	3	3	3
B0001	Shoulder - Slope		Yes	1/8	1/8			3/4		
B0002	Shoulder - Seam Forward at Mid Shoulder		Yes	1/8	1/8	5/8	5/8	5/8	5/8	5/8
B0003	Across Shoulder		Yes	1/4	1/4	9 3/4	10 1/8	10 1/2	10 7/8	11 1/4
B0007	Across Front - Position from HPS		Yes	0	0			3 3/4		
B0008	Across Front		Yes	1/4	1/4	8	8 3/8	8 3/4	9 1/8	9 1/2
B0011	Across Back - Position from HPS		Yes	0	0			3 3/4		
B0012	Across Back		Yes	1/4	1/4	8 3/4	9 1/8	9 1/2	9 7/8	10 1/4
B0015	Chest - Circumference 1 Inch Below Armhole		Yes	1/2	1/2	23 1/2	24 1/2	25 1/2	26 1/2	27 1/2
B0023	Sweep - Relaxed (Elastic/Rib)		Yes	1/2	1/2	19 1/2	20 1/2	21 1/2	22 1/2	23 1/2
B0022	Sweep - Extended (Elastic/Rib)		Yes	1/2	1/2	23 1/2	24 1/2	25 1/2	26 1/2	27 1/2
B0042	Front Length - HPS to Hem (Hip Length). NO DROP TAIL. HEM PARALLEL TO GROUND.		Yes	1/2	1/2	11 3/4	12 7/8	14	15 1/8	16 1/4
B0045	Back Length - CB Neck to Hem (Hip Length)		Yes	1/2	1/2	11	12 1/8	13 1/4	14 3/8	15 1/2
C0004	Armhole - Depth from HPS to Armhole Seam		Yes	1/4	1/4	5 3/4	6	6 1/4	6 1/2	6 3/4
C0014	Bicep - Circumference 1 Inch Below Armhole		Yes	1/4	1/4	11 1/4	11 5/8	12	12 3/8	12 3/4
C0025	Sleeve Opening - Relaxed (Elastic/Rib)		Yes	1/4	1/4	5 1/2	5 3/4	6	6 1/4	6 1/2
C0026	Sleeve Opening - Extended (Elastic/Rib)		Yes	1/4	1/4	7 3/4	8	8 1/4	8 1/2	8 3/4
C0028	Sleeve Length - Long Sleeve from CB		Yes	1/2	1/2	13	14 1/2	16	17 1/2	19
C0037	Sleeve - Cuff/Band/Rib Height		Yes	1/8	1/8	3/8	3/8	3/8	3/8	3/8
E0002	Front Yoke - Height from HPS (Above Armhole)		Yes	1/8	1/8			6		
E0005	Back Yoke - Height from HPS (Above Armhole)		Yes	1/8	1/8			5 1/2		
E0009	Placket Width		Yes	1/8	1/8	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
E0133	Front Logo - Position Vertical from Yoke Seam to Center		Yes	0	0	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
E0017	Logo - Front Position from CF placket seam to Center	Graded	Yes	1/8	1/8	2	2 1/8	2 1/4	2 3/8	2 1/2
E0018	DRYVENT LOGO at Sleeve		Yes	1/8	1/8	2	2	2	2	2
E0095	Zipper Length - CF (Hip Length Incl Collar)		Yes	1/4	1/4	10 1/2	11 1/2	12 1/2	13 1/2	14 1/2

3. Pattern yang akan dibuatkan grading di copy terlebih dahulu ke data pribadi sebagai back up ketika terjadi error.
   The pattern that will be made for grading is copied first to personal data as a back up when an error occurs.

4. Copy basic pattern jika basic pattern sudah ada, jika tidak ada bisa menggambil piece dengan menghilangkan jahitannya (seam) untuk meminimalisir agar bentuk basicnya tidak berubah. Dan yang pertama di grading adalah bagian back untuk jaket dan bagian front untuk celana.
   Copy the basic pattern if the basic pattern already exists, if there isn't one, you can take a piece by removing the seams to minimize the basic shape so that it doesn't change. And the first in grading is the back for the jacket and the front for the pants.




5. Cek satuan panjang yang digunakan di style tersebut. Dengan cara tekan tombol \ (garis miring) lalu akan muncul seperti ini :
   Check the unit of length used in the style. By pressing the \ (slash) key then it will appear like this :



6. Mulai membuat grading dengan pattern yang ada di data pribadi dan membuka pattern yang ada di server untuk mengetahui perubahan yang diubah oleh pattern maker.
   Start making grading with patterns in personal data and open patterns on the server to find out the changes made by the pattern maker.

7. Setelah selesai grading pattern basic yang sudah di grading, lalu di copy-kan grading ke piece.
   After finishing grading the basic pattern that has been graded, then copying the grading into a piece.




8. Pattern grading yang telah selesai di copy di cek kembali.
   The pattern grading that has been copied is checked again.

9. Pattern Jika telah selesai save grading dan munculkan jahitannya (seam) dengan menekan CTRL+F6, jika ada jahitan yang tidak mengikuti grading maka tekan tombol F6 untuk memperbaiki jahitan secara otomatis dan untuk secara manual menggunakan tool Move point size di Toolbar Grading untuk memunculkannya tekan tombol angka dua.

   If you have finished saving grading and display the seams by pressing CTRL+F6, if there are stitches that do not follow the grading then press the F6 button to repair the seams automatically and to manually use the Move point size tool in the Grading Toolbar to make it appear press the number two button.

F6 = memperbaiki jahitan secara otomatis
F6 = repair seams automatically

Move point size = memperbaiki jahitan secara manual
Move = point size = repair seams manually



10. Lalu save kembali dan pindahkan style yang ada di data pribadi ke server di folder semula..
    Then save again and move the styles in the personal data to the server in the original folder.

11. Jika ada size spec yang kurang sesuai dan menyebabkan grading kurang smooth (bentuk tidak bagus) maka dilakukan suggest grading ke pattern maker lalu ke merchandiser untuk di suggest ke buyer dengan mengirimkan overlay dan size spec yang di suggest. Tetapi pattern grading menggunakan size spec yang di suggest oleh grading.
    If there is a size spec that is not appropriate and causes the grading to be not smooth (not good shape), a suggested grading is carried out to the pattern maker and then to the merchandiser to be suggested to the buyer by sending an overlay and the suggested size spec. But the pattern grading uses the size spec suggested by the grading.

Contoh suggest grading
Grading suggestion example


IKUT BOM

Description	XS	S	M	L	XL
Hood Circumference at chin edge-3pt	26 3/4	26 3/4	26 3/4	26 3/4	26 3/4


SUGGEST

Description	XS	S	M	L	XL
Hood Circumference at chin edge-3pt	25 1/2	26 1/8	26 3/4	27 1/4	27 3/4

IKUT BOM



SUGGEST



CHANGE LOG

Date	Description	Changed by
26-Jul-2023	change SOP format	Yayat
9-Jan-2024	add register # from ISO team	Yayat