# PPIC Material S.O.P

YJ.IK-CAD.0046





revised: 9-Jan-2024

# SWS (SAMPLE WORK SHEET)


# SWS (SAMPLE WORK SHEET)

1. Merchandiser membuat Sample Request dan diserahkan ke manager Korea sample room dan nanti akan di check untuk scheduling (start sewing & finish sewing date, Cargo Ready Date atau CRD). Lalu berkas SWS yang sudah di sign akan diserahkan ke adm schedule untuk dimasukan ke Sample Schedule.
   Merchandiser makes a sample request and submitted it to the Korean sample room manager and it will be checked for scheduling (sewing start & sewing finish date, Cargo Ready Date or CRD). Then SWS file is signed by the Korean sample room manager which will be submitted to the schedule adm to be input into the sample schedule.
2. Berkas yang harus dibawa oleh merchandiser saat mengajukan Sample Request :
   - ❑ Tech Pack terupdate dengan comment lengkap untuk stage Proto
   - ❑ MS (Material sheet) untuk stage PPS, SMS, Size set


   File that merchandiser should bring when submit the sample request :
   - ❑ Updated Tech Pack with completed comment for Proto stage
   - ❑ MS (Material Sheet) for PPS, SMS, Size set stage

# Gambar Dokumen
# Document Pictures


## SWS




## Sample schedule chart




## Sample schedule




# Tech Pack (T/P)

Tech Pack (T/P)

1. PPIC materials menerima Tech Pack (stage Proto) dari merchandiser dan akan check semua material yang ada di Tech Pack tersebut mulai dari fabric, acc, down, padding, seam tape, adhesive.
   PPIC material receives the Tech Pack (stage proto) from merchandiser and will check the entire materials in the Tech Pack included fabric, acc, down, padding, seam tape, and adhesive.
2. PPIC material akan info ke merchandiser bila ada material yang tidak ada stock di warehouse dan PPIC akan tunggu konfirmasi dari merchandiser.
   PPIC material will inform merchandiser if there are no stock materials in the warehouse and waiting for merchandiser confirmation.
3. Bila merchandiser minta pakai stock / substitute (use stock, similar quality), PPIC akan mencari dan memberikan beberapa opsi material.
   If merchandiser request to use stock / substitute (use stock, similar quality), PPIC materials will search it and giving some material options.
4. Bila merchandiser info akan PO (Purchase Order), maka PPIC akan tunggu No. AWB (Airways Bill No.) dari merchandiser untuk material yang sedang di PO. Agar kita juga bisa tracking parsel tersebut.
   If merchandiser inform PPIC material that they will arrange PO (Purchase Order) then PPIC material will wait for AWB No. (Airways Bill No.) from merchandiser for materials currently in PO process, so that we can also track the parcel.

# Gambar Tech Pack


## Tech Pack picture



# Material Sheet (MS)

## Material sheet (MS)

1. Merchandiser & adm sample room akan request material yang dibutuhkan ke gudang melalui email dan melampirkan Material Sheet.
   Merchandiser & sample room adm will request the needed material by email and attaching Material Sheet.
2. PPIC material akan check terlebih dahulu ke gudang apakah request material yang merchandiser minta sudah disiapkan atau belum.
   PPIC material will check to the warehouse to check whether the requested material by merchandiser has been already prepared or not.
3. Setelah disiapkan semua material oleh tim gudang, PPIC material akan check material dengan adm gudang semua kelengkapannya dan disesuaikan dengan MS, bila sudah lengkap lalu bawa ke sample room.
   After all materials are prepared by warehouse team, PPIC material will check the material with warehouse adm the completeness and adapted to MS, if already completed then PPIC material bring them to sample room.




| F/A | Sup | File No. | M/L No. | Style | Part | Sub | Art No | B.Season | Item | Std. | Size | Color | Garment Q'TY | Comp. | Loss | Material Q'TY | Unit |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Fab | GORETEX | TNF5043SMUF3 | TAF23SMU | NF0A84PW | Shell | A | MIBT | F23 | BFPL150PA - 2L | 144 CM | | TNF BLACK | 4 | 2.615 | 3.00 | 13 | M |
| Fab | SHIN FAN | TNF5043SMUF3 | TAF23SMU | NF0A84PW | Shell | B | L3U5 | F23 | SU107RWCZ 100% RECYCLED P | 56" | | TNF BLACK | 4 | 0.055 | 3.00 | 3 | YD |
| Fab | DAEHYUN | TNF5043SMUF3 | TAF23SMU | NF0A84PW | Shell | C | MDJR | F23 | 500D HALF KODRA C0 DWR 100 | 57" | | TNF BLACK | 4 | 0.224 | 3.00 | 4 | YD |
| Fab | HUGE BAM | TNF5043SMUF3 | TAF23SMU | NF0A84PW | Lining | A | M8TI | F23 | RD200411-2C-221208004 100% R | 60" | | TNF BLACK | 4 | 0.094 | 3.00 | 3 | YD |
| Fab | SRA | TNF5043SMUF3 | TAF23SMU | NF0A84PW | Lining | B | M365 | F23 | BBRE-125A2 100% NYLON RECY | 58" | | TNF BLACK | 4 | 1.299 | 3.00 | 8 | YD |
| Fab | SRA | TNF5043SMUF3 | TAF23SMU | NF0A84PW | Lining | C | LX4I | F23 | PITFRE-P21A 100% RECYCLED | 59" | | TNF BLACK | 4 | 0.140 | 3.00 | 4 | YD |
| Fab | YU YUANG | TNF5043SMUF3 | TAF23SMU | NF0A84PW | Lining | D | LJ9I | F23 | DN92-6A 82% NYLON, 18% ELAS | 68" | | TNF BLACK | 4 | 0.114 | 3.00 | 3 | YD |
| Fab | FORMOSA | TNF5043SMUF3 | TAF23SMU | NF0A84PW | Lining | E | LYFU | F23 | 1S83-Y112A0CH 85% NYLON, 15 | 56" | | TNF BLACK | 4 | 0.125 | 3.00 | 4 | YD |
| Fab | GORETEX | TNF5043SMUF3 | TAF23SMU | NF0A84PW | Lining | F | MFO9 | F23 | BPOCKET LINER/RGD 3L PRO 1 | 56" | | GORETEX NICKEL-GO | 4 | 0.155 | 3.00 | 4 | M |
| Fab | FORMOSA | TNF5043SMUF3 | TAF23SMU | NF0A84PW | Lining | KNEE | LYFU | F23 | 1S83-Y112A0CH 85% NYLON, 15 | 56" | | TNF BLACK | 4 | 0.000 | 3.00 | 3 | YD |
| Fab | VILENE | TNF5043SMUF3 | TAF23SMU | NF0A84PW | In.-Lining | | M0M1 | F23 | A0-402 RECYCLE VERSION 80% | 39" | | CHARCOAL GREY | 4 | 0.595 | 3.00 | 5 | YD |
| Fab | VILENE | TNF5043SMUF3 | TAF23SMU | NF0A84PW | In.-Lining | | MBJJ | F23 | AO203R NONWOVEN INTERLINI | 100CM | | CHARCOAL GREY | 4 | 0.304 | 3.00 | 4 | YD |
| Acc | GORETEX | TNF5043SMUF3 | TAF23SMU | NF0A84PW | z-liner | | MHMC | F23 | TACKING TAPE- GORETEX SEA | | | GORETEX STEEL GRE | 4 | 0.090 | 3.00 | 3 | M |
| Fab | SEALON | TNF5043SMUF3 | TAF23SMU | NF0A84PW | Adhesive | BONDING | LWCM_5 | F23 | 3097 5MIL | 58" | | CLEAR | 4 | 0.211 | 3.00 | 4 | M |
| Acc | GORETEX | TNF5043SMUF3 | TAF23SMU | NF0A84PW | Seam.Tape | | MLE7-13 | F23 | 2BLB1013NATUS | 13MM | | BEMIS CLEAR - VEN | 4 | 11.500 | 3.00 | 49 | M |
| Acc | GORETEX | TNF5043SMUF3 | TAF23SMU | NF0A84PW | Seam.Tape | | MLE7-22 | F23 | 2BLB1022NATUS | 22MM | | BEMIS CLEAR - VEN | 4 | 5.000 | 3.00 | 23 | M |
| Acc | GORETEX | TNF5043SMUF3 | TAF23SMU | NF0A84PW | Seam.Tape | | MLE7-100 | F23 | 2BLB1100NATUS | 100MM | | BEMIS CLEAR - VEN | 4 | 0.860 | 3.00 | 6 | M |
| Acc | SEALON | TNF5043SMUF3 | TAF23SMU | NF0A84PW | Adhesive | REF | LWCJ_500 | F23 | 5376_REFLECTIVE | 500MM | | SILVER REFLECTIVE - | 4 | 0.043 | 3.00 | 3 | M |
| Acc | YKK INNI | TNF5043SMUF3 | TAF23SMU | NF0A84PW | Zipper | CF FLY | LZ7Y | F23 | CIFC-56 DA8Y584 X6 P16 KENSI | | 7.75" | TNF BLACK | 4 | 1.000 | 5.00 | 9 | EA |
| Acc | YKK INNI | TNF5043SMUF3 | TAF23SMU | NF0A84PW | Zipper | HAND | MCMC | F23 | CIFC-56 DA8BY736 X6 PBR6D BT | | 7.25" | TNF BLACK | 4 | 2.000 | 5.00 | 13 | EA |
| Acc | YKK INNI | TNF5043SMUF3 | TAF23SMU | NF0A84PW | Zipper | LEFT | KOGE | F23 | VSML-5* DA8LH X6/DAG8 X6 PB | | 43.75" | TNF BLACK | 4 | 1.000 | 5.00 | 9 | EA |
| Acc | YKK INNI | TNF5043SMUF3 | TAF23SMU | NF0A84PW | Zipper | RIGHT | LC49 | F23 | VSMR-5+ DA8LH X6/DAG8 X6 P1 | | 43.75" | TNF BLACK | 4 | 1.000 | 5.00 | 9 | EA |
| Acc | UTS | TNF5043SMUF3 | TAF23SMU | NF0A84PW | Zip.Puller | SIDE | MBNY | F23 | ZPCTNF0187 | | | TNF BLACK-TNF BLAC | 4 | 2.000 | 3.00 | 11 | EA |
| Acc | UTS | TNF5043SMUF3 | TAF23SMU | NF0A84PW | Zip.Puller | HAND | MBNY | F23 | ZPCTNF0187 | | | TNF BLACK-TNF BLAC | 4 | 2.000 | 3.00 | 11 | EA |
| Acc | YKK INNI | TNF5043SMUF3 | TAF23SMU | NF0A84PW | Zipper | VENT | MCMI | F23 | CFT10C-31 DFB5Y736 X6 P12AJ | | 7.5" | YKK CNT 580 | 4 | 2.000 | 5.00 | 13 | EA |
| Acc | UTS | TNF5043SMUF3 | TAF23SMU | NF0A84PW | Zip.Puller | VENT | MBNY | F23 | ZPCTNF0187 | | | TNF BLACK-TNF BLAC | 4 | 2.000 | 3.00 | 11 | EA |
| Acc | UTS | TNF5043SMUF3 | TAF23SMU | NF0A84PW | PAD | | KRSE | F23 | CUSTNF0002 | | | TNF BLACK | 4 | 2.000 | 3.00 | 11 | EA |
| Acc | UTX | TNF5043SMUF3 | TAF23SMU | NF0A84PW | Cord tip | | KKGF | F23 | D-TNFF12KKGF1002 | | | TNF RED | 4 | 1.000 | 3.00 | 7 | EA |
| Acc | APLIX | TNF5043SMUF3 | TAF23SMU | NF0A84PW | velcro | CARGO | JKQ4-20 | F23 | TX400 HOOK 3/4" | 20MM | | TNF BLACK | 4 | 0.333 | 3.00 | 4 | M |
| Acc | APLIX | TNF5043SMUF3 | TAF23SMU | NF0A84PW | velcro | CARGO | JKQ5-20 | F23 | TX400 UN-NAPPED LOOP 3/4" | 20MM | | TNF BLACK | 4 | 0.056 | 3.00 | 3 | M |
| Acc | APLIX | TNF5043SMUF3 | TAF23SMU | NF0A84PW | velcro | WB | JKQ4-38 | F23 | TX400 HOOK 1 1/2" | 38MM | | TNF BLACK | 4 | 0.139 | 3.00 | 4 | M |
| Acc | APLIX | TNF5043SMUF3 | TAF23SMU | NF0A84PW | velcro | WB | JKQ5-38 | F23 | TX400 UN-NAPPED LOOP 1 1/2" | 38MM | | TNF BLACK | 4 | 0.194 | 3.00 | 4 | M |

# Pengambilan Material dari Warehouse ke Sample Room (by kurir)
# Material Picking from Warehouse to Sample Room (by courier)

1. Pastikan sudah mendapatkan info dari merchandiser tentang AWB No. dan paket yang akan kita ambil isi nya apa lewat chat atau print-an bukti email dari buyer / Hojeon.
   Make sure that merchandiser already informed about AWB No. and content of the package, via chat or print the email record from buyer / Hojeon.
2. PPIC material info AWB No. yang didapat dari merchandiser ke PIC gudang. Setelah terima paket dari PIC gudang, harus sign di buku pengambilan untuk bukti bahwa kita memang sudah membawa paket tersebut.
   PPIC material informs the AWB no. from the merchandiser to PIC warehouse. After receiving the package from PIC warehouse, PPIC material has to sign the material picking book as a proof that we already took the package.
3. PPIC material akan check isi paket yang diterima sesuai dengan permintaan dari merchandiser atau belum, setelah itu PPIC material akan info merchandiser kalau paket sudah sampai di sample room.
   PPIC material will check the content of the package whether suitable with merchandiser request or not, then PPIC material will inform merchandiser that the package already arrived in sample room.
4. Bila ada isi paket yang tidak sesuai, merchandiser akan info ke buyer / Hojeon untuk konfirmasi apakah material yang diterima akan digunakan atau tidak.
   If there are package contents that are not appropriate, merchandiser will inform buyer / Hojeon to confirm whether the received material will be used or not.

# Gambar Paket
## Package pictures



# Penerimaan Material Baru ke Sample Room (Fabric / Stock)

# Receiving New Material to Sample Room (Fabric / Stock)

1. Fabric yang PPIC ambil dari stock warehouse sudah melewati proses checking mesin rolling untuk mengecek apakah ada reject atau tidak dan akan diberikan tanda pada bagian yang reject, lalu check qty actual. PPIC material akan mengambil berdasarkan kebutuhan yang sudah tertera di Tech Pack (-/+ 10y - 20y per style) lalu membuat surat jalan dan menyerahkannya ke PIC out-going. Fabric yang sudah diambil akan cek kembali secara manual di meja inspection dan direlax sebelum proses cutting berdasarkan jenis fabric berikut :
   a. Non-stretch: fabric non-stretch akan direlax selama min. 1x24jam
   b. Stretch: fabric stretch akan direlax selama min. 2x24 jam
2. Relax fabric dilakukan secara manual dengan menggelarnya di meja cutting, tapi bila ada permintaan khusus dari merchandiser atau manajer Korea untuk di relax dengan mesin sponging maka fabric akan di kirim ke mesin sponging yang ada di YJ3.

1. Fabric that PPIC taken from the warehouse stock is already check the rolling machine process to check whether there is rejection or not and will be marked on the rejection, then check the actual qty. PPIC material will take the fabric according to consumption on Tech Pack (-/+ 10y - 20y per style) then make the outgoing letter and submit it to outgoing PIC. The fabric that has already taken will be re-checked manually at inspection table and relaxed according to the fabric type as below :
   a. Non stretch: non stretch fabric will be relaxed for min. 1x24 hours
   b. Stretch: stretch fabric will be relaxed for min 2x24 hours
2. Relax fabric is done manually by spreading it on the cutting table but if there is a special request from the merchandiser or Korean manager to relax it with a sponging machine, the fabric will be sent to the sponging machine in YJ3.

# Penerimaan Material Baru ke Sample Room (by Kurir)


# New Material Receiving to Sample Room (by Courier)

1. Setiap material (fabric / aksesoris) yang kita terima dari gudang by kurir akan di check di sample room.
   Every material (fabric / accessories) that received from warehouse by courier will be check at sample room.
2. Check qty actual (roll / lipat) fabric dilakukan secara manual.
   Actual qty check (roll / fold) fabric is done manually.
3. Check fabric (reject / pass) dilakukan secara manual di meja inspection.
   Fabric check (reject / pass) is done manually at inspection table.
4. Non-stretch fabric akan direlax selama min 1x24jam secara manual (hanya di gelar di meja cutting saja).
   Non-stretch fabric will be relaxed for min 1x24 hours manually (only held on the cutting table).
5. Stretch fabric akan direlax selama min 2x24jam secara manual (hanya di gelar di meja cutting saja).
   Stretch fabric will be relaxed for min 2x24 hours manually (only held on the cutting table).
6. Check aksesoris (qty, color, item).
   Checking accessories (qty, color, item).
7. Semua proses checking dilakukan dengan merchandiser agar bisa langsung konfirmasi ke Hojeon atau buyer bila ada yang tidak sesuai permintaan buyer.
   All checking processes are carried out with merchandiser so that confirmation can be immediately sent to Hojeon or buyer if something does not match to buyer request.

# Penerimaan Material Baru ke Sample Room (Fabric / Stock)

## Receiving New Material to Sample Room (Fabric / Stock)






# Persiapan Cutting & Checking Accessories

## Cutting Preparation & Checking Aksesoris

1. Tempel swatch fabric pada acc card sesuai dengan item di Tech Pack agar operator cutting mudah mencari fabric yang sudah kita siapkan.
   Attach fabric swatch according to the item in Tech Pack, so the cutting operator will make it easy searching fabric that already prepared.
2. PPIC material & tim aksesoris akan check kelengkapan aksesoris, bila mana ada aksesoris yang missing / kurang, lalu PPIC material akan kembali ke gudang untuk cari dan ambil lagi.
   PPIC material and accessories team will check accessories completeness, if there is any material missing / shortage, lalu PPIC material will be back to the warehouse to search and take again.



# CHANGE LOG

| Date | Description | Changed by |
|---|---|---|
| 7-Aug-2023 | change SOP format | Yayat |
| 9-Jan-2024 | add register # from ISO team | Yayat |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |