
Plotting Marker S.O.P

YJ.IK-CAD.0043



revised: 9-Jan-2024

1. Tim plotting pattern memberikan form request plotting ke tim plotting marker.
   Plotting pattern team gives the plotting request form to the plotting marker team.



REQUEST PLOT PATTERN & MARKER


SIZE	S			
QTY	1 Pcs			

SEASON	BUYER	STYLE	STAGE	DATE REQ	FINISH	NAME
F23	TNF	A7QW9	PROD	05/06	-	JUN


LEBAR FABRIC
SHL : A 57
B 54
C 58
Lin : A 60
B 60

NAMA :
TTD :
TANGGAL PLOT :


2. Tim plotting marker melakukan pengecekan file pattern di server CAD room sesuai request yang diberikan.
Plotting pattern team checks the pattern file in CAD room server according to the given request.




3. Tim plotting marker menyiapkan pattern yang akan di plot marker sesuai request.
Plotting marker team prepares the pattern which will be plotted according to request.




4. File pattern yang sudah dirapikan disimpan di penyimpanan pribadi dan server untuk nantinya digunakan di CAM.
Pattern file that has setted up will be saved in personal storage and server which will be used for CAM.



5. Setelah file disimpan, pattern bisa langsung di proses plot marker.
   After the file saved, the pattern ready to proceed plotting marker.



6. Kertas hasil plotting marker disimpan di meja plot dan akan diambil oleh tim cutting.
Marker plotting result paper will be put it at plotting table and taken by cutting team.



CHANGE LOG

Date	Description	Changed by
18-Aug-2023	change SOP format	Yayat
9-Jan-2024	add register # from ISO team	Yayat