

```
CREATE TABLE Travellers (  
  TravellerPassportNo VARCHAR(25) PRIMARY KEY,  
  TravellerFname VARCHAR(25) NOT NULL,  
  TravellerLname VARCHAR(25) NOT NULL,  
  Age NUMBER(25) NOT NULL CHECK (Age BETWEEN 1 AND 200),  
  PhoneNumber NUMBER(10) NOT NULL CHECK (PhoneNumber BETWEEN 1000000000 AND 9999999999),  
  Email VARCHAR(50),  
  Address VARCHAR(50)  
);
```

```
CREATE TABLE Account (  
  AccountNumber NUMBER(5) PRIMARY KEY,  
  UserID VARCHAR(50) NOT NULL,  
  Password VARCHAR(30) NOT NULL,  
  AccountBalance NUMBER(10) NOT NULL,  
  TravellerPassportNo VARCHAR(25),  
  AccountType VARCHAR(50) NOT NULL CHECK (AccountType IN ('B', 'S', 'G')),  
  FOREIGN KEY (TravellerPassportNo) REFERENCES Travellers (TravellerPassportNo)  
);
```

```
CREATE TABLE Country (  
  CountryID NUMBER(25) PRIMARY KEY,  
  CountryName VARCHAR(30) NOT NULL,  
  CountryCode NUMBER(25),  
  CountryLocation NUMBER(25),  
  TravellerPassportNo VARCHAR(25),  
  FOREIGN KEY (TravellerPassportNo) REFERENCES Travellers (TravellerPassportNo)  
);
```

```
ALTER TABLE Country  
ADD TravellerPassportNo VARCHAR(25) REFERENCES Travellers (TravellerPassportNo);
```

```
CREATE TABLE City (  
  CityID NUMBER(25) PRIMARY KEY,  
  CityName VARCHAR(20) NOT NULL,  
  CountryID NUMBER(25) NOT NULL,  
  FOREIGN KEY (CountryID) REFERENCES Country (CountryID)  
);
```

```
CREATE TABLE Hotel (  
  HotelID NUMBER(5) PRIMARY KEY,  
  CityID NUMBER(25) NOT NULL,  
  HotelAddress VARCHAR(50),  
  Details VARCHAR(50),  
  HotelName VARCHAR(50),  
  Email VARCHAR(23),  
  Active NUMBER(1),  
  CountryID NUMBER(25) NOT NULL,  
  FOREIGN KEY (CityID) REFERENCES City (CityID),  
  FOREIGN KEY (CountryID) REFERENCES Country (CountryID)  
);
```

```
CREATE TABLE Room (  
  RoomNo NUMBER(20) PRIMARY KEY,  
  RoomType VARCHAR(25) NOT NULL,  
  CityID NUMBER(25) NOT NULL,  
  ServicePrice NUMBER(10) NOT NULL,  
  Active NUMBER(1),  
  TravellerPassportNo VARCHAR(25) NOT NULL,  
  FOREIGN KEY (CityID) REFERENCES City (CityID),  
  FOREIGN KEY (TravellerPassportNo) REFERENCES Travellers (TravellerPassportNo)  
);
```

```
CREATE TABLE Destination (  
  DestinationID NUMBER(25) PRIMARY KEY,  
  DestinationName VARCHAR(25) NOT NULL,  
  Description VARCHAR(50),  
  Favourite NUMBER(1),  
  TravellerPassportNo VARCHAR(25) NOT NULL,  
  CountryID NUMBER(25) NOT NULL,  
  FOREIGN KEY (TravellerPassportNo) REFERENCES Travellers (TravellerPassportNo),  
  FOREIGN KEY (CountryID) REFERENCES Country (CountryID)  
);
```

```
CREATE TABLE TravellerDestinations (  
  TravellerPassportNo VARCHAR(25) NOT NULL,  
  DestinationID NUMBER(25) NOT NULL,  
  PRIMARY KEY (TravellerPassportNo, DestinationID),  
  FOREIGN KEY (TravellerPassportNo) REFERENCES Travellers (TravellerPassportNo),  
  FOREIGN KEY (DestinationID) REFERENCES Destination (DestinationID)  
);
```

```
CREATE TABLE CountryCities (  
  CountryID NUMBER(25) NOT NULL,  
  CityID NUMBER(25) NOT NULL,
```

```
PRIMARY KEY (CountryID, CityID),
FOREIGN KEY (CountryID) REFERENCES Country (CountryID),
FOREIGN KEY (CityID) REFERENCES City (CityID)
);
```