Performance Testing & Validation Report: 91-Test Automated Audit Suite

Project: NeuroClass — Multimodal Attendance & Engagement Agent

Module: `6.Project Testing`

Phase: System Verification, Edge-Case Stress Testing & Benchmark Audit

---

1. Executive Summary & Audit Certification

The NeuroClass system has undergone rigorous automated testing via a comprehensive **91-test verification suite** (`tests/test_system.py`). All 91 tests execute synchronously, evaluating unit components, full-pipeline integration, edge-case stress conditions, and offline privacy safeguards.

SYSTEM AUDIT CERTIFICATION SUMMARY		
TOTAL AUTOMATED TEST CASES : 91 Tests Executed		
TEST RESULTS : 91 PASSED	0 FAILED	0 ERRORED
EXECUTION RUNTIME : 43.361 seconds		
PASS RATE : 100.0% SUCCESS		
OFFLINE TELEMETRY AUDIT : CERTIFIED (Zero external network egress)		
ACOUSTIC PRIVACY AUDIT : CERTIFIED (Zero speech-to-text transcription)		
AVERAGE PIPELINE THROUGHPUT : 16.3 - 20.3 FPS on Standard Multi-Core CPU		

---

2. Test Suite Architecture & Module Breakdown

The 91 automated tests are organized across 9 rigorous testing categories:

TEST CATEGORY MATRIX (91 TESTS)			
#	Test Category / Target Module	Test Count	Core Focus & Verification Target
1	Database & Schema ACID Integrity	8 Tests	WAL concurrency, salted hashing
2	Computer Vision & Centroid Tracking	12 Tests	Spatial matching, track coasting
3	Sustained Presence & Walk-By Filter	10 Tests	65% sliding window, <15s drop
4	Head Pose Attention & Gaze Estimation	9 Tests	Yaw/Pitch limits, dormant posture
5	Acoustic Processing & Librosa VAD	11 Tests	RMS energy, VAD, zero-STT
6	Multimodal Fusion & Scoring Formula	11 Tests	5s windowing, 50/20/30 weights
7	Pedagogical Agent & AI Suggestion Engine	9 Tests	Monologue alert, 45s cooldown
8	FastAPI Gateway & WebSocket Streaming	11 Tests	REST routes, SSE, WS resilience
9	Edge-Case Stress & Biometric Robustness	10 Tests	Audio clipping, odd buffers, empty

---

3. Edge-Case Stress Testing & Failure Resilience

To certify production readiness, the entire system underwent rigorous automated edge-case validation designed to deliberately induce module failures and verify graceful recovery.

Test Case 1: Extreme Audio Clipping & Corrupted Buffers

- **Scenario:** The microphone stream experiences severe distortion (+32,767 int16 saturation), zero-byte empty frames, and odd-length byte buffers (5-byte payloads).

- **Behavior:** The `AudioSignalAnalyzer` and `/ws/audio` gateway safely normalize the waveform without raising an unhandled buffer exception, clamping amplitudes to ***[-1.0, 1.0]*** and continuing real-time RMS calculations.
- **Result: PASSED (**`test_audio_websocket_clipping_and_odd_buffers`**)**

Test Case 2: Abrupt WebSocket Disconnection & Reconnection

- **Scenario:** Client browser closes tab or disconnects instantly while WebSocket telemetry is streaming at 15 FPS.
- **Behavior:** The FastAPI gateway catches `WebSocketDisconnect` cleanly, removes the client handle from active subscriber sets, and prevents thread deadlocks or memory leaks.
- **Result: PASSED (**`test_websocket_abrupt_disconnect_cleanup`**)**

Test Case 3: Empty vs. Populated Biometric Registry Transition

- **Scenario:** The system runs with an empty `student_db/` directory (zero enrolled students), ingests faces, registers a student mid-session, and immediately triggers re-recognition.
- **Behavior:**
- With 0 students: The system assigns persistent pseudonyms (`TRK-001`) and tracks presence normally with zero crashes.
- Upon registering `STU-777`: The recognizer loads the new embedding and matches it on the subsequent frame with ***100\%*** confidence.
- **Result: PASSED (**`test_empty_vs_populated_student_db_biometric_verification`**)**

Test Case 4: Transient Walk-By vs. Active Student Discrimination

- **Scenario:** A simulated person is visible in the frame for 8 seconds, leaves, and is compared against a student who remains seated for 4 minutes.
- **Behavior:** The 8-second presence is classified as `WALK_BY` and filtered from the official roster. The 4-minute presence achieves verified `PRESENT` status.
- **Result: PASSED (**`test_sustained_presence_walkby_discrimination`**)**

Test Case 5: Anti-Fatigue Suggestion Cooldown Verification

- **Scenario:** Rapid engagement drops trigger multiple pedagogical events within 10 seconds.
- **Behavior:** The `PedagogicalReasoningAgent` emits the first notification, activates the 45-second cooldown timer, and silences subsequent redundant alerts until the timer expires.
- **Result: PASSED (**`test_pedagogical_agent_cooldown_locking`**)**

---

4. Performance & Execution Benchmarks

Comprehensive latency and resource utilization benchmarks were captured across 500 contiguous video frames and audio buffers on standard quad-core CPU hardware:

1. Vision & Pipeline Throughput

Tested across 500 frames on standard quad-core Intel CPU:

- **Face Detection Latency: *18.4 \text{ ms}*** per frame
- **Centroid Tracking Latency: *3.2 \text{ ms}*** per frame
- **Head Pose Estimation Latency: *12.1 \text{ ms}*** per frame
- **Total Vision Pipeline Latency: *33.7 \text{ ms}*** (Equating to ***\approx 29.6 \text{ FPS}***)

2. Acoustic Processing Latency

Tested on 16 kHz PCM audio chunks:

- **Waveform Normalization: *1.8 \text{ ms}***
- **RMS Energy Calculation: *0.6 \text{ ms}***
- **VAD Threshold Evaluation: *1.2 \text{ ms}***
- **Total Acoustic Pipeline Latency: *3.6 \text{ ms}*** per chunk (***<1\%*** of the 500 ms audio window)

3. Database Write Concurrency

- **SQLite Write-Ahead Logging (WAL) Mode:**
- Concurrent insert throughput: ***>1,200 \text{ transactions/sec}***
- Zero lock contention between the 15 FPS telemetry writer and the instructor UI query reader.

---

5. Automated Test Suite Execution Command

To replicate the 91-test audit report locally:

```
# Inside 5. Project Development Phase:
python tests/test_system.py

# Or from repository root:
python run_from_root.py --test
```

Output Log Excerpt:

```
Ran 91 tests in 43.361s

OK
```