## **UTKARSH TIWARI**

## 20BCE10284

```
Command Prompt - mysql -u root -p
licrosoft Windows [Version 10.0.22621.1702]
c) Microsoft Corporation. All rights reserved.
::\Users\tpmur>mysql -u root -p
Enter password: *********
Welcome to the MySQL monitor. Commands end with ; or \g. Your MySQL connection id is 12
erver version: 8.0.33 MySQL Community Server - GPL
Copyright (c) 2000, 2023, Oracle and/or its affiliates.
Pracle is a registered trademark of Oracle Corporation and/or its
iffiliates. Other names may be trademarks of their respective
wners.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
nysql> use murlisdb
:RROR 1049 (42000): Unknown database 'murlisdb'
ysql> create database murlisdb
-> ;
Query OK, 1 row affected (0.00 sec)
ysql> use murlisdb
atabase changed
ysql> create table mscricranking(player_name varchar(25),player_rank int not null,role varchar(20),
  -> runs int not null, wicktes int not null);
uery OK, 0 rows affected (0.02 sec)
```

© Command Prompt - mysql -u root -p									
nysql> insert into mscricranking('msd',1,'wk-batsman',5364,9);  ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server versic for the right syntax to use near ''msd',1,'wk-batsman',5364,9);  ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server versic for the right syntax to use near ''msd',1,'wkbatsman',5364,9)' at line 1  nysql> insert into mscricranking values ('msd',1,'wkbatsman',5364,9);  Query OK, 1 row affected (0.01 sec)  nysql> insert into mscricranking values ('rohith',2,'batsman',7364,8);  Query OK, 1 row affected (0.01 sec)  nysql> insert into mscricranking values ('kohli',3,'batsman',12364,15);  Query OK, 1 row affected (0.00 sec)  nysql> select * from mscricranking;									
player_name	player_rank	role	runs	wicktes					
msd rohith kohli	1   2   3	wkbatsman   batsman   batsman	7364 12364	9 8 15					
3 rows in set (0.00 sec) nysql>									

