

[Home](#) > [My courses](#) > [S1-25_MERGEDID](#) > [Quiz 1 \(C\)](#)

Status	Finished
Started	Friday, 29 August 2025, 4:26 PM
Completed	Friday, 29 August 2025, 4:47 PM
Duration	21 mins 4 secs
Marks	50.00/50.00
Grade	5.00 out of 5.00 (100%)

Question 1

Correct

Mark 1.00 out of 1.00

A chatbot (e.g., Slackbot) integration with a CI/CD pipeline can:

- ☒ a. Provide notifications and allow team members to trigger builds/deployments via chat ✓
- ☐ b. Only be used by HR
- ☐ c. Remove the need for any testing
- ☐ d. Automatically merge code without review



The correct answer is: Provide notifications and allow team members to trigger builds/deployments via chat

Question 2

Correct

Mark 1.00 out of 1.00

Git branching strategies (e.g., Git Flow) are part of:

- ☒ a. Version control best practices to manage parallel development ✓
- ☐ b. Hardware management
- ☐ c. Network protocols
- ☐ d. Agile planning

The correct answer is: Version control best practices to manage parallel development

Question 3

Correct

Mark 1.00 out of 1.00



DevOps teams often use postmortems (retrospectives) after incidents to:

- ☐ a. Extend all deadlines
- ☐ b. Cancel future releases
- ☐ c. Assign blame for failures
- ☒ d. Analyze failures in a blameless way and implement improvements ✓

The correct answer is: Analyze failures in a blameless way and implement improvements

Question 4

Correct

Mark 1.00 out of 1.00

In DevOps, a release candidate is:

- ☒ a. A version of the software that is in a final ready-to-release state pending verification ✓
- ☐ b. An unrelated term to DevOps
- ☐ c. Code that is still under active development
- ☐ d. A final version automatically released to all users



The correct answer is: A version of the software that is in a final ready-to-release state pending verification

Question 5

Correct

Mark 1.00 out of 1.00

An example of a DevOps monitoring practice is:

- ☐ a. Manual 'ping' tests by engineers
- ☒ b. Setting up continuous monitoring dashboards and alerts for application performance in production ✓
- ☐ c. Only testing on a developer's machine
- ☐ d. Never logging runtime data

The correct answer is: Setting up continuous monitoring dashboards and alerts for application performance in production

Question 6

Correct

Mark 1.00 out of 1.00

The phrase "You build it, you run it" in DevOps means:

- ☐ a. Only ops runs production, devs do nothing after coding
- ☒ b. Developers are responsible for their code in production (they manage it in operations) ✓
- ☐ c. Marketing runs the product features in production
- ☐ d. Users build and run the product themselves

The correct answer is: Developers are responsible for their code in production (they manage it in operations)

Question 7

Correct

Mark 1.00 out of 1.00

A core benefit of microservices (often used in DevOps) is:

- ☐ a. Replacing all developers with a single architect
- ☐ b. All services must be deployed at once
- ☒ c. Independent deployment and scaling of small, loosely coupled services ✓
- ☐ d. Eliminating APIs



The correct answer is: Independent deployment and scaling of small, loosely coupled services

Question 8

Correct

Mark 1.00 out of 1.00

A "monitoring as code" approach can:

- ☒ a. Version-control and automate deployment of monitoring configurations (dashboards, thresholds) alongside code ✓
- ☐ b. Replace monitoring entirely with logging
- ☐ c. Only allow manual config of dashboards
- ☐ d. Hardcode alerts only in production

The correct answer is: Version-control and automate deployment of monitoring configurations (dashboards, thresholds) alongside code

Question 9

Correct

Mark 1.00 out of 1.00

The primary purpose of Continuous Integration is to:

- ☐ a. Automate paperwork
- ☐ b. Only run tests after release
- ☐ c. Manage finances
- ☒ d. Enable developers to integrate code into a shared repository multiple times a day for early bug detection ✓

The correct answer is: Enable developers to integrate code into a shared repository multiple times a day for early bug detection

Question 10

Correct

Mark 1.00 out of 1.00

The term "shift-right" in testing means:

- ☒ a. Performing more testing in the operations and production environment (e.g., monitoring, testing in prod) ✓
- ☐ b. Avoiding tests in prod
- ☐ c. Only unit testing is allowed
- ☐ d. Shifting all testing to earlier phases only

The correct answer is: Performing more testing in the operations and production environment (e.g., monitoring, testing in prod)

Question 11

Correct

Mark 1.00 out of 1.00

Canary deployments help DevOps teams by:

- ☐ a. Only applying to hardware deployments
- ☒ b. Gradually exposing a new release to a subset of users for validation before full rollout ✓
- ☐ c. Deploying the canary bird as the test environment symbol
- ☐ d. Eliminating the need for monitoring

The correct answer is: Gradually exposing a new release to a subset of users for validation before full rollout

Question 12

Correct

Mark 1.00 out of 1.00

What is the difference between Continuous Delivery and Continuous Deployment?

- ☒ a. Continuous Deployment automatically pushes every change to production, while Continuous Delivery requires a manual step to push to production
- ☐ b. There is no difference; the terms are identical
- ☐ c. Continuous Delivery only applies to mobile apps
- ☐ d. Continuous Deployment only applies to databases



The correct answer is: Continuous Deployment automatically pushes every change to production, while Continuous Delivery requires a manual step to push to production

Question 13

Correct

Mark 1.00 out of 1.00

The purpose of Continuous Integration (CI) is to:

- ☐ a. Only deploy on Fridays
- ☐ b. Integrate marketing plans with development
- ☒ c. Merge developer work frequently to detect integration issues early
- ☐ d. Provide manual code reviews only



The correct answer is: Merge developer work frequently to detect integration issues early

Question 14

Correct

Mark 1.00 out of 1.00

Infra as Code (IaC) often ensures environments are:

- ☐ a. Manually set up each time
- ☐ b. Left undocumented
- ☒ c. Consistently configured and version-controlled across Dev, QA, and Prod
- ☐ d. Only provisioned for Dev and QA, not Prod

The correct answer is: Consistently configured and version-controlled across Dev, QA, and Prod

Question 15

Correct

Mark 1.00 out of 1.00

"Infrastructure as Code" practices encourage which of the following?

- ☐ a. Deploying only on physical servers
- ☐ b. Manual server setup for each environment
- ☐ c. Spreadsheets for configuration values
- ☒ d. Version-controlling environment definitions (e.g., Terraform scripts) so infrastructure can be replicated and automated 

The correct answer is: Version-controlling environment definitions (e.g., Terraform scripts) so infrastructure can be replicated and automated

Question 16

Correct

Mark 1.00 out of 1.00

Version Control (e.g., Git) provides which of the following as an enabler in DevOps?

- ☐ a. Only bug tracking
- ☐ b. Automating container orchestration
- ☒ c. Managing code, tracking changes, and enabling team collaboration 
- ☐ d. Designing network routers



The correct answer is: Managing code, tracking changes, and enabling team collaboration

Question 17

Correct

Mark 1.00 out of 1.00

In a typical DevOps toolchain, which tool category would Terraform belong to?

- ☒ a. Infrastructure as Code (IaC) 
- ☐ b. Monitoring
- ☐ c. Version Control
- ☐ d. Continuous Integration

The correct answer is: Infrastructure as Code (IaC)

Question 18

Correct

Mark 1.00 out of 1.00

In a DevOps context, “shift-right” testing encourages:

- ☐ a. Shifting testing duties to another time zone
- ☐ b. Ignoring all production monitoring
- ☒ c. Testing in production-like environments and using feedback loops from production to improve quality ✓
- ☐ d. Skipping security checks

The correct answer is: Testing in production-like environments and using feedback loops from production to improve quality

Question 19

Correct

Mark 1.00 out of 1.00

Infrastructure monitoring in DevOps should primarily be:

- ☐ a. Optional if tests pass
- ☐ b. Reactive only (respond when something breaks)
- ☒ c. Proactive with automated alerts and dashboards for metrics (promotes rapid feedback) ✓
- ☐ d. Performed only by end users



The correct answer is: Proactive with automated alerts and dashboards for metrics (promotes rapid feedback)

Question 20

Correct

Mark 1.00 out of 1.00

Feature toggles can help DevOps teams achieve:

- ☐ a. Incomplete documentation
- ☐ b. Only incremental waterfall phases
- ☒ c. Continuous delivery of code without instantly exposing features to users ✓
- ☐ d. Disabling version control

The correct answer is: Continuous delivery of code without instantly exposing features to users

Question 21

Correct

Mark 1.00 out of 1.00

"Immutable infrastructure" in DevOps implies:

- ☒ a. Infrastructure components (servers/containers) are replaced rather than modified when updated ✓
- ☐ b. Only cloud infrastructure is used
- ☐ c. Databases are never backed up
- ☐ d. Infrastructure never changes even when updates are needed

The correct answer is: Infrastructure components (servers/containers) are replaced rather than modified when updated

Question 22

Correct

Mark 1.00 out of 1.00

The term "release pipeline" refers to:

- ☐ a. A physical pipeline for liquid software
- ☒ b. The automated sequence of steps (build, test, deploy) from code commit to production release ✓
- ☐ c. A weekly status email
- ☐ d. A security camera feed



The correct answer is: The automated sequence of steps (build, test, deploy) from code commit to production release

Question 23

Correct

Mark 1.00 out of 1.00

A "DevOps Engineer" role typically requires knowledge of:

- ☒ a. Automation tools (CI/CD, IaC), system administration, cloud platforms, and good collaboration skills ✓
- ☐ b. Financial accounting
- ☐ c. Only Java programming
- ☐ d. Social media marketing

The correct answer is: Automation tools (CI/CD, IaC), system administration, cloud platforms, and good collaboration skills

Question 24

Correct

Mark 1.00 out of 1.00

Ansible, Chef, Puppet, and SaltStack are all examples of tools for:

- ☐ a. Version control
- ☐ b. Database management
- ☐ c. CI/CD automation
- ☒ d. Infrastructure provisioning and configuration management ✓

The correct answer is: Infrastructure provisioning and configuration management

Question 25

Correct

Mark 1.00 out of 1.00

In DevOps, what is meant by “trunk-based development”?

- ☐ a. Using tree data structures in code
- ☐ b. Only a team leader can commit code
- ☐ c. Developing only on weekends
- ☒ d. A strategy where all developers integrate small changes into a single main branch frequently (trunk), avoiding long-lived feature branches ✓

The correct answer is: A strategy where all developers integrate small changes into a single main branch frequently (trunk), avoiding long-lived feature branches

Question 26

Correct

Mark 1.00 out of 1.00

In DevOps, microscopic feedback loops means:

- ☐ a. Waiting for quarterly reviews
- ☒ b. Very fast and frequent feedback cycles (e.g., immediate CI build results, short deployment lead times) ✓
- ☐ c. Only management feedback
- ☐ d. Slow feedback only at the end of the cycle

The correct answer is: Very fast and frequent feedback cycles (e.g., immediate CI build results, short deployment lead times)

Question 27

Correct

Mark 1.00 out of 1.00

In DevOps, what does “Shift-Left” mean in testing?

- ☒ a. Move testing activities earlier in the development process (closer to coding) ✓
- ☐ b. Shift the load balancer to the left side
- ☐ c. Always test only in production
- ☐ d. Delay testing until after deployment

The correct answer is: Move testing activities earlier in the development process (closer to coding)

Question 28

Correct

Mark 1.00 out of 1.00

Which of the following is a common indicator of healthy DevOps culture?

- ☐ a. Zero communication between teams
- ☐ b. Strict separation between Dev and Ops metrics
- ☒ c. High deployment frequency and fast recovery from incidents ✓
- ☐ d. Frequent deployment failures without analysis



The correct answer is: High deployment frequency and fast recovery from incidents

Question 29

Correct

Mark 1.00 out of 1.00

Version control systems (like Git) enable teams to:

- ☐ a. Only one person edit code at a time
- ☒ b. Collaborate on code and maintain a history of all changes ✓
- ☐ c. Prevent any code reviews
- ☐ d. Live-cast software builds to TV

The correct answer is: Collaborate on code and maintain a history of all changes

Question 30

Correct

Mark 1.00 out of 1.00

Which of the following is not typically included in a CI/CD pipeline?

- ☐ a. Automated unit and integration testing
- ☐ b. Static code analysis
- ☐ c. Automated deployment to a staging environment
- ☒ d. Manual data entry tasks ✓

The correct answer is: Manual data entry tasks

Question 31

Correct

Mark 1.00 out of 1.00

Feature toggles (feature flags) in DevOps allow teams to:

- ☐ a. Only deploy on feature releases
- ☐ b. Only write features in flags
- ☐ c. Stop testing altogether
- ☒ d. Hide or show features in production without a full deploy (enable continuous deployment of code in off state) ✓ 

The correct answer is: Hide or show features in production without a full deploy (enable continuous deployment of code in off state)

Question 32

Correct

Mark 1.00 out of 1.00

Which of these is an example of an IaC tool listed?

- ☐ a. Slack
- ☐ b. Jenkins
- ☐ c. Splunk
- ☒ d. Puppet ✓

The correct answer is: Puppet

Question 33

Correct

Mark 1.00 out of 1.00

Using immutable containers (like Docker images) in deployment ensures:

- ☐ a. Containers can be modified live in production
- ☐ b. Less control over versions
- ☐ c. Frequent manual patching of running containers
- ☒ d. The exact same container configuration is used across environments, enhancing consistency ✓

The correct answer is: The exact same container configuration is used across environments, enhancing consistency

Question 34

Correct

Mark 1.00 out of 1.00

What is the role of a DevOps Center of Excellence in an organization?

- ☐ a. To replace all development teams
- ☒ b. To promote best practices, guidance, and tooling across teams without controlling all DevOps tasks ✓
- ☐ c. To become a bottleneck for all decisions
- ☐ d. To micromanage each team's work



The correct answer is: To promote best practices, guidance, and tooling across teams without controlling all DevOps tasks

Question 35

Correct

Mark 1.00 out of 1.00

GitOps is a pattern where:

- ☐ a. No CI/CD is needed
- ☒ b. The Git repository is the single source of truth for both application code and infrastructure definitions, driving automated deployments ✓
- ☐ c. Only GitHub is allowed as a platform
- ☐ d. Git is only used for documents, not code

The correct answer is: The Git repository is the single source of truth for both application code and infrastructure definitions, driving automated deployments

Question 36

Correct

Mark 1.00 out of 1.00

Which is an example of a configuration management (CM) tool?

- ☐ a. Mozilla Firefox
- ☐ b. Git
- ☐ c. Jenkins
- ☒ d. Ansible ✓

The correct answer is: Ansible

Question 37

Correct

Mark 1.00 out of 1.00

The key focus of Operational Methodologies like ITIL is to:

- ☐ a. Replace all software tools with manual records
- ☐ b. Remove the need for any operations staff
- ☒ c. Standardize and improve IT service management processes (e.g., incident, problem, change management) ✓
- ☐ d. Speed up development by ignoring operations



The correct answer is: Standardize and improve IT service management processes (e.g., incident, problem, change management)

Question 38

Correct

Mark 1.00 out of 1.00

A blue-green deployment uses two environments so that:

- ☐ a. One environment is for dev, one is for QA
- ☐ b. Developers can deploy code by cycling the color of the environment
- ☒ c. The new version is deployed to the inactive environment and traffic is switched over with minimal downtime ✓
- ☐ d. Blue servers only serve traffic at night, green in the morning

The correct answer is: The new version is deployed to the inactive environment and traffic is switched over with minimal downtime

Question 39

Correct

Mark 1.00 out of 1.00

In agile environments, flow-based processes (e.g., Kanban) emphasize:

- ☒ a. Continuous pull of work based on capacity with no fixed-length sprints ✓
- ☐ b. Fixed schedule and scope each iteration
- ☐ c. Only one feature in development at a time
- ☐ d. No planning at all

The correct answer is: Continuous pull of work based on capacity with no fixed-length sprints

Question 40

Correct

Mark 1.00 out of 1.00

"Test-driven infrastructure" means:

- ☐ a. Running unit tests on user stories
- ☐ b. Only testing after infrastructure is built
- ☐ c. Ignoring tests for infrastructure
- ☒ d. Writing automated tests for infrastructure configurations (e.g., using tools like InSpec) to validate infrastructure behavior ✓

The correct answer is: Writing automated tests for infrastructure configurations (e.g., using tools like InSpec) to validate infrastructure behavior

Question 41

Correct

Mark 1.00 out of 1.00

Blue-Green and Canary deployments are strategies used to:

- ☐ a. Write code in Java vs Python
- ☐ b. Ensure only one release per year
- ☐ c. Increase feature complexity
- ☒ d. Reduce deployment risk by controlling how traffic is shifted to new versions ✓

The correct answer is: Reduce deployment risk by controlling how traffic is shifted to new versions

Question 42

Correct

Mark 1.00 out of 1.00

In Agile, a Kanban board is used to:

- ☒ a. Plan and visualize the flow of work from backlog to done, limiting work-in-progress ✓
- ☐ b. Replace all documentation
- ☐ c. Deploy software changes
- ☐ d. Store code repositories

The correct answer is: Plan and visualize the flow of work from backlog to done, limiting work-in-progress

Question 43

Correct

Mark 1.00 out of 1.00

Non-flow (iteration-based) Agile emphasizes:

- ☐ a. Unpredictable deadlines
- ☐ b. Deploying every single commit
- ☒ c. Fixed-length iterations (sprints) with prioritized backlog items ✓
- ☐ d. No fixed time periods for release



The correct answer is: Fixed-length iterations (sprints) with prioritized backlog items

Question 44

Correct

Mark 1.00 out of 1.00

Continuous Integration primarily reduces which risk in software development?

- ☒ a. Risk of failure due to infrequent merging (integration issues) ✓
- ☐ b. Risk of long code reviews
- ☐ c. Risk of hardware malfunction
- ☐ d. Risk of meeting scheduling conflicts

The correct answer is: Risk of failure due to infrequent merging (integration issues)

Question 45

Correct

Mark 1.00 out of 1.00

Which practice is not a typical DevOps culture practice?

- ☐ a. Cross-team retrospectives between Dev and Ops
- ☐ b. Blameless postmortems and continuous improvement
- ☐ c. Transparency and shared metrics across teams
- ☒ d. "Dev and Ops never talk to each other" ✓

The correct answer is: "Dev and Ops never talk to each other"

Question 46

Correct

Mark 1.00 out of 1.00

The Spiral model of SDLC is characterized by:

- ☐ a. No planning phase
- ☐ b. Daily releases only
- ☐ c. Fixed phases with no iteration
- ☒ d. Iterative risk-driven development cycles (spirals) ✓



The correct answer is: Iterative risk-driven development cycles (spirals)

Question 47

Correct

Mark 1.00 out of 1.00

Automated pipeline tools (Jenkins, GitLab CI, etc.) help achieve:

- ☐ a. Fully manual releases
- ☐ b. Only graphic design tasks
- ☒ c. Automated build, test, and deployment stages of the pipeline ✓
- ☐ d. Static documentation generation only

The correct answer is: Automated build, test, and deployment stages of the pipeline

Question 48

Correct

Mark 1.00 out of 1.00

Which of the following is NOT a DevOps dimension of focus?

- ☒ a. Marketing (customer segmentation) ✓
- ☐ b. People (culture, collaboration)
- ☐ c. Process (streamlining workflows)
- ☐ d. Technology/Tools (automation, platforms)

The correct answer is: Marketing (customer segmentation)

Question 49

Correct

Mark 1.00 out of 1.00

Which of these is a key DevOps culture value?

- ☐ a. Avoiding automation
- ☐ b. Blaming individuals for failures
- ☐ c. Rigid change control with no feedback
- ☒ d. Collaboration and shared responsibility ✓



The correct answer is: Collaboration and shared responsibility

Question 50

Correct

Mark 1.00 out of 1.00

In DevOps, the practice of continuous inspection refers to:

- ☐ a. Only manual code reviews post-deployment
- ☐ b. Inspecting cars in a factory setting
- ☒ c. Constantly auditing code quality (e.g., automated static analysis) as part of the pipeline ✓
- ☐ d. Turning off all security checks

The correct answer is: Constantly auditing code quality (e.g., automated static analysis) as part of the pipeline

[← Previous](#)
[Past Question Papers](#)

[Next →](#)
[Quiz 2 \(C\)](#)

Contact for support : support@wilp.bits-pilani.ac.in

@2025 Copyright BITS Pilani WILP

