

Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Country Functionality	11.103 s	1	1	0	0	6	6	0	0	
Country Multi Scenario	42.218 s	2	1	1	0	12	11	1	0	


Tag	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@SmokeTest	1	1	0	0	1	1	0	0
@Regression	3	2	1	0	2	1	1	0

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	Country Functionality	1	1	0	0	11.103 s
2	Country Multi Scenario	2	1	1	0	42.218 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Country Functionality	Create a country	6	6	0	0	11.100 s
2	Country Multi Scenario	<u>Create country</u>	6	6	0	0	11.059 s
3	Country Multi Scenario	Create country 2	6	5	1	0	31.146 s

DETAILED SECTION -- 6 --

Country Functionality

PASSED	DURATION - 11.103 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 9:49:34.372 PM // 9	9:49:45.475 PM /	Pass - 1	1	Pass - 6	6
		Fail - 0	' /	Fail - 0	
		Skip - 0		Skip - 0	
		<u>'</u>			

Create a country




#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	3.270 s
2	When Enter username and password and click login button	PASSED	1.082 s
3	Then User should login successfully	PASSED	1.257 s
4	And Navigate to country	PASSED	1.011 s
5	When Create a country	PASSED	1.642 s
6	Then Success message should be displayed	PASSED	0.559 s

Country Multi Scenario

FAILED	DURATION - 42.218 s	Scenarios		Steps	
		Total - 2		Total - 12	
/ 9:49:45.494 PM // 9	9:50:27.712 PM /	Pass - 1	2	Pass - 11	12
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	


DETAILED SECTION -- 7 -

Create country



#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.877 s
2	When Enter username and password and click login button	PASSED	1.424 s
3	Then User should login successfully	PASSED	1.283 s
4	And Navigate to country	PASSED	1.025 s
5	When Create a country	PASSED	1.625 s
6	Then Success message should be displayed	PASSED	0.560 s

Create country 2



#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.532 s
2	When Enter username and password and click login button	PASSED	1.067 s
3	Then User should login successfully	PASSED	1.250 s
4	And Navigate to country	PASSED	1.027 s
5	When Create a country name as "CabbarU1" code as "C1"	PASSED	1.644 s
6	Then Success message should be displayed	FAILED	20.316 s

#	Step / Hook Details	Status	Duration
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('success') to be present in element Proxy element for:		
	DefaultElementLocator 'By.xpath: //div[contains(text(),'successfully')]' (tried for 20 second(s) with 500 milliseconds interval)		
	at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)		
	at Pages.Parent.verifyContainsText(Parent.java:60)		
	at StepDefinitions02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:50)		
	at ?.Success message should be displayed(file:///C:/JavaLessons/Bootcamp/Cucumber/src/test/java/FeatureFiles/		
	_03_CountryMultipleScenarios.feature:18)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		
	{"method":"xpath", "selector":"//div[contains(text(), 'successfully')]"} (Session info: chrome=117.0.5938.89) For documentation on this error,		
	please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.		
	selenium.chrome.ChromeDriver Command: [44ea93c6bdfd0e96ac2a97d332c08e3b, findElement {using=xpath,		
	value=//div[contains(text(), 'successfully')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.89,		
	chrome: {chromedriverVersion: 117.0.5938.88 (be6afae47212, userDataDir: C:\Users\user\AppData\Local}, fedcm:accounts: true,		
	goog:chromeOptions: {debuggerAddress: localhost:61271}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:		
	windows, proxy: Proxy(), se:cdp: ws://localhost:61271/devtoo, se:cdpVersion: 117.0.5938.89, setWindowRect: true, strictFileInteractability:		
	false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob:		
	true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		
	webauthn:virtualAuthenticators: true} Session ID: 44ea93c6bdfd0e96ac2a97d332c08e3b		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy28.getText(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:343)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:339)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)		
	at Pages.Parent.verifyContainsText(Parent.java:60)		,
	at StepDefinitions02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:50)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)		
	at org.testng.TestRunner.privateRun(TestRunner.java:648)		
	at org.testng.TestRunner.run(TestRunner.java:505)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:450)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:415)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:364)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:84)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1208)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1137)		
	at org.testng.TestNG.runSuites(TestNG.java:1049)		
	at org.testng.TestNG.run(TestNG.java:1017)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) * Not displayable characters are replaced by '?'.		
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	PASSED	3.308 s
	screenshot name		