

# EI Code Environment configuration

Friday, August 25, 2017 3:23 PM

## Server Code Configuration and installation

1. **Download code** from Stash.  
<http://mydtbld0005.hpeswlab.net:7990/projects/EIAP/repos/EI/browse>
2. Add "Settings.xml" to .m12 folder to make all maven dependencies work.
3. Add run configurations for **"set up"**
4. Add **DB configuration**  
Connect to SQL Server: EI2008R2.hpeswlab.net\EISQL2008R2 sa\1Qaz2wsx3edc  
[\\16.165.216.82\ftp\Flying\Development\\_StaticData](http://16.165.216.82/ftp/Flying/Development_StaticData) ftpuser\W3lcome1
5. Run **Ant build** according the sequence: APM -> EI
6. Add Run configuration for **"Jetty Runner"**  
**VM Options**  
-Dmercury.td.sa\_config\_dir=C:\Users\jiezhang\Documents\HP\_EI\Code\site\_admin  
-Xmx512m  
-XX:MaxPermSize=512m  
-Djava.io.tmpdir=C:\temp\ALM\_log

### Program arguments

-defaultroot  
C:\Users\jiezhang\Documents\HP\_EI\Tools\masterSSL\defaultroot  
C:\Users\jiezhang\Documents\HP\_EI\Tools\masterSSL\StaticData  
C:\Users\jiezhang\Documents\HP\_EI\Tools\masterSSL\20qcbn.war

7. Add SAML configuration for **"EIConfigurator"**

### VM Options

-Dmercury.td.sa\_config\_dir=C:\Users\jiezhang\Documents\HP\_EI\Code\site\_admin  
-Djava.io.tmpdir=C:\temp\ALM\_log

### Program arguments

-gui C:\Users\jiezhang\Documents\HP\_EI\Tools\masterSSL\20qcbn.war\WEB-INF\O

## Client Code Configuration

1. Add reference for two C# project
2. tlbimp.exe spiotamodule.tlb

## Client installation

1. Install **Sap Client** according to guide. SapGuiSetup.exe  
[\\10.5.32.206\QTP\techTeam\install\saggu](http://10.5.32.206/QTP/techTeam/install/saggu)  
[\\hpswlab.net\SAP\UFT\\_FTP\AUT\SAP\EI\SolMan72](http://hpswlab.net\SAP\UFT_FTP\AUT\SAP\EI\SolMan72)  
**Solman 7.1** jason1\mercury  
**Solman 7.2** mandy\W3lcome1

