




STOREFRONT HEAD @ STUCCO SOFFIT  
REF : WINDOWS SCHEDULE SCALE: 3" = 1'-0"




STOREFRONT - TYP. VERT  
REF : WINDOWS SCHEDULE SCALE: 3" = 1'-0"




STOREFRONT - TYP. JAMB  
REF : WINDOWS SCHEDULE SCALE: 3" = 1'-0"




FIXED WINDOW - TYP. JAMB  
REF : WINDOWS SCHEDULE SCALE: 3" = 1'-0"




CASEMENT WINDOW - TYP. JAMB  
REF : WINDOWS SCHEDULE SCALE: 3" = 1'-0"




STOREFRONT - HEAD AT INT. SOFFIT  
REF : WINDOW SCHEDULE SCALE: 3" = 1'-0"




STOREFRONT - HEAD AT EXT. SOFFIT  
REF : WINDOW SCHEDULE SCALE: 3" = 1'-0"




STOREFRONT - HEAD AT CONC.  
REF : WINDOW SCHEDULE SCALE: 3" = 1'-0"




FIXED WINDOW - TYP. HEAD AND SILL  
REF : WINDOW SCHEDULE SCALE: 3" = 1'-0"




CASEMENT WINDOW - TYP. HEAD AND SILL  
REF : WINDOW SCHEDULE SCALE: 3" = 1'-0"




STOREFRONT - SILL AT INTERIOR  
REF : WINDOW SCHEDULE SCALE: 3" = 1'-0"



STOREFRONT - SILL AT 2ND FLOOR  
REF : WINDOW SCHEDULE SCALE: 3" = 1'-0"



STOREFRONT - SILL AT 1ST FLOOR  
REF : WINDOW SCHEDULE SCALE: 3" = 1'-0"



SELF ADHERED FLEXIBLE FLASHING @ DOOR AND WINDOW OPENINGS TYP.  
REF : WHERE OPENINGS OCCUR SCALE: 1/2" = 1'-0"

- NARRATIVE:
1. AFTER PREPARING SUBSTRATE PER SPECS (INCLUDING SELF-ADHERING FLEXIBLE FLASHING AT ROUGH WINDOW OPENING), INSTALL WEATHER RESISTANT BARRIER (2 LAYERS) BEFORE DOOR OR WINDOW INSTALLATION.
  2. 'SHINGLE' ALL LAYERS SUCH THAT TOP LAYER OVERLAPS BOTTOM LAYER BY NO LESS THAN 6". AT WINDOW/DOOR HEADER, FOLD BACK WEATHER RESISTANT BARRIER TEMPORARILY FOR FLASHING INSTALLATION.
  3. INSTALL FLEXIBLE, SELF-HEALING FLASHING PER SPECS AND MANUFACTURERS RECOMMENDATIONS, ALL AROUND THE OPENINGS TYPICAL POSITIVELY LAP SELF-HEALING FLEXIBLE FLASHING BY NO LESS THAN 6". AFTER INSTALLING FLEXIBLE FLASHING AT HEADER, FOLD DOWN WEATHER RESISTIVE BARRIER ON TOP OF FLEXIBLE FLASHING.
  4. SEE SPECS FOR PRODUCTS, FOLLOW MANUF. PRINTED RECOMMENDATIONS, AND FASTEN AS PER MANUF. PRINTED RECOMMENDATIONS.

CONCEPTUAL DESIGN	2017-12-01
SCHEMATIC DESIGN	2018-05-10
DESIGN DEVELOPMENT	2018-06-29
50% CONTRUCTION DOCUMENTS	2018-12-14
PLAN CHECK SUBMITTAL (95% CDS)	2019-03-05
PERMIT SET	
BID ISSUE	
CONSTRUCTION ISSUE	



REVISIONS:	
SHEET TITLE:	WINDOW DETAILS
SCALE:	As indicated
DATE PRINTED:	3/1/2019 10:17:32 AM

ALL DRAWINGS AND WRITTEN MATERIAL APPEARING HEREIN CONSTITUTE ORIGINAL AND UNPUBLISHED WORK OF THE ARCHITECT AND MAY NOT BE DUPLICATED, USED OR DISCLOSED WITHOUT THE WRITTEN CONSENT OF THE ARCHITECT.

BROOKS SCARPA ARCHITECTURE  
3929 W. 139TH STREET  
HAWTHORNE, CA. 90250  
t: 323.596.4700  
f: 310.453.9606

A8.04