

windows setup

- download / install codeblocks+mingw+gfortran
- download / install gsl

<http://www.codeblocks.org/downloads>



# Code::Blocks

Code::Blocks - The IDE with all the features you need, having a consistent look, feel and operation across platforms.

[Home](#) [Features](#) [Downloads](#) [Forums](#) [Wiki](#)

## Main

- Home
- Features
- Screenshots
- Downloads
  - Binaries
  - Source
  - SVN
- Plugins
- User manual
- Licensing
- Donations

## Downloads

There are different ways to download and install Code::Blocks on your computer:

- [Download the binary release](#)

This is the easy way for installing Code::Blocks. Download the setup file, run it on your computer and Code::Blocks will be installed, ready for you to work with it. Can't get any easier than that!

- [Download a nightly build](#): There are also more recent so-called *nightly builds* available in the [forums](#) or (for Debian and Fedora users) in [Jens' Debian repository](#) and [Jens' Fedora repository](#). Other distributions usually follow provided by the community (Big "Thank you" for that!) Please note that we consider nightly builds to be *stable*, usually, unless stated otherwise.
- [Download the source code](#)

If you feel comfortable building applications from source, then this is the recommend way to download Code::Blocks. Downloading the source code and building it yourself puts you in great control and also makes it easier for you to update to newer versions or, even better, create patches for bugs you may find and contributing them back to the community so everyone benefits.

- [Retrieve source code from SVN](#)

This option is the most flexible of all but requires a little bit more work to setup. It gives you that much more flexibility though because you get access to any bug-fixing we do at the time we do it. No need to wait for the next stable release to benefit from bug-fixes!

Besides Code::Blocks itself, you can compile extra plugins from contributors to extend its functionality.

## Main

- Home
- Features
- Screenshots
- Downloads
  - Binaries
  - Source
  - SVN
- Plugins
- User manual
- Licensing
- Donations

## Quick links

- FAQ
- Wiki
- Forums
- Forums (mobile)
- Nightlies
- Ticket System
- Browse SVN
- Browse SVN log



Please select a setup package depending on your platform:

- Windows XP / Vista / 7 / 8.x / 10
- Linux 32-bit
- Linux 64-bit
- Mac OS X

NOTE: For older OS'es use older releases. There are releases for many OS version and platforms on the [Sourceforge.net](#) page.

NOTE: There are also more recent *nightly builds* available in the [forums](#) or (for Debian and Fedora users) in Jens' [Debian repository](#) and Jens' [Fedora repository](#). Please note that we consider nightly builds to be *stable*, usually.

NOTE: We have a [Changelog for 16.01](#), that gives you an overview over the enhancements and fixes we have put in the new release.



### Windows XP / Vista / 7 / 8.x / 10:

File	Date	Download from
codeblocks-16.01-setup.exe	28 Jan 2016	<a href="#">Sourceforge.net</a> or <a href="#">FossHub</a>
codeblocks-16.01-setup-nonadmin.exe	28 Jan 2016	<a href="#">Sourceforge.net</a> or <a href="#">FossHub</a>
codeblocks-16.01-nosetup.zip	28 Jan 2016	<a href="#">Sourceforge.net</a> or <a href="#">FossHub</a>
codeblocks-16.01mingw-setup.exe	28 Jan 2016	<a href="#">Sourceforge.net</a> or <a href="#">FossHub</a>
codeblocks-16.01mingw-nosetup.zip	28 Jan 2016	<a href="#">Sourceforge.net</a> or <a href="#">FossHub</a>
codeblocks-16.01mingw_fortran-setup.exe	28 Jan 2016	<a href="#">Sourceforge.net</a> or <a href="#">FossHub</a>

NOTE: The codeblocks-16.01-setup.exe file includes Code::Blocks with all plugins. The codeblocks-16.01-setup-nonadmin.exe file is provided for convenience to users that do not have administrator rights on their machine(s).

NOTE: The codeblocks-16.01mingw-setup.exe file includes *additionally* the GCC/G++ compiler and GDB debugger from TDM-GCC (version 4.9.2, 32 bit, SJLJ). The codeblocks-16.01mingw\_fortran-setup.exe file includes *additionally to that* the GFortran compiler (TDM-GCC).

 Bibliotecas	 codeblocks-16.01mingw_fortran-setup.exe	19/04/2017
 Documentos		18/04/2017
	 Screenshot 17.05.07 - 16	18/04/2017

Início In

Organizar Abrir Compartilhar com Email Gravar Nova pasta

Slides Tópicos

1

2

3

Configurar Orientação Página do Slide Configurar Página

Área de Trabalho Locais Downloads Documents Bibliotecas Documentos Imagens Músicas Vídeos Computador Disco Local (C:) Disco Local (D:) Rede

Pesquisar Downloads

Nome Data de mod.

\_DOWNLOADS-PERDIDOS-SÃO-DELETADOS-APÓS-1-SEMANA 12/04/2017

2013 - Laffite et al - Accurate statistical associating fluid theory for chain molecules formed from Mie segments.pdf 13/04/2017

a05v1430.pdf 18/04/2017

ACFrOgCcgdrAFZBj5YNohVm0g7LYx0N9i8HLLe\_KbKAk8giqKzPUqA0Oo3UbRL5BRyrjUmcXEY-wmT-Uf855O0Bd5bLj8fHvnYKqJtxUUmCDxq46KJDDLHlvjwJA8=.pdf 06/04/2017

algoritmo.zip 19/04/2017

codeblocks-16.01mingw\_fortran-setup.exe 18/04/2017

entropy-17-05043.pdf 18/04/2017

fobj\_dist.m 04/04/2017

fobj\_dist\_deterministico.m 04/04/2017

micelas.exe 19/04/2017



Micelas.vlm 19/04/2017

Code::Blocks  
The open source, cross-platform IDE  
16.01

codeblocks-16.01mingw\_fortran-setup.exe Data de modificação: 18/04/2017 13:58 Data da criação: 18/04/2017 13:55 Tamanho: 86,3 MB

Clique para adicionar anotações

Slide 3 de 3 "Tema do Office" Inglês (Estados Unidos) 10% 12:19 19/04/2017



Clique para adicionar anotações

codeblocksmingw.pptx - Microsoft PowerPoint

Início Inserir Design Animações Apresentação de Slides Revisão Exibição Desenvolvedor

Configurar Página Configurar Orientação Página do Slide Configurar Página

Aa Aa Aa Aa Aa Aa Aa Aa Aa Aa

Temas

Cores Estilos de Plano de Fundo A Fontes Efeitos

Plano de Fundo

Slides Tópicos x

4

5

6

7

8

9

14 7 0 | 7 14

Code::Blocks Installation

**License Agreement**

Please review the license terms before installing CodeBlocks.

Press Page Down to see the rest of the agreement.

GNU GENERAL PUBLIC LICENSE  
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for  
software and other kinds of works.

If you accept the terms of the agreement, click I Agree to continue. You must accept the  
agreement to install CodeBlocks.

Nullsoft Install System v3.0b3

< Back I Agree Cancel

Clique para adicionar anotações

Slide 5 de 51 Tema do Office Inglês (Estados Unidos)

PT PT 10% 12:19 19/04/2017

Windows Taskbar icons

codeblocksmingw.pptx - Microsoft PowerPoint

Início Inserir Design Animações Apresentação de Slides Revisão Exibição Desenvolvedor

Configurar Orientação Página do Slide Configurar Página

Aa Aa Aa Aa Aa Aa Aa Aa Aa

Temas

Cores Estilos de Plano de Fundo A Fontes Efeitos

Ocultar Gráficos de Plano de Fundo

Plano de Fundo

Slides Tópicos x

14 7 0 7 14

4

5

6

7

8

9

Code::Blocks Installation

Choose Components

Choose which features of CodeBlocks you want to install.

Select the type of install:

Full: All plugins, all tools, just everything

Or, select the optional components you wish to install:

+  Default install  
+  Contrib Plugins  
+  C::B CBP2Make  
+  C::B Share Config  
+  C::B Launcher  
+  MinGW Compiler Suite

Description

Space required: 248.2MB


Nullsoft Install System v3.0b3

< Back Next > Cancel

Clique para adicionar anotações

Slide 6 de 51 Tema do Office Inglês (Estados Unidos)

PT PT 10% 12:19 19/04/2017



codeblocksmingw.pptx - Microsoft PowerPoint

Início Inserir Design Animações Apresentação de Slides Revisão Exibição Desenvolvedor

Configurar Orientação Página do Slide Configurar Página

Aa Aa Aa Aa Aa Aa Aa Aa Aa Aa

Temas

Cores Estilos de Plano de Fundo A Fontes Efeitos Ocultar Gráficos de Plano de Fundo

Slides Tópicos

4 5 6 7 8 9

Code::Blocks Installation

Installation Complete  
Setup was completed successfully.

Completed



Output folder: C:\Program Files\CodeBlocks\MinGW\share\man\man7  
Extract: fsf-funding.7... 100%  
Extract: gfdl.7  
Extract: gpl.7... 100%  
Output folder: C:\Program Files\CodeBlocks\MinGW  
Output folder: C:\Program Files\CodeBlocks  
Created uninstaller: C:\Program Files\CodeBlocks\uninstall.exe  
Output folder: C:\Users\Administrador\AppData\Roaming\Microsoft\Windows\Start M...  
Create shortcut: C:\Users\Administrador\AppData\Roaming\Microsoft\Windows\Start...  
Completed

Nullsoft Install System v3.0b3


< Back Next > Cancel

Clique para adicionar anotações

Slide 7 de 51 Tema do Office Inglês (Estados Unidos) 10% PT 08:56 20/04/2017



Clique para adicionar anotações



## Compilers auto-detection

Note: After auto-detection, at least one compiler's master path is still empty and therefore invalid. Inspect the list below and change the compiler's master path later in the compiler options. Select you favourite default compiler here:

Current default compiler: **GNU GCC Compiler**

OK



08:57  
20/04/2017

Start here - Code::Blocks 16.01

File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins Doxygen Settings Help

Management Projects Symbols Files Workspace

Start here

Code::Blocks  
The open source, cross-platform IDE

Release 16.01 rev 10702 (2016-01-25 19:50:14) g++ 4.9.2 Windows/unicode - 32 bit

File associations

Code::Blocks is currently not the default application for C/C++ source files.  
Do you want to set it as default?

You can always change associations from the environment settings later.

No, leave everything as it is  
 No, leave everything as it is (but ask me again next time)  
 Yes, associate Code::Blocks with C/C++ file types  
 Yes, associate Code::Blocks with every supported type (including project files from other IDEs)

OK

Tip of the Day

© 2004 - 2015, The [Code::Blocks](#) Team.

Logs & others

Code::Blocks Search results Ccc Build log Build messages CppCheck CppCheck messages Cscope Debugger

default 08:59 20/04/2017

Start here - Code::Blocks 16.01

File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help

Management X

Projects Symbols Files X

Workspace

Start here X

Code::Blocks  
The open source, cross-platform IDE

Release 16.01 rev 10702 (2016-01-25 19:50:14) gcc 4.9.2 Windows/unicode - 32 bit

 Create a new project  Open an existing project  Tip of the Day

 Visit the Code::Blocks forums  Report a bug or request a new feature.

Recent projects  
 No recent projects

Recent files  
 No recent files

© 2004 - 2015, The [Code::Blocks](#) Team.

Logs & others X

Code::Blocks X Search results X Cccc X Build log X Build messages X CppCheck X CppCheck messages X Cscope X Debugger X

default X

PT X 09:00 X 20/04/2017 X



Start here - Code::Blocks 16.01

File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help

Management Projects Symbols Files Workspace

Start here principal.f90

Code::Blocks  
The open source, cross-platform IDE

New from template

Category: <All categories>

Projects Build targets Files Custom User templates

ARM Project AVR Project Code::Blocks plugin

Console application D application Direct/X project

Dynamic Link Library Empty project FLTK

Fortran DLL Fortran application Fortran library

TIP: Try right-clicking an item

1. Select a wizard type first on the left  
2. Select a specific wizard from the main window (filter by categories if needed)  
3. Press Go

View as  Large icons  List

Logs & others


Code::Blocks Search results Ccc Ccc Build log Build messages CppCheck CppCheck messages Cscope Debugger


File Line Message


```
==== Build file: "no target" in "no project" (compiler: unknown) ====
C:\Users\Admin... undefined reference to '_gfortran_st_write'
C:\Users\Admin... undefined reference to '_gfortran_transfer_character_write'
C:\Users\Admin... undefined reference to '_gfortran_st_write_done'
C:\Users\Admin... undefined reference to '_gfortran_set_args'
```


Start here default

PT 09:17 20/04/2017









The screenshot shows the Code::Blocks IDE interface. A red circle highlights the 'File' menu icon in the top toolbar.

**Management**

- Projects
- Symbols
- Files

Workspace

- teste-projeto-novo-chefe
- Fortran Sources
- main.f95

**main.f95**

```
1 ! A Doxygen95 program for G95
2 ! By wqf
3 program main
4 implicit none
5 integer re_i
6 write(*,*) "Hello World!"
7 re_i = system("pause")
8 end
```


**Logs & others**


- Code::Blocks
- Search results
- Cccc
- Build log
- Build messages
- CppCheck
- CppCheck messages
- Cscope
- Debugger


```
novo-chefe\main.f95" -o obj\Debug\main.o
mingw32-gfortran.exe -o bin\Debug\teste-projeto-novo-chefe.exe obj\Debug\main.o
Output file is bin\Debug\teste-projeto-novo-chefe.exe with size 30.70 KB
Process terminated with status 0 (0 minute(s), 4 second(s))
0 error(s), 0 warning(s) (0 minute(s), 4 second(s))
```

Windows (CR+LF) WINDOWS-1252 Line 8, Column 5 Insert Read/Write default

PT 10:02 20/04/2017







Favoritos	Nome	Data de modificação	Tipo	Tamanho
Área de Trabalho	globais.f90	20/04/2017 09:07	Fortran source file	1 KB
Locais	principal.f90	20/04/2017 09:08	Fortran source file	1 KB
Downloads				

main.f95 [teste-projeto-novo-chefe] - Code::Blocks 16.01

File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help

Management X

Projects Symbols Files

Workspace teste-projeto-novo-chefe

Fortran Sources main.f95

main.f95 X

```
1 ! A foxtrot95 program for G95
2 ! By WQY
3 program main
4     implicit none
5     integer re_i
6     write(*,*) "Hello World!"
7     re_i = system("pause")
8 end
```

Procurar Pasta X

Add files recursively...

Pasta: compartilhado-fortran-project

Criar Nova Pasta OK Cancelar


Logs & others X

Code::Blocks X Search results X Ccc X Build log X Build messages X CppCheck X CppCheck messages X Cscope X Debugger X

projeto-novo-chefe.exe  
Executing: "C:\Program Files\CodeBlocks\cb\_console\_runner.exe" "C:\Users\Administrador\Documents\Arquivos IuriSegtovich\teste-projeto-novo-chefe\teste-projeto-novo-chefe\bin\Debug\teste-projeto-novo-chefe.exe" (in C:\Users\Administrador\Documents\Arquivos IuriSegtovich\teste-projeto-novo-chefe\teste-projeto-novo-chefe\.)  
Process terminated with status 0 (5 minute(s), 55 second(s))

C:\Users\Administrador\Documents\Arquivos IuriSegtovich\teste-projeto-novo-chefe\tes Windows (CR+LF) WINDOWS-1252 Line 8, Column 5 Insert Read/Write default

PT F1 F2 F3 F4 F5 F6 F7 F8 F9 F10 10:10 20/04/2017



main.f95 [teste-projeto-novo-chefe] - Code::Blocks 16.01

File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help

Management X

Projects Symbols Files

Workspace teste-projeto-novo-chefe

Fortran Sources main.f95

main.f95 X

```
1 ! A foxtrot95 program for G95
2 ! By WQY
3 program main
4     implicit none
5     integer re_i
6     write(*,*) "Hello World!"
7     re_i = system("pause")
8 end
```

Multiple selection X

Select the targets this file should belong to:

Debug  
 Release

Wildcard select  
Toggle selection  
Select All  
Deselect All  
Selected: 2

OK Cancel

Logs & others X

Code::Blocks Search results Cccc Build log Build messages CppCheck CppCheck messages Cscope Debugger

```
projeto-novo-chefe.exe
Executing: "C:\Program Files\CodeBlocks\cb_console_runner.exe" "C:\Users\Administrador\Documents\Arquivos IuriSegtovich\teste-projeto-novo-chefe\teste-projeto-novo-chefe\bin\Debug\teste-projeto-novo-chefe.exe" (in C:\Users\Administrador\Documents\Arquivos IuriSegtovich\teste-projeto-novo-chefe\teste-projeto-novo-chefe\)
Process terminated with status 0 (5 minute(s), 55 second(s))
```

C:\Users\Administrador\Documents\Arquivos IuriSegtovich\teste-projeto-novo-chefe\tes Windows (CR+LF) WINDOWS-1252 Line 8, Column 5 Insert Read/Write default

PT F1 F2 F3 F4 F5 F6 F7 F8 F9 F10 F11 F12 10:10 20/04/2017

\*main.f95 [teste-projeto-novo-chefe] - Code::Blocks 16.01

File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help

Management X

Projects Symbols Files

Workspace teste-projeto-novo-chefe

Fortran Sources

compartilhado-fortra

globais.f90

principal.f90

main.f95

\*main.f95 X

```
1 ! A foxtrot95 program for G95
2 ! By WQY
3 !program main
4 !implicit none
5 !integer re_i
6 !write(*,*) "Hello World!"
7 !re_i = system("pause")
8 !end
9
```


Logs & others X

Code::Blocks X Search results X Ccc X Build log X Build messages X CppCheck X CppCheck messages X Cscope X Debugger X

```
projeto-novo-chefe.exe
Executing: "C:\Program Files\CodeBlocks\cb_console_runner.exe" "C:\Users\Administrador\Documents\Arquivos IuriSegtovich\teste-projeto-novo-chefe\teste-projeto-novo-chefe\bin\Debug\teste-projeto-novo-chefe.exe" (in C:\Users\Administrador\Documents\Arquivos IuriSegtovich\teste-projeto-novo-chefe\teste-projeto-novo-chefe\)
Process terminated with status 0 (5 minute(s), 55 second(s))
```

C:\Users\Administrador\Documents\Arquivos IuriSegtovich\teste-projeto-novo-chefe\tes Windows (CR+LF) WINDOWS-1252 Line 8, Column 5 Insert Modified Read/Write default

PT P S C 10:11 20/04/2017



compartilhado-fortran-project\principal.f90 [teste-projeto-novo-chefe] - Code::Blocks 16.01

File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help

Management X

Projects Symbols Files

Workspace teste-projeto-novo-chefe

Fortran Sources

compartilhado-fortran

globais.f90 principal.f90 main.f95

main.f95

1  
2  
3  
4  
5  
6  
7  
8  
9

program principal

use globais

call load\_dados()

print\*, "pronto, chefe!"

end program

Logs & others X

Code::Blocks Search results Cccc Build log Build messages CppCheck CppCheck messages Cscope Debugger

----- Clean: Debug in teste-projeto-novo-chefe (compiler: GNU Fortran Compiler) -----  
Cleaned "teste-projeto-novo-chefe - Debug"  
Done.

Windows (CR+LF) WINDOWS-1252 Line 9, Column 12 Insert Read/Write default

PT 10:13 20/04/2017

compartilhado-fortran-project\principal.f90 [teste-projeto-novo-chefe] - Code::Blocks 16.01

File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help

Debug

Management

Projects Symbols Files

Workspace

teste-projeto-novo-chefe

Fortran Sources

compartilhado-fortran

globais.f90

principal.f90

main.f95

main.f95    compartilhado-fortran-project\principal.f90    compartilhado-fortran-project\globais.f90

```
1 program principal
2
3     use globais
4
5     call load_dados()
6
7     print*, "pronto, chefe!"
8
9 end program
```

The make file "C:\Users\Administrador\Documents\Arquivos IuriSegtovich\teste-projeto-novo-chefe\teste-projeto-novo-chefe\Mak efile" was generated seccesfully.

OK

Logs & others

Code::Blocks    Search results    Cccc    Build log    Build messages    CppCheck    CppCheck messages    Cscope    Debugger

```
----- Clean: Debug in teste-projeto-novo-chefe (compiler: GNU Fortran Compiler) -----
Cleaned "teste-projeto-novo-chefe - Debug"
Done.
```

C:\Users\Administrador\Documents\Arquivos IuriSegtovich\teste-projeto-novo-chefe\tes Windows (CR+LF)    WINDOWS-1252    Line 9, Column 12    Insert    Read/Write default

PT    10:13    20/04/2017

compartilhado-fortran-project\principal.f90 [teste-projeto-novo-chefe] - Code::Blocks 16.01

File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help

Debug

Management

Projects Symbols Files

Workspace

teste-projeto-novo-chefe

Fortran Sources

compartilhado-fortran

globais.f90

principal.f90

main.f95

main.f95    compartilhado-fortran-project\principal.f90    compartilhado-fortran-project\globais.f90

```
1 program principal
2
3     use globais
4
5     call load_dados()
6
7     print*, "pronto, chefe!"
8
9 end program
```


Logs & others


Build log


```
mingw32-gfortran.exe -o bin\Debug\teste-projeto-novo-chefe.exe obj\Debug\compartilhado-fortran-project\globais.o obj\Debug\main.o obj\Debug\compartilhado-fortran-project\principal.o
Output file is bin\Debug\teste-projeto-novo-chefe.exe with size 33.83 KB
Process terminated with status 0 (0 minute(s), 8 second(s))
0 error(s), 0 warning(s) (0 minute(s), 8 second(s))
```

Windows (CR+LF) WINDOWS-1252 Line 3, Column 1 Insert Read/Write default

PT Windows 10 10:12 20/04/2017









GSL

# <http://gnuwin32.sourceforge.net/packages/gsl.htm>

Zoom: 80%  
[Reset to default](#)

## Gsl for Windows

Gsl: GNU Scientific Library

### Version

1.8

### Description

GSL is the GNU scientific library for numerical computing. It is a collection of routines for numerical computing in e.g. linear algebra, probability, random number generation, statistics, differentiation, integration, optimization, and differential equations.

The routines are written from scratch by the GSL team in ANSI C, and are meant to present a modern API for C programmers, while allowing wrappers to be written for very high-level languages.

The port of GSL has been contributed by Jerry St Clair. If you will be using one of the dynamic libraries, add `GSL_DLL` to the list of predefined macros; so for use with Mingw / GCC, add `-DGSL_DLL`

This is an unofficial port of GNU GSL to Microsoft Windows -- please report problems to our SourceForge bug tracker / mailing list <<http://gnuwin32.sourceforge.net/lists.html>>, not the GNU Project mailing lists or GSL developers.

### Homepage

<http://sources.redhat.com/gsl>

### Download

Description	Download	Size	Last change	Md5sum
• Complete package, except sources	<a href="#">Setup</a>	6476814	11 July 2006	<code>d0c114f842933622a156bfa757ee14c2</code>
• Sources	<a href="#">Setup</a>	2145579	11 July 2006	<code>71ee925eb86d7772fa8b4904dc755508</code>
• Binaries	<a href="#">Zip</a>	982278	11 July 2006	<code>94635ae687c4f39d5f4e5985e31c1360</code>
• Developer files	<a href="#">Zip</a>	1202181	11 July 2006	<code>ff1be5ca621f2e7849b6405c132f4d59</code>
• Documentation	<a href="#">Zip</a>	5077599	11 July 2006	<code>8c97d5a31f179b066c6db885fd42ca22</code>
• Sources	<a href="#">Zip</a>	4361954	11 July 2006	<code>5c0df6ca6798ef666b6f89af161b76ba</code>

You can also download the files from the GnuWin32 [files page](#).

You can [monitor new releases](#) of the port of this package.

Name	Date modified	Type	Size
gslwin32bin	23-Apr-17 15:36	File folder	
gsl-1.8-bin.zip	21-Apr-17 16:22	Arquivo ZIP do Wi...	960 KB

Downloads-gsl-win32 > gslwin32bin > bin			
Organize		Open Share with New folder	
Name		Date modified	Type
	gsl-histogram.exe	07-Jul-06 11:12	Application
	gsl-randist.exe	07-Jul-06 11:12	Application
	libgsl.dll	07-Jul-06 11:08	Application exten
	libgslcblas.dll	07-Jul-06 11:08	Application exten

4 items selected Date modified: 07-Jul-06 11:12 Date created: 22-Apr-17 17:38 Size: 2.18 MB

Local Disk (C:) > Program Files > CodeBlocks > MinGW > bin			
Organize		Open with New folder	
Name		Date modified	Type
	Dropbox	07-Jul-06 11:08	Application
	Pictures	07-Jul-06 11:08	Application
	Documents	07-Jul-06 11:08	Application
	Ufrj	07-Jul-06 11:08	Application
	ConvertXtoDVD	07-Jul-06 11:08	Application
	Calibre Library	07-Jul-06 11:08	Application
	Music F	07-Jul-06 11:08	Application
	Filmes et al	07-Jul-06 11:08	Application
	Yandex.Disk	07-Jul-06 11:08	Application
	Google Drive	07-Jul-06 11:08	Application
	Zotfile	07-Jul-06 11:08	Application
	Recycle Bin - Shortcut	07-Jul-06 11:08	Application
	libFnotpron	07-Jul-06 11:08	Application
	_INCOMING(inc2016)	07-Jul-06 11:08	Application
	Libraries		
	Computer		
	Local Disk (C:)		
	Local Disk (D:)		
	Novo volume (F:)		
	Novo volume (H:)		
	Yandex.Disk		
	Network		

4 items selected Date modified: 07-Jul-06 11:08 Date created: 22-Apr-17 17:38 Size: 2.18 MB

- SETTINGS > COMPILER > TOOLCHAIN EXECUTABLES

