```
/**
 * Ofile line.h
 * Obrief Utilities for the three line sensors
 * Copyright (C) 2017 Ethan Wells
 * This program is free software: you can redistribute it and/or modify it
 * under the terms of the GNU General Public License as published by the Free
 * Software Foundation, either version 3 of the License, or(at your option) any
 * later version.
 * This program is distributed in the hope that it will be useful, but WITHOUT
 * ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS
 * FOR A PARTICULAR PURPOSE. See the GNU General Public License for more
 * details.
 * You should have received a copy of the GNU General Public License along
 * with this program. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>
#ifndef CARL_LINE_H_
#define CARL_LINE_H_
#include "robot.h"
#define qline(index) (line[index].value)
 * The distance between line sensors, the first number is inches and everything
 * else converts -> ticks
static const double lineDistance /*= (1.28 / ((M_PI * 4.125) / 360)) * (8/5);
typedef enum {
        LEFT = 0,
        RIGHT = 1,
} Side;
/**
 * Obrief Get the current Side. Really simple.
 * Oreturn the current Side, LEFT or RIGHT
 */
```

```
Side getSide();
/**
 * @brief Take and delete a mutex. If it can't be taken, don't delete it.
 * Oparam m the Mutex to take (then delete)
 * Oparam blockTime the maximim time to wait before giving up
 * Oreturn Whether or not the mutex was taken
 */
inline bool mutexTakeDelete(Mutex m, unsigned long blockTime) {
        if (!mutexTake(m, blockTime)) {
               return false;
       mutexDelete(m);
       return true;
}
 * Obrief Calculate the angle of the robot based on the positions of the left
 * and right drive from when each line sensor hit the line
 * Oparam p an array of the 4 positions, in the order: L1, R1, L2, R2
 * @param o which line sensor hit the line first
 * Creturn the angle, in degrees clockwise, of the robot relative to the line.
 * If something goes wrong, it will result 0 (I think. Don't quote me on that)
int getAngleFP(int p[4], Side o);
 * Obrief Get the angle from the upcoming line when it is hit and store it
 * Oparam store a pointer to where the angle is to be stored
 * Oparam m the Mutex to use, if one already exists. If not, use NULL
 * Oparam maxTime the maximum amount of time the get can take
 * Oreturn A Mutex that will be released when the angle is stored
Mutex angleFromUpcomingLine(int *store, Mutex mutex, unsigned long maxTime);
#endif
```