NARAYAN GLOBAL TRADE

Narayan Global Trade (NGT)

Delivering a range of fasteners on time, every time.

About Us

Established in2024byourvisionary director, Narayan Global Trade (NGT) began its journey as a focused operation in Mehsana, Gujarat, India. From these humble beginnings, NGT has grown to become a market leader, proudly 100% Indian-owned and operated.

Today, our dedicated team of 55 employees manages a comprehensive network of fully-stocked branches, offering over 60 diverse product lines. We possess the scale and capacity to seamlessly meet the demands of any customer, while retaining the agility and personalized service of a smaller enterprise.

Manufacturing & Quality Excellence

Integrated Systems

Ourentire manufacturingecosystem is seamlessly integrated using SAP Business 1, ensuring efficiency and precision at every stage.

Certified Quality

OurQuality Systemsare rigorously certified and fully compliant with ISO 9001:2018 standards, reflecting our unwavering commitment to excellence.

Advanced Facilities & Testing

Processing Capabilities:

- Hot DipGalvanizing
- Zinc Plating Black
- Phosphating Zinc
- Flake Coating Heat
- Treatment

Robust Testing Infrastructure:

- Universal TestingMachine
- Hardness Testing
- MPI Testing
- Torque Testing
- Impact Testing

Our Core Products

Bolts & Screws

FromstandardHex Head and Square Head to specialized T Bolts, Flange Bolts, Anchor Bolts, and custom sizes tailored to your exact specifications.

Nuts

Acomprehensive range including Hex Nuts, Lock Nuts, Dome Nuts, Flange Nuts, and Square Nuts, available in sizes from M3 to
M75.

Threaded Rods

Offering ZincPlated, Plain, Hot Dip Galvanized, and Heavy Threaded Rods, with lengths ranging from 1000mm to 3000mm to suit diverse applications.

Forgings

High-strength forgings including D Shackles, Bow Shackles, Chain Links, Lifting Chains, and Forged Flat Bars, engineered for superior performance.

Bolts & Screws - Detailed Specifications

Definition-Bolts belong tothe family of fastenerswhich hasthreeparts:head, chamfer,and a short.Materials and objects are positioned using a variety of bolts. A nut is used along with a bolt to secure the objects at a position. Sometimes bolts are called screws as both of them share similar characteristics and differentiating them is complex. In simple terms, a material is fixed together by passing a bolt through it whereas screws fit directly.

Types of Bolts/Screws

- Hex Head
- Square Head
- Socket Head Cap Screw
- T Bolt
- Flange Bolt
- J Bolt
- L Bolt
- Carriage Bolt
- Eye Bolt
- Custom Mode Bolt
- Pan Head Screw
- Self Tapping Screw
- Round Head Screw
- CSK Screws
- Grub Screw
- Threaded Rod
- Studs
- Coach Screw
- Plow Bolt
- Step Bolt
- Elevator Bolt
- Anchor Bolts
- Button Head

Specifications

- Dimension: ASTM/DIN, BS/GB, IS and all International Standards
- Length: 10mm upto 500mm & 3/8" upto 20"
- Bolts Size: M6 upto M72 OR 1/4" upto 3" / Custom Size
- Screw Size: M02 upto M24 / Custom Size
- Heat Treatment: Annealing, Stress Relieving, Case Hardening, Quenching and Tempering

Available Grades

Stainless Steel

- 304
- 304L
- 316
- 310
- 316L
- 316Ti
- 317L
- 321/88T
- 347/88C
- 904L
- 410
- 86

Inconel

- 600
- 601
- 625
- 800
- 825

Titanium

- Grade
- 2

  Grade

  5

Alloy Steel

- HT 8.8 HT 10.9
- HT 12.9 ASTM
- A194 B7 ASTM
- A194 B16
-

Hastelloy

- C276
- C22

Duplex Steel

- S31803
- S32205
- S32750
- S32760

Monel

- 400
- K500

Other

- Alloy 20
- SS 17-4PH/15-5PH

Nuts - Detailed Specifications

Anutis a type offastenerwitha threaded hole. Nutsarealmost alwaysused in conjunction with a mating bolt to fasten multiple parts together. The two partners are kept together by a combination of their threads' friction (with slight elastic deformation), a slight stretching of the bolt, and compression of the parts to be held together.

Types of Nuts

- Hex Nut
- Heavy Hex Nut
- Lock Nut
- Nylock Nut
- Weld Nut
- Dome Nut
- Flange Nut
- Square Nut
- Eye Nut
- T-Nut
- Break Away Nut
- Shear Nut
- Hex Machine Nuts Small Pattern
- Keps-K Lock Nut
- Knurled Thumb Nut
- Nylon Hex Jam Nut
- Nylon Insert Lock Nut
- Cap Nut
- Castle Nut
- Hex Finish Nut
- Hex Jam Nut
- Hex Machine Nut
- Structural Heavy Hex Nut
- Coupling Nut
- Flange Serrated Nut
- Prevailing Torque Lock (Stover) Nut
- Slotted Hex Nut
- Tri-Groove Nut
- Wing Nut

Specifications

- Dimension: ASTM, DIN, BS, GB, IS and all International Standards
- Size: M3 to M75 OR 1/8" to 3"
- Heat Treatment: Annealing, Stress Relieving, Case Hardening, Quenching and Tempering

Available Grades

Stainless Steel

- 304
- 304L
- 316 310
- 316
- 316L
- 316Ti
- 317L
- 321/88T
- 347/88C
- 904L
- 410
- 86
-

Inconel

- 600
- 601
- 625
- 800
- 825

Titanium

- Grade
- 2

  Grade

  5

Alloy Steel

- HT 8.8 HT 10.9 HT
- 12.9 ASTM A193
- 2H/2HM ASTM A194
- (Gr.4,
- Gr.6, Gr.7)/M

Hastelloy

- C276
- C22

Duplex Steel

- S31803
- S32205
- S32750
- S32760

Monel

- 400
- K500

Other

- Alloy 20
- SS 17-4PH/15-5PH

Threaded Rods - Detailed Specifications

Athreadedrod, alsoknown asastud, isarelativelylongrod thatisthreadedon both ends;the thread mayextend along the completelength oftherod. Theyare designedtobeusedin tension.Threaded rodin barstock form is often called all-thread.

Types of Threaded Rods

- Zinc Plated
- Plain
- Hot Dip Galv. & Yellow Zinc
- Double End Threaded Rods
- Fine Pitch Threaded Rods
- Metric Threaded Rods
- All thread Rods
- Heavy Threaded Rods
- Acme Threaded Rods
- Fully Threaded Rods
- Partially Threaded Rods
- Top End Threaded Rods
- Trapezoidal Threaded
- Rods Coil Rod Threaded
- Bars

Specifications

- Dimension: ASTM, DIN, BS, GB, IS and all International Standards
- Size: M6 to M52 & 1/4" to 2"
- Length: 1000mm to 3000mm & 1feet to 12feet
- Standard: DIN 975, DIN 976, DIN 938, DIN 939, DIN 940, DIN 835 etc.
- Finish: Zinc Plated, Plain, Hot Dip Galv. & Yellow Zinc

Available Grades

Stainless Steel

- 304
- 304L
- 316 310
- 316
- 316L
- 316Ti
- 317L
- 321/88T
- 347/88C
- 904L
- 410 86
-
-

Inconel

- 600
- 601
- 625
- 800
- 825

Titanium

- Grade
- 2

  Grade

  5

Alloy Steel

- HT 8.8 HT 10.9
- HT 12.9 ASTM
- A194 B7 ASTM
- A193 2H ASTM
- A194 B16 ASTM
- A194 Gr. 4
-

Hastelloy

- C276
- C22

Duplex Steel

- S31803
- S32205
- S32750
- S32760

Monel

- 400
- K500

Other

- Alloy 20
- SS 17-4PH/15-5PH

Forgings - Detailed Specifications

Forging is amanufacturing process involvingthe shapingof metalusinglocalizedcompressive forces. When it comes to forging, therearefourmain waysto forgeapart. Thosefour areimpressiondieforging,cold forging, open die forging and seamless rolled ring forging.

Types of Forgings

- Chain Link
- D Shackle
- Bow Shackle
- Single Jack Chain
- Lifting Chain
- Double Loop Chain
- Crotch
- Special Bow Shackle w/ No-Snag Pin
- Open Die Forging
- Closed Die Forging
- Seamless Rolled Ring
- Crane Hooks
- Step Shafts
- Forged Hollow Bars
- Anchor Shackle
- Safety Chain Shackle
- Bolt Chain Shackle
- Forged Flat Bars
- Forged Circles
- Forged Circular Plates
- Joining Shackle
- Forged Discs
- Mandrels
- Rings
- Shafting & Bars
- Long Link Chain

Specifications

- Dimension: ASTM, DIN, BS, GB, IS and all International Standards
- Forged Between: 2300/1700°F (1260/930°C) and air cooled
- Severe Reductions: Ingot breakdown, Roll forging, Drawing, Blocking and Backward extrusion - 2300°F (1260°C)
- Moderate Reductions: Finish forging and upsetting - 2200°F (1200°C)
- Slight reductions: Coining, restricking and end upsetting - 2050°F (1120°)

Available Grades

Stainless Steel

- 304
- 304L
- 310
- 316
- 316L
- 316T
- i
- 317L
- 321
- 347
- 904L
- 410

Inconel

- 600
- 601
- 625
- 800
- 825

Titanium

- Grade
- 2

Grade

5

SAE 8620

Hastelloy

- C276
- C22

Duplex Steel

- S31803
- S32205
- S32750
- S32760

Monel

- 400
- K500

Other

- Alloy 20
- SS 17-4PH/15-5PH

Premium Materials & Grades

AtNGT,we understandthatthe integrity ofafastenerbeginswiththe qualityofits material. We meticulously select and utilize only premium materials, ensuring superior strength, durability, and performance across all our products.

Stainless Steel

304, 316, 316L, 321, 904L

High-Performance Alloys

Inconel, Hastelloy, Monel

Titanium

Grade 2, Grade 5

Specialty Steels

Duplex Steel, Alloy Steel

Our commitment to sourcing and utilizing these high-grade materials guarantees that every NGT fastener meets the most stringent industrial requirements and provides lasting reliability in critical applications.

Contact Us

Our Location

Survey no.810/2,Near you can industrially park, Opp petrol pump, village Nugar, Mehsana, Gujarat-384205.

Reach Out

Mobile:+9199786 80600

For inquiries or support, our team is ready to assist you. Connect with us to discuss your fastener needs.