

- <https://arxiv.org/abs/1706.01629>
Sanjib Sharma, **Markov Chain Monte Carlo Methods for Bayesian Data Analysis in Astronomy**
- <https://arxiv.org/abs/1706.02704>
Remco F. J. van der Burg, Henk Hoekstra, Adam Muzzin et al., **The abundance of ultra-diffuse galaxies from groups to clusters: UDGs are relatively more common in more massive haloes**




1706.01629 Sanjib Sharma, *Markov Chain Monte Carlo Methods for Bayesian Data Analysis in Astronomy*

Contents


1. Introduction	2
1.1. Rise of MCMC based Bayesian methods in astronomy and science	4
2. Bayesian Data Analysis	6
2.1. Bayes' Theorem	7
2.2. Fitting a model to data	8
2.3. Priors	
2.4. Fitting a straight line	
2.5. Model comparison.....	
2.5.1. Bayesian model comparison.....	
2.5.2. Predictive methods for Model comparison	
3. Monte Carlo methods for Bayesian computations	
3.1. Markov Chain	
3.2. Metropolis Hastings algorithm	
3.3. Gibbs sampling	
3.4. Metropolis within Gibbs.....	
3.5. Adaptive Metropolis.....	
3.6. Affine invariant sampling.....	
3.7. Convergence Diagnostics.....	
3.7.1. Effective sample size	25
3.7.2. Variance between chains	25
3.7.3. Thinning	
3.8. Parallel Tempering	
3.9. Monte Carlo Metropolis Hastings.....	
3.9.1. Unknown normalization constant.....	
3.9.2. Marginal inference	
3.10. Hamiltonian Monte Carlo	
3.11. Population Monte Carlo.....	
3.12. Nested Sampling	
4. Bayesian hierarchical modelling (BHM)	
4.1. Expectation maximization, data augmentation and Gibbs sampling	
4.2. Handling uncertainties in observed data	
5. Case studies in astronomy	
5.1. Exoplanets and binary systems using radial velocity measurements	
5.2. Data driven approach to estimation of stellar parameters from a spectrum	
5.3. Solar-like oscillations in stars	
5.4. Extinction mapping and estimation of intrinsic stellar properties	
5.5. Kinematic and dynamical modelling of the Milky Way	
6. Concluding remarks	

Annual Review of
Astronomy and Astrophysics.


<http://bmcmc.readthedocs.io/>







1706.02704 Remco F. J. van der Burg, Henk Hoekstra, Adam Muzzin et al., **The abundance of ultra-diffuse galaxies from groups to clusters: UDGs are relatively more common in more massive haloes**



Binmean $\log_{10}[M_{200}/M_{\odot}]$	Ngroups	UDGs per group	Richness $M_r < M_r^* + 2.5$
12.23	8	$-0.21^{+0.51+0.52}_{-0.45-0.61}$	$1.80^{+0.50+0.40}_{-0.44-0.78}$
12.62	38	$0.32^{+0.62+1.08}_{-0.55-0.93}$	$2.93^{+0.30+0.39}_{-0.27-0.40}$
13.03	139	$1.38^{+0.56+1.26}_{-0.49-1.04}$	$4.69^{+0.20+0.30}_{-0.18-0.26}$
13.36	107	$3.31^{+0.89+1.51}_{-0.78-1.62}$	$7.98^{+0.31+0.45}_{-0.27-0.48}$
13.77	27	$7.54^{+2.52+5.22}_{-2.21-3.97}$	$19.31^{+0.94+1.97}_{-0.83-1.59}$
14.04	3	$44.93^{+13.95+21.54}_{-12.23-38.98}$	$39.60^{+3.93+5.22}_{-3.44-7.79}$
14.52	1	$64.29^{+18.16+18.16}_{-15.92-15.92}$	$81.84^{+9.66+9.66}_{-8.47-8.47}$



1706.02704 Remco F. J. van der Burg, Henk Hoekstra, Adam Muzzin et al., **The abundance of ultra-diffuse galaxies from groups to clusters: UDGs are relatively more common in more massive haloes**



1706.02704 Remco F. J. van der Burg, Henk Hoekstra, Adam Muzzin et al., **The abundance of ultra-diffuse galaxies from groups to clusters: UDGs are relatively more common in more massive haloes**

