
ISO height parameters 100x 20x 8 6 Sa 4 · 2 · 20 -15 Sku 10 NMP_cat 5 · <10% 30 10-20% 20 · Sp 10 Tooth 10.0 -7.5 В Sq 5.0 С 2.5 D Ε Ssk G Н 30 -20 Ş 10 -60 -40 - S_{Z} 20 bottom bottom top top

ISO volume parameters 100x 20x 0.4 0.3 $\stackrel{\textstyle <}{m}$ 0.2 0.1 8 6 Vmc NMP_cat 4 <10% 2 10-20% 0.4 0.3 Vmp Tooth 0.2 Α 0.1 В 12 D 5 8 Ε 4 F G Н 10 5 1.0 ≶ 0.5 bottom bottom top top

Other ISO parameters 100x 20x 100 75 -Sal 50 -25 -0.5 -Sdq 0.4 -0.3 -0.2 -NMP_cat 6 -4 • <10% 2 10-20% 15 -10 · Smc Tooth 5 · Α 10.0 -7.5 В Smr 5.0 2.5 С 0.0 D 4 3 **-**2 **-**Ssw Ε F 1 -G 150 -Н 100 Std 50 -0 -0.75 Str 0.50 0.25 20 -15 -Sxp 10 -5 bottom bottom top top

Furrow, direction and isotropy parameters



SSFA parameters 100x 20x 12 -Asfc 8 4 0.008 0.006 epLsar NMP_cat 0.004 <10% 0.002 10-20% 7.5 -HAsfc81 Tooth 5.0 2.5 В 0.0 -С 4 3 HAsfc9 D 2 -Ε 1 0 -G 0.019 NewEplsar Н 0.018 0.017 0.016 0.015 1500 -Smfc 1000 -500 0 bottom bottom top top