JavaScript is disabled on your browser.

calculadora

Class calculadora2

```
java.lang.Object
    java.awt.Component
        java.awt.Container
            java.awt.Window
                java.awt.Frame
                    javax.swing.JFrame
                        calculadora.calculadora2
```

All Implemented Interfaces:

```
java.awt.image.ImageObserver, java.awt.MenuContainer, java.io.Serializable,
javax.accessibility.Accessible, javax.swing.RootPaneContainer,
javax.swing.WindowConstants
```

```
public class calculadora2
extends javax.swing.JFrame
```

See Also:

Serialized Form

Nested Class Summary

Nested classes/interfaces inherited from class javax.swing.JFrame

```
javax.swing.JFrame.AccessibleJFrame
```

Nested classes/interfaces inherited from class java.awt.Frame

```
java.awt.Frame.AccessibleAWTFrame
```

Nested classes/interfaces inherited from class java.awt.Window

```
java.awt.Window.AccessibleAWTWindow, java.awt.Window.Type
```

Nested classes/interfaces inherited from class java.awt.Container

```
java.awt.Container.AccessibleAWTContainer
```

Nested classes/interfaces inherited from class java.awt.Component

```
java.awt.Component.AccessibleAWTComponent,
java.awt.Component.BaselineResizeBehavior,
java.awt.Component.BltBufferStrategy,
java.awt.Component.FlipBufferStrategy
```

Field Summary

Fields inherited from class javax.swing.JFrame

```
accessibleContext, EXIT_ON_CLOSE, rootPane, rootPaneCheckingEnabled
```

Fields inherited from class java.awt.Frame

```
CROSSHAIR_CURSOR, DEFAULT_CURSOR, E_RESIZE_CURSOR, HAND_CURSOR,
ICONIFIED, MAXIMIZED_BOTH, MAXIMIZED_HORIZ, MAXIMIZED_VERT,
MOVE_CURSOR, N_RESIZE_CURSOR, NE_RESIZE_CURSOR, NORMAL,
NW_RESIZE_CURSOR, S_RESIZE_CURSOR, SE_RESIZE_CURSOR, SW_RESIZE_CURSOR,
TEXT_CURSOR, W_RESIZE_CURSOR, WAIT_CURSOR
```

Fields inherited from class java.awt.Component

```
BOTTOM_ALIGNMENT, CENTER_ALIGNMENT, LEFT_ALIGNMENT, RIGHT_ALIGNMENT,
TOP_ALIGNMENT
```

Fields inherited from interface javax.swing.WindowConstants

```
DISPOSE_ON_CLOSE, DO_NOTHING_ON_CLOSE, HIDE_ON_CLOSE
```

Fields inherited from interface java.awt.image.ImageObserver

```
ABORT, ALLBITS, ERROR, FRAMEBITS, HEIGHT, PROPERTIES, SOMEBITS, WIDTH
```

Constructor Summary

Constructors

Constructor and Description

calculadora2()

Creates new form calculadora2

Method Summary

All Methods   **Static Methods**   **Concrete Methods**

Modifier and Type	Method and Description
static java.lang.String	**calculadora**(java.lang.String memoria1, java.lang.String memoria2, java.lang.String signo)
static boolean	**existe_punto**(java.lang.String cadena)
static void	**main**(java.lang.String[] args)

Methods inherited from class javax.swing.JFrame

addImpl, createRootPane, frameInit, getAccessibleContext, getContentPane, getDefaultCloseOperation, getGlassPane, getGraphics, getJMenuBar, getLayeredPane, getRootPane, getTransferHandler, isDefaultLookAndFeelDecorated, isRootPaneCheckingEnabled, paramString, processWindowEvent, remove, repaint, setContentPane, setDefaultCloseOperation, setDefaultLookAndFeelDecorated, setGlassPane, setIconImage, setJMenuBar, setLayeredPane, setLayout, setRootPane, setRootPaneCheckingEnabled, setTransferHandler, update

Methods inherited from class java.awt.Frame

addNotify, getCursorType, getExtendedState, getFrames, getIconImage, getMaximizedBounds, getMenuBar, getState, getTitle, isResizable, isUndecorated, remove, removeNotify, setBackground, setCursor, setExtendedState, setMaximizedBounds, setMenuBar, setOpacity, setResizable, setShape, setState, setTitle, setUndecorated

Methods inherited from class java.awt.Window

addPropertyChangeListener, addPropertyChangeListener, addWindowFocusListener, addWindowListener, addWindowStateListener, applyResourceBundle, applyResourceBundle, createBufferStrategy, createBufferStrategy, dispose, getBackground, getBufferStrategy,

getFocusableWindowState, getFocusCycleRootAncestor, getFocusOwner,
getFocusTraversalKeys, getIconImages, getInputContext, getListeners,
getLocale, getModalExclusionType, getMostRecentFocusOwner, getOpacity,
getOwnedWindows, getOwner, getOwnerlessWindows, getShape, getToolkit,
getType, getWarningString, getWindowFocusListeners,
getWindowListeners, getWindows, getWindowStateListeners, hide,
isActive, isAlwaysOnTop, isAlwaysOnTopSupported, isAutoRequestFocus,
isFocusableWindow, isFocusCycleRoot, isFocused, isLocationByPlatform,
isOpaque, isShowing, isValidateRoot, pack, paint, postEvent,
processEvent, processWindowFocusEvent, processWindowStateEvent,
removeWindowFocusListener, removeWindowListener,
removeWindowStateListener, reshape, setAlwaysOnTop,
setAutoRequestFocus, setBounds, setBounds, setCursor,
setFocusableWindowState, setFocusCycleRoot, setIconImages,
setLocation, setLocation, setLocationByPlatform,
setLocationRelativeTo, setMinimumSize, setModalExclusionType, setSize,
setSize, setType, setVisible, show, toBack, toFront

Methods inherited from class java.awt.Container

add, add, add, add, add, addContainerListener,
applyComponentOrientation, areFocusTraversalKeysSet, countComponents,
deliverEvent, doLayout, findComponentAt, findComponentAt,
getAlignmentX, getAlignmentY, getComponent, getComponentAt,
getComponentAt, getComponentCount, getComponents, getComponentZOrder,
getContainerListeners, getFocusTraversalPolicy, getInsets, getLayout,
getMaximumSize, getMinimumSize, getMousePosition, getPreferredSize,
insets, invalidate, isAncestorOf, isFocusCycleRoot,
isFocusTraversalPolicyProvider, isFocusTraversalPolicySet, layout,
list, list, locate, minimumSize, paintComponents, preferredSize,
print, printComponents, processContainerEvent, remove, removeAll,
removeContainerListener, setComponentZOrder, setFocusTraversalKeys,
setFocusTraversalPolicy, setFocusTraversalPolicyProvider, setFont,
transferFocusDownCycle, validate, validateTree

Methods inherited from class java.awt.Component

action, add, addComponentListener, addFocusListener,
addHierarchyBoundsListener, addHierarchyListener,
addInputMethodListener, addKeyListener, addMouseListener,
addMouseMotionListener, addMouseWheelListener, bounds, checkImage,
checkImage, coalesceEvents, contains, contains, createImage,
createImage, createVolatileImage, createVolatileImage, disable,
disableEvents, dispatchEvent, enable, enable, enableEvents,
enableInputMethods, firePropertyChange, firePropertyChange,

firePropertyChange, firePropertyChange, firePropertyChange, firePropertyChange, firePropertyChange, firePropertyChange, firePropertyChange, getBaseline, getBaselineResizeBehavior, getBounds, getBounds, getColorModel, getComponentListeners, getComponentOrientation, getCursor, getDropTarget, getFocusListeners, getFocusTraversalKeysEnabled, getFont, getFontMetrics, getForeground, getGraphicsConfiguration, getHeight, getHierarchyBoundsListeners, getHierarchyListeners, getIgnoreRepaint, getInputMethodListeners, getInputMethodRequests, getKeyListeners, getLocation, getLocation, getLocationOnScreen, getMouseListeners, getMouseMotionListeners, getMousePosition, getMouseWheelListeners, getName, getParent, getPeer, getPropertyChangeListeners, getPropertyChangeListeners, getSize, getSize, getTreeLock, getWidth, getX, getY, gotFocus, handleEvent, hasFocus, imageUpdate, inside, isBackgroundSet, isCursorSet, isDisplayable, isDoubleBuffered, isEnabled, isFocusable, isFocusOwner, isFocusTraversable, isFontSet, isForegroundSet, isLightweight, isMaximumSizeSet, isMinimumSizeSet, isPreferredSizeSet, isValid, isVisible, keyDown, keyUp, list, list, list, location, lostFocus, mouseDown, mouseDrag, mouseEnter, mouseExit, mouseMove, mouseUp, move, nextFocus, paintAll, prepareImage, prepareImage, printAll, processComponentEvent, processFocusEvent, processHierarchyBoundsEvent, processHierarchyEvent, processInputMethodEvent, processKeyEvent, processMouseEvent, processMouseMotionEvent, processMouseWheelEvent, removeComponentListener, removeFocusListener, removeHierarchyBoundsListener, removeHierarchyListener, removeInputMethodListener, removeKeyListener, removeMouseListener, removeMouseMotionListener, removeMouseWheelListener, removePropertyChangeListener, removePropertyChangeListener, repaint, repaint, repaint, requestFocus, requestFocus, requestFocusInWindow, requestFocusInWindow, resize, resize, revalidate, setComponentOrientation, setDropTarget, setEnabled, setFocusable, setFocusTraversalKeysEnabled, setForeground, setIgnoreRepaint, setLocale, setMaximumSize, setName, setPreferredSize, show, size, toString, transferFocus, transferFocusBackward, transferFocusUpCycle

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Methods inherited from interface java.awt.MenuContainer

getFont, postEvent

Constructor Detail

calculadora2

```
public calculadora2()
```

Creates new form calculadora2

Method Detail

calculadora

```
public static java.lang.String calculadora(java.lang.String memoria1,
                                           java.lang.String memoria2,
                                           java.lang.String signo)
```

existe_punto

```
public static boolean existe_punto(java.lang.String cadena)
```

main

```
public static void main(java.lang.String[] args)
```

Parameters:

```
args - the command line arguments
```

PACKAGE   CLASS   USE   TREE   DEPRECATED   INDEX   HELP

PREV CLASS   NEXT CLASS   FRAMES   NO FRAMES   ALL CLASSES

SUMMARY: NESTED | FIELD | CONSTR | METHOD   DETAIL: FIELD | CONSTR | METHOD