





FIG. 1: Usable gravimetric and volumetric hydrogen storage capacities of 106 Metal-Organic Frameworks, MOFs, as functions of the density, at 25 MPa and 298.15 K.





FIG. 2: Usable gravimetric and volumetric hydrogen storage capacities of 106 MOFs as functions of the porosity, at 25 MPa and 298.15 K.





FIG. 3: Usable gravimetric and volumetric hydrogen storage capacities of 106 MOFs as functions of the largest pore radius, at 25 MPa and 298.15 K.





FIG. 4: Usable gravimetric and volumetric hydrogen storage capacities of 106 MOFs as functions of the specific surface area, SSA, at 25 MPa and 298.15 K.





FIG. 5: Usable gravimetric and volumetric hydrogen storage capacities of 106 MOFs as functions of the specific pore volume, at 25 MPa and 298.15 K.




FIG. 6: Specific Surface Area, SSA, vs porosity of 106 MOFs.




FIG. 7: Approximate usable gravimetric capacity vs exact usable gravimetric capacity of 106 MOFs, at 25 MPa and 298.15 K.




FIG. 8: Specific Surface Area, SSA, vs density of 106 MOFs.




FIG. 9: Specific Pore Volume vs density of 106 MOFs.




FIG. 10: Largest Pore Radius vs density of 106 MOFs.