


Undécima entrega de capturas

JAVASCRIPT ITERATORS:



The screenshot shows a web browser with three tabs: 'Desenvolupament WEB en...', 'JavaScript Iterators', and 'W3Schools Tryit Editor'. The address bar shows the URL 'w3schools.com/js/tryit.asp?filename=tryjs_iterator_filter'. A banner for 'ouigo' travel between Madrid and Valencia is visible. The main content area shows a code editor with the following code:

```
<!DOCTYPE html>
<html>
<body>
<h1>JavaScript Iterators</h1>
<h2>The filter() Method</h2>

<p id="demo"></p>


<script>
const myIterator = Iterator.from([32, 33, 16, 40]);
const filteredIterator = myIterator.filter(x => x > 18);

let text = "";
for (const x of filteredIterator) {
  text += x + "<br>";
}

document.getElementById("demo").innerHTML = text;
</script>

</body>
</html>
```

On the right side, there is a sidebar with the title 'JavaScript Iterators' and a sub-title 'The filter() Method'. Below the sub-title, the numbers 32, 33, and 40 are listed, which are the values from the original array that are greater than 18.



JavaScript Iterators

The flatMap() Method


The flatMap() method returns a new iterator with all elements transformed by a flatmap function.

```

1
10
2
20
3
30
4
40
5
50
6
60

```

JAVASCRIPT GENERATORS:



JavaScript Generators

A generator returns an object with two properties: value and done.

```

1
2

```

Desenvolupament WEB en JavaScript GeneratorsW3Schools Tryit Editor

w3schools.com/js/tryit.asp?filename=tryjs_generator_2

**¡Vapers y líquidos!**
Las mejores marcas y sabores.


COMPRA AHORA



Run

Result

```
<!DOCTYPE html>
<html>
<body>
<h1>JavaScript Generators</h1>
<p>A generator returns an object with two properties: value and done.</p>
<p id="demo"></p>

<script>
function* myStream() {
  // return {value:1, done:false}
  yield 1;

  // return {value:2, done:false}
  yield 2;

  // return {value:3, done:false}
  yield 3;
}

// Create a Generator
let myGenerator = myStream();
let text = "";

// Loop the Generator
for (let value of myGenerator) {
  text += value + "<br>";
}

document.getElementById("demo").innerHTML = text;
</script>
</body>
</html>
```

JavaScript Generators

A generator returns an object with two properties: value and done.

- 1
- 2
- 3