Title

Author <author@email.com>

Institute, University of Basel

Date

Some Images

Turing Machine

Turing machine Turing 1936; Turing 1950

Some Images

A Turing Machine.

Some Equations

Now we introduce an equation.

Theorem

A Turing Machine is a 7-Tuple:

$$M = \langle Q, \Gamma, b, \Sigma, \delta, q_0, F \rangle \tag{1}$$

A Turing Machine is a 7-Tuple even if defined in the text, as in
$M = \langle Q, \Gamma, b, \Sigma, \delta, q_0, F \rangle$.

Beamer Overlays

This page consists of three columns,

which are gradually revealed

with the power of Beamer Overlays.

Check out the beamer class user documentation
`https://texdoc.org/serve/beamer/0`, in particular chapter 9 for overlays.

This slide also demonstrates that one should add the beamer option
`onlytextwidth`.

Beamer Overlays

This page consists of three columns,

which are gradually revealed

with the power of Beamer Overlays.

Check out the beamer class user documentation `https://texdoc.org/serve/beamer/0`, in particular chapter 9 for overlays.

This slide also demonstrates that one should add the beamer option `onlytextwidth`.

Beamer Overlays

This page consists of three columns,

which are gradually revealed

with the power of Beamer Overlays.

Check out the beamer class user documentation
`https://texdoc.org/serve/beamer/0`, in particular chapter 9 for overlays.

This slide also demonstrates that one should add the beamer option
`onlytextwidth`.

Items and Numbers

- one
- two
- three

1. first
2. second
3. third

Tables

Tables are also interesting.

Title	f	Comments
The chemical basis of morphogenesis	7327	
On computable numbers	6347	Turing Machine
Computing machinery and intelligence	6130	

Some Images

Turing Machine

Turing machine Turing 1936; Turing 1950

Speaker Notes

You may turn on the notes and handout option to see the notes to the slides.

Questions?

author@email.com

Backup

Test