

Title

Author <author@email.com>
Institute, University of Basel


Date

Some Images

Turing Machine

Turing machine Turing 1936; Turing 1950

Some Images



A Turing Machine.

Some Equations

Now we introduce an equation.

Theorem

A Turing Machine is a 7-Tuple:

$$M = \langle Q, \Gamma, b, \Sigma, \delta, q_0, F \rangle \tag{1}$$

A Turing Machine is a 7-Tuple even if defined in the text, as in $M=\langle Q,\Gamma,b,\Sigma,\delta,q_0,F\rangle.$

Beamer Overlays

This page consists of three columns,

which are gradually revealed

with the power of Beamer Overlays.

Check out the beamer class user documentation https://texdoc.org/serve/beamer/0, in particular chapter 9 for overlays.

This slide also demonstrates that one should add the beamer option onlytextwidth.

Beamer Overlays

This page consists of three columns,

which are gradually revealed

with the power of Beamer Overlays.

Check out the beamer class user documentation https://texdoc.org/serve/beamer/0, in particular chapter 9 for overlays.

This slide also demonstrates that one should add the beamer option onlytextwidth.

Beamer Overlays

This page consists of three columns,

which are gradually revealed

with the power of Beamer Overlays.

Check out the beamer class user documentation https://texdoc.org/serve/beamer/0, in particular chapter 9 for overlays.

This slide also demonstrates that one should add the beamer option onlytextwidth.

Items and Numbers

- one
- two
- three

- 1. first
- 2. second
- 3. third

Tables

Tables are also interesting.

Title	f	Comments
The chemical basis of morphogenesis	7327	
On computable numbers	6347	Turing Machine
Computing machinery and intelligence	6130	

Some Images

Turing Machine

Turing machine Turing 1936; Turing 1950

Speaker Notes

You may turn on the notes and handout option to see the notes to the slides.

Questions?

author@email.com

Backup

Test