Cover Sheet for Submission of Maths Examinations Summer 2020

We would advise preparing your coversheets with your CID, Module Name and Code and Date, before the exams are due to take place.

CID: 01738166

Module Name: Calculus and Applications

Module Code: MATH40004

Date: 12/05/2020

Questions Answered (in the file):

Please tick next to the question or questions you have answered in this file.

Q1	
Q2	
Q3	
Q4	
Q5	
Q6	✓

(Note: this is a coversheet for all students - not all students will have exams with 6 questions. Please tick the boxes which are appropriate for your exam and/or the file you are submitting).

(Optional) Page Numbers for each question;

Page Number	Question Answered

If handwritten, please complete in CAPITAL Letters, in Blue or Black Ink, ensuring the cover sheet is legible.

(a)

$$e^{2x e^{2z}} - x^2 + \ln(y^3) = 0$$

$$2x + 2z = \ln(x^2 - \ln y^3)$$

$$z = \frac{\ln(x^2 - \ln y^3)}{2} - x$$

$$\frac{\partial z}{\partial x} = \frac{x}{x^2 - \ln y^3} - 1 \quad ; \quad \frac{\partial z}{\partial y} = \frac{-\frac{1}{y^3} \cdot 3y^2}{2(x^2 - \ln y^3)} = -\frac{3}{2y(x^2 - \ln y^3)}$$

$$\frac{\partial^2 z}{\partial y \partial x} = \frac{\frac{1}{y^3} \cdot 3y^2}{(x^2 - \ln y^3)^2} = \frac{3}{y(x^2 - \ln y^3)^2} \left. \vphantom{\frac{1}{1}} \right)$$

$$\frac{\partial^2 z}{\partial x \partial y} = \frac{3 \cdot 4xy}{4y^2(x^2 - \ln y^3)^2} = \frac{3}{y(x^2 - \ln y^3)^2} \left. \vphantom{\frac{1}{1}} \right) \quad = $$

(b)

(iii) $\dfrac{dy}{dx} = u \quad , \quad \dfrac{du}{dx} = t \;, \; \Rrightarrow \; \dfrac{dt}{dx} = p$

$$\Rightarrow p + 6t + 12u + 8y = x \, e^{-2x}$$

$$\frac{d}{dx}\begin{pmatrix} y \\ u \\ t \\ p \end{pmatrix} = \begin{pmatrix} 8 & 0 & 0 & 0 \\ 0 & 12 & 0 & 0 \\ 0 & 0 & 6 & 0 \\ 0 & 0 & 0 & 1 \end{pmatrix}\begin{pmatrix} y \\ u \\ t \\ p \end{pmatrix} + x e^{-2x}$$

(i) Try $y = e^{\lambda x}$, λ - constant

We have $y''' + 6y'' + 12y' + 8y = 0$

$y' = \lambda e^{\lambda x}$, $y'' = \lambda^2 e^{\lambda x}$, $y''' = \lambda^3 e^{\lambda x}$

$\Rightarrow$ we have:

$\lambda^3 e^{\lambda x} + 6 \lambda^2 e^{\lambda x} + 12\lambda e^{\lambda x} + 8 e^{\lambda x} = 0$ $\quad (\Leftrightarrow)$

$\lambda^3 + 6\lambda^2 + 12\lambda + 8 = 0$

$\Rightarrow (\lambda + 2)^3 = 0 \Rightarrow \lambda = -2$

$\Rightarrow$ Our solution to the homogenous equation is

$$y = c_1 e^{-2x} + c_2 \cdot x \cdot e^{-2x} + c_3 x^2 e^{-2x}$$

(ii) Ansatz: $\cancel{y = Ax^2 + Bx + C}$

$y = A x^4 e^{-2x}$

$y' = -2Ax^3 (2x - 2) e^{-2x}$

$y'' = 4A x^2 (2x^2 - 4x + 3) e^{-2x}$ $\quad \Big\} \Rightarrow y''' + 6y'' + 12y' + 8y =$

$y''' = -8A(4x^3 - 6x^2 + 9x - 3) e^{-2x}$

$= Ae^{-2x}\left(-8x^3 + 36x^2 - 36x + 6 + 24x^3 - 72x^2 + 36x \cancel{\cdots} \quad {}^{-24x^3 + 36x^2}\right)$

$= A e^{-2x}(24x) = 24Axe^{-2x} = xe^{-2x} \Rightarrow 24A = 1 \Rightarrow A = \frac{1}{24}$

$\Rightarrow$ $\boxed{y_{GS} = c_1 e^{-2x} + c_2 x e^{-2x} + c_3 x^2 e^{-2x} + \dfrac{1}{24} x^4 e^{-2x}}$

$\underbrace{\phantom{c_1 e^{-2x} + c_2 x e^{-2x} + c_3 x^2 e^{-2x}}}_{\substack{\text{solution to} \\ \text{homogeneous eq.}}}$ $\underbrace{\phantom{\dfrac{1}{24} x^4}}_{\substack{\text{part} \\ \text{solution}}}$