



HD124850, bright, 105 fitted LDD = 1.1436 +/- 0.0102 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




HD124850, faint, 105 fitted LDD = 1.1227 +/- 0.0001 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




HD141004, bright, 105 fitted LDD = 1.1046 +/- 0.0084 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




HD141004, faint, 105 fitted LDD = 1.0645 +/- 0.0030 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




HD142860, faint, 105 fitted LDD = 1.1838 +/- 0.0044 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair




Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




HR_2998, bright, 104
fitted LDD = 0.9786 +/- 0.0102 mas; 84 measurements; 36 removal candidates



Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)

ID	night	pair	B(m)	channel	raw	sigma
P71	unknown	2-3	nan	5	nan	nan
P70	unknown	2-3	nan	4	nan	nan
P39	unknown	1-2	nan	3	nan	nan
P38	unknown	1-2	nan	2	nan	nan
P37	unknown	1-2	nan	1	nan	nan
P36	unknown	1-2	nan	0	nan	nan
P23	unknown	2-3	nan	5	nan	nan
P22	unknown	2-3	nan	4	nan	nan

HR_2998, faint, 104
fitted LDD = 0.9899 +/- 0.0130 mas; 84 measurements; 36 removal candidates




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)


ID	night	pair	B(m)	channel	raw	sigma
P83	unknown	3-4	nan	5	nan	nan
P82	unknown	3-4	nan	4	nan	nan
P45	unknown	1-3	nan	3	nan	nan
P44	unknown	1-3	nan	2	nan	nan
P43	unknown	1-3	nan	1	nan	nan
P42	unknown	1-3	nan	0	nan	nan
P35	unknown	3-4	nan	5	nan	nan
P34	unknown	3-4	nan	4	nan	nan

bet_Hyi, bright, 106
fitted LDD = 2.3059 +/- 0.0228 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual}/\sigma | \geq 3.0$)
No removal candidates.

bet_Hyi, faint, 106
fitted LDD = 2.3578 +/- 0.0061 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual}/\sigma | \geq 3.0$)
No removal candidates.

gam_Lep, faint, 104
 fitted LDD = 1.3397 +/- 0.0066 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual/sigma} | \geq 3.0$)
 No removal candidates.

gam_Lep, faint, 106
fitted LDD = 1.1912 +/- 0.0119 mas; 72 measurements; 55 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)


ID	night	pair	B(m)	channel	raw	sigma
P71	unknown	3-4	nan	5	nan	nan
P52	unknown	1-4	nan	4	nan	nan
P50	unknown	1-4	nan	2	nan	nan
P49	unknown	1-4	nan	1	nan	nan
P48	unknown	1-4	nan	0	nan	nan
P47	unknown	1-3	nan	5	nan	nan
P46	unknown	1-3	nan	4	nan	nan
P45	unknown	1-3	nan	3	nan	nan

iot_Psc, bright, 104
 fitted LDD = 1.1701 +/- 0.0081 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)
 No removal candidates.

iot_Psc, faint, 104
fitted LDD = 1.1014 +/- 0.0134 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline



Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual}/\text{sigma} | \geq 3.0$)
No removal candidates.

ksi_Gem, bright, 106
fitted LDD = 1.3795 +/- 0.0035 mas; 90 measurements; 58 removal candidates




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)


ID	night	pair	B(m)	channel	raw	sigma
P89	unknown	3-4	nan	5	nan	nan
P32	unknown	3-4	nan	2	nan	nan
P50	unknown	1-3	nan	2	nan	nan
P49	unknown	1-3	nan	1	nan	nan
P48	unknown	1-3	nan	0	nan	nan
P41	unknown	1-2	nan	5	nan	nan
P40	unknown	1-2	nan	4	nan	nan
P39	unknown	1-2	nan	3	nan	nan

ksi_Gem, faint, 106
fitted LDD = 0.8459 +/- 0.0089 mas; 90 measurements; 56 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)


ID	night	pair	B(m)	channel	raw	sigma
P45	unknown	1-3	nan	3	nan	nan
P25	unknown	2-4	nan	1	nan	nan
P42	unknown	1-3	nan	0	nan	nan
P41	unknown	1-2	nan	5	nan	nan
P40	unknown	1-2	nan	4	nan	nan
P39	unknown	1-2	nan	3	nan	nan
P38	unknown	1-2	nan	2	nan	nan
P37	unknown	1-2	nan	1	nan	nan

pi3_Ori, bright, 104
fitted LDD = 1.5349 +/- 0.0109 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




pi3_Ori, faint, 104
 fitted LDD = 1.3725 +/- 0.0037 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual}/\sigma | \geq 3.0$)
 No removal candidates.

psi Vel A, bright, 106
fitted LDD = 0.9461 +/- 0.0124 mas; 84 measurements; 12 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)


ID	night	pair	B(m)	channel	raw	sigma
P65	unknown	2-3	nan	5	nan	nan
P64	unknown	2-3	nan	4	nan	nan
P63	unknown	2-3	nan	3	nan	nan
P62	unknown	2-3	nan	2	nan	nan
P61	unknown	2-3	nan	1	nan	nan
P60	unknown	2-3	nan	0	nan	nan
P59	unknown	2-3	nan	5	nan	nan
P58	unknown	2-3	nan	4	nan	nan

psi_Vel, faint, 106
fitted LDD = 0.9566 +/- 0.0204 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)
No removal candidates.

rho_Pup, bright, 106
fitted LDD = 1.6115 +/- 0.0059 mas; 72 measurements; 20 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)


ID	night	pair	B(m)	channel	raw	sigma
P31	2021-02-17	3-4	103.7	1	-0.109	-106.79
P33	2021-02-17	3-4	103.7	3	-0.113	-88.07
P34	2021-02-17	3-4	103.7	4	-0.106	-88.97
P22	2021-02-17	2-3	56.7	4	-0.101	-93.53
P23	2021-02-17	2-3	56.7	5	-0.075	-119.79
P32	2021-02-17	3-4	103.7	2	-0.103	-84.09
P30	2021-02-17	3-4	103.7	0	-0.104	-82.48
P35	2021-02-17	3-4	103.7	5	-0.095	-84.86

rho_Pup, faint, 106
fitted LDD = 1.6639 +/- 0.0203 mas; 72 measurements; 10 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)


ID	night	pair	B(m)	channel	raw	sigma
P54	2021-02-16	2-3	44.5	0	0.283	75.49
P57	2021-02-16	2-3	44.5	3	0.263	72.91
P58	2021-02-16	2-3	44.5	4	0.245	72.28
P59	2021-02-16	2-3	44.5	5	0.247	69.95
P55	2021-02-16	2-3	44.5	1	0.279	60.47
P56	2021-02-16	2-3	44.5	2	0.280	60.11
P48	2021-02-16	1-4	106.9	0	-0.083	-12.49
P49	2021-02-16	1-4	106.9	1	-0.067	-11.42

zet_Tuc, bright, 104
fitted LDD = 1.1912 +/- 0.0072 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)
No removal candidates.

zet_Tuc, faint, 104
fitted LDD = 1.1672 +/- 0.0047 mas; 72 measurements; 1 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline



Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual/sigma} | \geq 3.0$)
ID | night | pair | B(m) | channel | raw | sigma
P28 | 2019-11-26 | 2-4 | 100.5 | 4 | -0.052 | -45.48