



HD124850, combined, fitted LDD = 1.1476 +/- 0.0070 mas; 144 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)
No removal candidates.

HD141004, combined,
fitted LDD = 1.0768 +/- 0.0032 mas; 144 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




HD142860, combined,
fitted LDD = 1.1744 +/- 0.0074 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)
No removal candidates.

HR_2998, combined,
fitted LDD = 1.0059 +/- 0.0099 mas; 144 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual/sigma} | \geq 3.0$)
No removal candidates.

bet_Hyi, combined,
fitted LDD = 2.3530 +/- 0.0069 mas; 144 measurements; 2 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual/sigma} | \geq 3.0$)


ID	night	pair	B(m)	channel	raw	sigma
P90	2021-09-10	2-3	53.7	0	0.051	20.32
P94	2021-09-10	2-3	53.7	4	0.055	16.46

gam_Lep, combined,
fitted LDD = 1.3337 +/- 0.0145 mas; 144 measurements; 56 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)


ID	night	pair	B(m)	channel	raw	sigma
P143	unknown	3-4	nan	5	nan	nan
P124	unknown	1-4	nan	4	nan	nan
P122	unknown	1-4	nan	2	nan	nan
P121	unknown	1-4	nan	1	nan	nan
P120	unknown	1-4	nan	0	nan	nan
P119	unknown	1-3	nan	5	nan	nan
P118	unknown	1-3	nan	4	nan	nan
P117	unknown	1-3	nan	3	nan	nan

iot_Psc, combined,
fitted LDD = 1.1310 +/- 0.0073 mas; 144 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)
No removal candidates.

ksi_Gem, combined,
fitted LDD = 1.4070 +/- 0.0224 mas; 144 measurements; 56 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual}/\sigma | \geq 3.0$)


ID	night	pair	B(m)	channel	raw	sigma
P78	2022-02-28	1-3	124.2	0	0.219	674.38
P114	2022-02-28	1-3	121.6	0	0.210	561.21
P120	2022-02-28	1-4	130.1	0	0.224	344.47
P84	2022-02-28	1-4	128.7	0	0.226	286.62
P134	2022-02-28	2-4	110.4	2	0.109	411.36
P98	2022-02-28	2-4	109.1	2	0.113	389.75
P115	2022-02-28	1-3	121.6	1	0.174	245.56
P121	2022-02-28	1-4	130.1	1	0.210	177.94

pi3_Ori, combined,
fitted LDD = 1.5136 +/- 0.0243 mas; 144 measurements; 5 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)


ID	night	pair	B(m)	channel	raw	sigma
P78	2019-11-27	1-3	129.2	0	0.066	10.37
P84	2019-11-27	1-4	121.5	0	0.064	10.34
P132	2019-11-27	2-4	113.3	0	0.054	10.25
P96	2019-11-27	2-4	112.7	0	0.054	9.69
P114	2019-11-27	1-3	129.0	0	0.055	8.92

psi Vel A, combined,
fitted LDD = 0.9434 +/- 0.0099 mas; 84 measurements; 12 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)


ID	night	pair	B(m)	channel	raw	sigma
P65	unknown	2-3	nan	5	nan	nan
P64	unknown	2-3	nan	4	nan	nan
P63	unknown	2-3	nan	3	nan	nan
P62	unknown	2-3	nan	2	nan	nan
P61	unknown	2-3	nan	1	nan	nan
P60	unknown	2-3	nan	0	nan	nan
P59	unknown	2-3	nan	5	nan	nan
P58	unknown	2-3	nan	4	nan	nan

psi_Vel, combined,
fitted LDD = 0.9640 +/- 0.0125 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)
No removal candidates.

rho_Pup, combined,
fitted LDD = 1.6507 +/- 0.0131 mas; 144 measurements; 25 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)


ID	night	pair	B(m)	channel	raw	sigma
P129	2021-02-16	2-3	44.5	3	0.270	148.69
P128	2021-02-16	2-3	44.5	2	0.288	135.83
P131	2021-02-16	2-3	44.5	5	0.255	152.06
P126	2021-02-16	2-3	44.5	0	0.291	130.27
P130	2021-02-16	2-3	44.5	4	0.253	146.83
P127	2021-02-16	2-3	44.5	1	0.287	129.43
P31	2021-02-17	3-4	103.7	1	-0.103	-36.67
P23	2021-02-17	2-3	56.7	5	-0.084	-39.89

zet_Tuc, combined,
fitted LDD = 1.1685 +/- 0.0076 mas; 144 measurements; 1 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline



Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual/sigma} | \geq 3.0$)
ID | night | pair | B(m) | channel | raw | sigma
P100 | 2019-11-26 | 2-4 | 100.5 | 4 | -0.053 | -19.26