



HD124850, combined,
fitted LDD = 1.1179 +/- 0.0007 mas; 144 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




HD141004, combined,
fitted LDD = 1.0664 +/- 0.0017 mas; 144 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual}/\sigma | \geq 3.0$)
No removal candidates.

HD142860, combined,
fitted LDD = 1.2287 +/- 0.0187 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual}/\sigma | \geq 3.0$)
No removal candidates.

HR_2998, combined,
fitted LDD = 0.9888 +/- 0.0085 mas; 144 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)
No removal candidates.

bet_Hyi, combined,
fitted LDD = 2.3514 +/- 0.0060 mas; 144 measurements; 2 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual/sigma} | \geq 3.0$)


ID	night	pair	B(m)	channel	raw	sigma
P94	2021-09-10	2-3	53.7	4	0.054	16.40
P90	2021-09-10	2-3	53.7	0	0.054	11.02

gam_Lep, combined,
fitted LDD = 1.3208 +/- 0.0071 mas; 144 measurements; 53 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)


ID	night	pair	B(m)	channel	raw	sigma
P143	unknown	3-4	nan	5	nan	nan
P124	unknown	1-4	nan	4	nan	nan
P122	unknown	1-4	nan	2	nan	nan
P121	unknown	1-4	nan	1	nan	nan
P120	unknown	1-4	nan	0	nan	nan
P119	unknown	1-3	nan	5	nan	nan
P118	unknown	1-3	nan	4	nan	nan
P142	unknown	3-4	nan	4	nan	nan

iot_Psc, combined,
fitted LDD = 1.1138 +/- 0.0027 mas; 144 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual}/\sigma | \geq 3.0$)
No removal candidates.

ksi_Gem, combined,
fitted LDD = 1.4545 +/- 0.0083 mas; 144 measurements; 21 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual}/\sigma | \geq 3.0$)


ID	night	pair	B(m)	channel	raw	sigma
P59	2022-02-25	2-3	58.0	5	0.112	255.25
P71	2022-02-25	3-4	37.9	5	-0.052	-223.71
P56	2022-02-25	2-3	58.0	2	0.179	27.93
P143	2022-02-28	3-4	78.4	5	0.099	31.53
P20	2022-02-25	2-3	58.2	2	0.070	42.94
P141	2022-02-28	3-4	78.4	3	0.055	41.40
P58	2022-02-25	2-3	58.0	4	0.135	15.58
P64	2022-02-25	2-4	86.9	4	-0.055	-25.83

pi3_Ori, combined,
fitted LDD = 1.5303 +/- 0.0079 mas; 144 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual}/\sigma | \geq 3.0$)
No removal candidates.

psi Vel A, combined,
fitted LDD = 0.9903 +/- 0.0000 mas; 84 measurements; 83 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)


ID	night	pair	B(m)	channel	raw	sigma
P64	unknown	2-3	nan	4	nan	nan
P65	unknown	2-3	nan	5	nan	nan
P54	unknown	2-3	nan	0	nan	nan
P55	unknown	2-3	nan	1	nan	nan
P56	unknown	2-3	nan	2	nan	nan
P57	unknown	2-3	nan	3	nan	nan
P58	unknown	2-3	nan	4	nan	nan
P59	unknown	2-3	nan	5	nan	nan

psi_Vel, combined,
fitted LDD = 0.9903 +/- 0.0000 mas; 72 measurements; 6 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)


ID	night	pair	B(m)	channel	raw	sigma
P66	2021-03-04	3-4	101.5	0	-0.053	-8.80
P67	2021-03-04	3-4	101.5	1	-0.067	-5.75
P70	2021-03-04	3-4	101.5	4	-0.056	-6.14
P34	2021-03-04	3-4	101.2	4	-0.057	-6.05
P43	2021-03-04	1-3	128.2	1	-0.059	-4.25
P31	2021-03-04	3-4	101.2	1	-0.051	-4.65

rho_Pup, combined,
fitted LDD = 1.6367 +/- 0.0032 mas; 144 measurements; 16 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)


ID	night	pair	B(m)	channel	raw	sigma
P127	2021-02-16	2-3	44.5	1	0.275	167.47
P128	2021-02-16	2-3	44.5	2	0.272	18.19
P131	2021-02-16	2-3	44.5	5	0.217	21.39
P129	2021-02-16	2-3	44.5	3	0.274	14.22
P130	2021-02-16	2-3	44.5	4	0.261	13.06
P123	2021-02-16	1-4	106.9	3	-0.055	-55.04
P121	2021-02-16	1-4	106.9	1	-0.075	-22.11
P122	2021-02-16	1-4	106.9	2	-0.075	-20.71

zet_Tuc, combined,
fitted LDD = 1.2342 +/- 0.0536 mas; 144 measurements; 41 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline



Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual}/\sigma | \geq 3.0$)

ID	night	pair	B(m)	channel	raw	sigma
P128	2019-11-26	2-3	52.1	2	-0.056	-1580.93
P129	2019-11-26	2-3	52.1	3	-0.051	-195.74
P127	2019-11-26	2-3	52.1	1	-0.063	-79.81
P125	2019-11-26	1-4	113.3	5	0.063	14.83
P89	2019-11-26	1-4	115.1	5	0.062	10.55
P124	2019-11-26	1-4	113.3	4	0.065	9.16
P88	2019-11-26	1-4	115.1	4	0.069	7.70
P6	2019-11-28	1-3	129.2	0	-0.080	-6.66