



HD124850, bright, 105 fitted LDD = 1.1361 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




HD124850, faint, 105 fitted LDD = 1.1224 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




HD141004, bright, 105 fitted LDD = 1.0773 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




HD141004, faint, 105 fitted LDD = 1.0518 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




HD142860, faint, 105
fitted LDD = 1.2232 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual}/\sigma | \geq 3.0$)
No removal candidates.

HR_2998, bright, 104
fitted LDD = 1.0252 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




HR_2998, faint, 104
fitted LDD = 0.9576 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual}/\sigma | \geq 3.0$)
No removal candidates.

bet_Hyi, bright, 106
fitted LDD = 2.3321 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




bet_Hyi, faint, 106
 fitted LDD = 2.3726 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




gam_Lep, faint, 104
fitted LDD = 1.3195 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)
No removal candidates.

gam_Lep, faint, 106
fitted LDD = 1.3551 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual/sigma} | \geq 3.0$)
No removal candidates.

iot_Psc, bright, 104
fitted LDD = 1.1196 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual}/\sigma | \geq 3.0$)
No removal candidates.

iot_Psc, faint, 104
 fitted LDD = 1.0776 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




ksi_Gem, bright, 106
fitted LDD = 1.4278 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)
No removal candidates.

ksi_Gem, faint, 106
fitted LDD = 1.4933 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




pi3_Ori, bright, 104
 fitted LDD = 1.5118 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




pi3_Ori, faint, 104
 fitted LDD = 1.5580 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




psi Vel A, bright, 106
fitted LDD = 0.9903 +/- 0.0000 mas; 84 measurements; 12 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)


ID	night	pair	B(m)	channel	raw	sigma
P65	unknown	2-3	nan	5	nan	nan
P64	unknown	2-3	nan	4	nan	nan
P63	unknown	2-3	nan	3	nan	nan
P62	unknown	2-3	nan	2	nan	nan
P61	unknown	2-3	nan	1	nan	nan
P60	unknown	2-3	nan	0	nan	nan
P59	unknown	2-3	nan	5	nan	nan
P58	unknown	2-3	nan	4	nan	nan

psi_Vel, faint, 106
fitted LDD = 0.9903 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




rho_Pup, bright, 106
fitted LDD = 1.7021 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)
No removal candidates.

rho_Pup, faint, 106
fitted LDD = 1.6780 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




zet_Tuc, bright, 104
fitted LDD = 1.3692 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




zet_Tuc, faint, 104
fitted LDD = 1.1108 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night



Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline

