



HD124850, combined,
fitted LDD = 1.1381 +/- 0.0000 mas; 144 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual}/\sigma | \geq 3.0$)
No removal candidates.

HD141004, combined,
fitted LDD = 1.0637 +/- 0.0000 mas; 144 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual/sigma} | \geq 3.0$)
No removal candidates.

HD142860, combined,
fitted LDD = 1.2073 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual}/\sigma | \geq 3.0$)
No removal candidates.

HR_2998, combined,
fitted LDD = 0.9938 +/- 0.0000 mas; 144 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual}/\sigma | \geq 3.0$)
No removal candidates.

bet_Hyi, combined,
fitted LDD = 2.3775 +/- 0.0000 mas; 144 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)
No removal candidates.

gam_Lep, combined,
fitted LDD = 1.3111 +/- 0.0000 mas; 144 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual}/\sigma | \geq 3.0$)
No removal candidates.

iot_Psc, combined,
fitted LDD = 1.1036 +/- 0.0000 mas; 144 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)
No removal candidates.

ksi_Gem, combined,
fitted LDD = 1.4080 +/- 0.0000 mas; 144 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual/sigma} | \geq 3.0$)
No removal candidates.

pi3_Ori, combined,
fitted LDD = 1.5166 +/- 0.0000 mas; 144 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual/sigma} | \geq 3.0$)
No removal candidates.

psi_Vel, combined,
fitted LDD = 1.1274 +/- 0.0000 mas; 156 measurements; 12 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)


ID	night	pair	B(m)	channel	raw	sigma
P65	unknown	2-3	nan	5	nan	nan
P64	unknown	2-3	nan	4	nan	nan
P63	unknown	2-3	nan	3	nan	nan
P62	unknown	2-3	nan	2	nan	nan
P61	unknown	2-3	nan	1	nan	nan
P60	unknown	2-3	nan	0	nan	nan
P59	unknown	2-3	nan	5	nan	nan
P58	unknown	2-3	nan	4	nan	nan

rho_Pup, combined,
fitted LDD = 1.6149 +/- 0.0000 mas; 144 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual/sigma} | \geq 3.0$)
No removal candidates.

zet_Tuc, combined,
fitted LDD = 1.1823 +/- 0.0000 mas; 144 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline



Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual}/\sigma | \geq 3.0$)
No removal candidates.