



HD124850, bright, 105 fitted LDD = 1.1599 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




HD124850, faint, 105 fitted LDD = 1.1351 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




HD141004, bright, 105 fitted LDD = 1.0855 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




HD141004, faint, 105 fitted LDD = 1.0692 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




HD142860, faint, 105
fitted LDD = 1.1659 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)
No removal candidates.

HR_2998, bright, 104
fitted LDD = 1.0454 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual}/\sigma | \geq 3.0$)
No removal candidates.

HR_2998, faint, 104
fitted LDD = 0.9947 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)
No removal candidates.

bet_Hyi, bright, 106
fitted LDD = 2.2789 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




bet_Hyi, faint, 106
 fitted LDD = 2.3720 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




gam_Lep, faint, 106
fitted LDD = 1.3376 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual/sigma} | \geq 3.0$)
No removal candidates.

iot_Psc, bright, 104
fitted LDD = 1.1926 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




iot_Psc, faint, 104
 fitted LDD = 1.1151 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




ksi_Gem, bright, 106
fitted LDD = 1.4585 +/- 0.0000 mas; 78 measurements; 18 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)


ID	night	pair	B(m)	channel	raw	sigma
P71	unknown	3-4	nan	5	nan	nan
P70	unknown	3-4	nan	4	nan	nan
P19	unknown	2-3	nan	1	nan	nan
P20	unknown	2-3	nan	2	nan	nan
P21	unknown	2-3	nan	3	nan	nan
P22	unknown	2-3	nan	4	nan	nan
P23	unknown	2-3	nan	5	nan	nan
P54	unknown	2-3	nan	0	nan	nan

ksi_Gem, faint, 106
fitted LDD = 1.0014 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual}/\sigma | \geq 3.0$)
No removal candidates.

pi3_Ori, bright, 104
 fitted LDD = 1.5027 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




pi3_Ori, faint, 104
fitted LDD = 1.3742 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)
No removal candidates.

psi Vel A, bright, 106
fitted LDD = 0.9694 +/- 0.0000 mas; 84 measurements; 12 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)


ID	night	pair	B(m)	channel	raw	sigma
P65	unknown	2-3	nan	5	nan	nan
P64	unknown	2-3	nan	4	nan	nan
P63	unknown	2-3	nan	3	nan	nan
P62	unknown	2-3	nan	2	nan	nan
P61	unknown	2-3	nan	1	nan	nan
P60	unknown	2-3	nan	0	nan	nan
P59	unknown	2-3	nan	5	nan	nan
P58	unknown	2-3	nan	4	nan	nan

psi_Vel, faint, 106
fitted LDD = 1.0078 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)
No removal candidates.

rho_Pup, bright, 106
fitted LDD = 1.6002 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)
No removal candidates.

zet_Tuc, bright, 104
fitted LDD = 1.2131 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ($| \text{raw residual} | \geq 0.050$ and $| \text{residual/sigma} | \geq 3.0$)
No removal candidates.

zet_Tuc, faint, 104
fitted LDD = 1.1501 +/- 0.0000 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night



Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline

