



# HD124850, bright, 105 fitted LDD = 1.1097 +/- 0.0038 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




# HD124850, faint, 105 fitted LDD = 1.0895 +/- 0.0066 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair







Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




# HD141004, bright, 105 fitted LDD = 1.0526 +/- 0.0003 mas; 72 measurements; 0 removal candidates




# HD141004, faint, 105 fitted LDD = 1.0238 +/- 0.0036 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




# HD142860, faint, 105 fitted LDD = 1.1518 +/- 0.0045 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline



# HR\_2998, bright, 104

fitted LDD = 1.0421 +/- 0.0001 mas; 72 measurements; 1 removal candidates







Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)

| ID  | night      | pair | B(m) | channel | raw   | sigma |
|-----|------------|------|------|---------|-------|-------|
| P18 | 2019-11-25 | 2-3  | 57.4 | 0       | 0.052 | 6.34  |



HR\_2998, faint, 104  
fitted LDD = 0.9986 +/- 0.0021 mas; 72 measurements; 3 removal candidates




Candidate rule: FLAG or ( $|raw\ residual| \geq 0.050$  and  $|residual/sigma| \geq 3.0$ )


| ID  | night      | pair | B(m) | channel | raw   | sigma  |
|-----|------------|------|------|---------|-------|--------|
| P54 | 2019-11-24 | 2-3  | 57.6 | 0       | 0.063 | 210.84 |
| P58 | 2019-11-24 | 2-3  | 57.6 | 4       | 0.056 | 96.80  |
| P57 | 2019-11-24 | 2-3  | 57.6 | 3       | 0.051 | 11.93  |

bet\_Hyi, bright, 106  
 fitted LDD = 2.3279 +/- 0.0044 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or ( $| \text{raw residual} | \geq 0.050$  and  $| \text{residual/sigma} | \geq 3.0$ )  
 No removal candidates.




bet\_Hyi, faint, 106  
fitted LDD = 2.3501 +/- 0.0033 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ( $| \text{raw residual} | \geq 0.050$  and  $| \text{residual/sigma} | \geq 3.0$ )  
No removal candidates.

gam\_Lep, faint, 106  
fitted LDD = 1.1574 +/- 0.0446 mas; 72 measurements; 41 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)


| ID  | night      | pair | B(m)  | channel | raw    | sigma  |
|-----|------------|------|-------|---------|--------|--------|
| P35 | 2021-02-17 | 3-4  | 102.9 | 5       | 0.149  | 150.71 |
| P33 | 2021-02-17 | 3-4  | 102.9 | 3       | 0.174  | 43.69  |
| P56 | 2021-02-17 | 2-3  | 46.3  | 2       | -0.132 | -40.72 |
| P47 | 2021-02-17 | 1-3  | 95.4  | 5       | -0.059 | -89.74 |
| P12 | 2021-02-17 | 1-4  | 113.9 | 0       | 0.072  | 69.49  |
| P34 | 2021-02-17 | 3-4  | 102.9 | 4       | 0.199  | 19.80  |
| P31 | 2021-02-17 | 3-4  | 102.9 | 1       | 0.175  | 20.75  |
| P32 | 2021-02-17 | 3-4  | 102.9 | 2       | 0.174  | 19.12  |

iot\_Psc, bright, 104  
fitted LDD = 1.0923 +/- 0.0008 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ( $| \text{raw residual} | \geq 0.050$  and  $| \text{residual}/\sigma | \geq 3.0$ )  
No removal candidates.

iot\_Psc, faint, 104  
fitted LDD = 1.0558 +/- 0.0089 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)  
No removal candidates.

ksi\_Gem, bright, 106  
fitted LDD = 1.4777 +/- 0.0067 mas; 72 measurements; 29 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)


| ID  | night      | pair | B(m) | channel | raw    | sigma     |
|-----|------------|------|------|---------|--------|-----------|
| P63 | 2022-02-25 | 2-4  | 86.9 | 3       | -0.081 | -18898.84 |
| P65 | 2022-02-25 | 2-4  | 86.9 | 5       | -0.084 | -1207.44  |
| P56 | 2022-02-25 | 2-3  | 58.0 | 2       | 0.194  | 188.90    |
| P23 | 2022-02-25 | 2-3  | 58.2 | 5       | 0.077  | 156.52    |
| P69 | 2022-02-25 | 3-4  | 37.9 | 3       | -0.056 | -140.30   |
| P55 | 2022-02-25 | 2-3  | 58.0 | 1       | 0.225  | 28.77     |
| P64 | 2022-02-25 | 2-4  | 86.9 | 4       | -0.090 | -64.87    |
| P71 | 2022-02-25 | 3-4  | 37.9 | 5       | -0.082 | -51.56    |

ksi\_Gem, faint, 106  
fitted LDD = 1.4660 +/- 0.0011 mas; 72 measurements; 5 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)

| ID  | night      | pair | B(m) | channel | raw   | sigma  |
|-----|------------|------|------|---------|-------|--------|
| P71 | 2022-02-28 | 3-4  | 78.4 | 5       | 0.179 | 125.28 |
| P69 | 2022-02-28 | 3-4  | 78.4 | 3       | 0.094 | 83.82  |
| P70 | 2022-02-28 | 3-4  | 78.4 | 4       | 0.094 | 40.35  |
| P68 | 2022-02-28 | 3-4  | 78.4 | 2       | 0.070 | 37.08  |
| P35 | 2022-02-28 | 3-4  | 79.6 | 5       | 0.074 | 3.96   |




pi3\_Ori, bright, 104  
 fitted LDD = 1.5245 +/- 0.0037 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or ( $| \text{raw residual} | \geq 0.050$  and  $| \text{residual}/\sigma | \geq 3.0$ )  
 No removal candidates.

pi3\_Ori, faint, 104  
 fitted LDD = 1.4166 +/- 0.0019 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or ( $| \text{raw residual} | \geq 0.050$  and  $| \text{residual}/\sigma | \geq 3.0$ )  
 No removal candidates.




psi Vel A, bright, 106  
fitted LDD = 0.8990 +/- 0.0001 mas; 84 measurements; 12 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)


| ID  | night   | pair | B(m) | channel | raw | sigma |
|-----|---------|------|------|---------|-----|-------|
| P65 | unknown | 2-3  | nan  | 5       | nan | nan   |
| P64 | unknown | 2-3  | nan  | 4       | nan | nan   |
| P63 | unknown | 2-3  | nan  | 3       | nan | nan   |
| P62 | unknown | 2-3  | nan  | 2       | nan | nan   |
| P61 | unknown | 2-3  | nan  | 1       | nan | nan   |
| P60 | unknown | 2-3  | nan  | 0       | nan | nan   |
| P59 | unknown | 2-3  | nan  | 5       | nan | nan   |
| P58 | unknown | 2-3  | nan  | 4       | nan | nan   |

psi\_Vel, faint, 106  
 fitted LDD = 0.9579 +/- 0.0130 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel




Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)  
 No removal candidates.

rho\_Pup, bright, 106  
fitted LDD = 1.6505 +/- 0.0083 mas; 72 measurements; 13 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel



Standardized residual versus projected baseline




Candidate rule: FLAG or (|raw residual| >= 0.050 and |residual/sigma| >= 3.0)


| ID  | night      | pair | B(m)  | channel | raw    | sigma   |
|-----|------------|------|-------|---------|--------|---------|
| P22 | 2021-02-17 | 2-3  | 56.7  | 4       | -0.103 | -619.80 |
| P23 | 2021-02-17 | 2-3  | 56.7  | 5       | -0.104 | -41.13  |
| P18 | 2021-02-17 | 2-3  | 56.7  | 0       | -0.102 | -25.55  |
| P20 | 2021-02-17 | 2-3  | 56.7  | 2       | -0.098 | -23.31  |
| P21 | 2021-02-17 | 2-3  | 56.7  | 3       | -0.095 | -23.25  |
| P19 | 2021-02-17 | 2-3  | 56.7  | 1       | -0.098 | -20.90  |
| P34 | 2021-02-17 | 3-4  | 103.7 | 4       | -0.097 | -3.83   |
| P11 | 2021-02-17 | 1-3  | 124.5 | 5       | -0.052 | -7.13   |

zet\_Tuc, bright, 104  
fitted LDD = 1.1805 +/- 0.0013 mas; 72 measurements; 0 removal candidates


Visibility points coloured by night




Visibility points coloured by telescope pair



Raw visibility residual by wavelength channel









Standardized residual versus projected baseline



Candidate rule: FLAG or ( $| \text{raw residual} | \geq 0.050$  and  $| \text{residual}/\sigma | \geq 3.0$ )  
No removal candidates.

zet\_Tuc, faint, 104  
fitted LDD = 1.0986 +/- 0.0015 mas; 72 measurements; 12 removal candidates



|                                                                               |            |      |       |         |        |         |  |
|-------------------------------------------------------------------------------|------------|------|-------|---------|--------|---------|--|
| Candidate rule: FLAG or ( raw residual  >= 0.050 and  residual/sigma  >= 3.0) |            |      |       |         |        |         |  |
| ID                                                                            | night      | pair | B(m)  | channel | raw    | sigma   |  |
| P29                                                                           | 2019-11-26 | 2-4  | 100.5 | 5       | -0.051 | -365.51 |  |
| P25                                                                           | 2019-11-26 | 2-4  | 100.5 | 1       | -0.062 | -258.22 |  |
| P16                                                                           | 2019-11-26 | 1-4  | 115.1 | 4       | 0.052  | 129.58  |  |
| P26                                                                           | 2019-11-26 | 2-4  | 100.5 | 2       | -0.054 | -97.11  |  |
| P28                                                                           | 2019-11-26 | 2-4  | 100.5 | 4       | -0.068 | -38.46  |  |
| P27                                                                           | 2019-11-26 | 2-4  | 100.5 | 3       | -0.061 | -41.58  |  |
| P61                                                                           | 2019-11-26 | 2-4  | 99.9  | 1       | -0.055 | -37.58  |  |
| P71                                                                           | 2019-11-26 | 3-4  | 84.3  | 5       | 0.059  | 29.66   |  |