

Sempre depois de alterar qualquer configuração, é preciso clicar em *Submit*. Depois do PBX todo configurado, para validar as configurações é necessário clicar em *Apply Config*.

Rotas de entrada

The screenshot displays the Incredible PBX web interface. At the top, a navigation bar includes links for Admin, Applications, Connectivity, Dashboard, Reports, and Settings. A red arrow points to the 'Applications' menu, which is open, showing options for 'Route Channel SIP', 'Inbound Routes', 'Outbound Routes', and 'Trunks'. The 'Inbound Routes' option is highlighted with a red box. Below the menu, a table lists the current inbound routes. The table has columns for DID, CID, Description, Destination, and Actions. A single row is shown with 'Any' for DID and CID, 'Default' for Description, and 'IVR: Demo IVR' for Destination. The Actions column contains edit and delete icons. Below the table, it says 'Showing 1 to 1 of 1 rows'.

Below the first screenshot, the 'Inbound Routes' configuration page is shown in detail. The page title is 'Inbound Routes' and the sub-title is 'Route: Default'. There are tabs for 'General', 'Advanced', 'Privacy', 'Fax', and 'Other'. The 'General' tab is active. The form contains the following fields:

- Description: Default
- DID Number: ANY
- CallerID Number: ANY
- CID Priority Route: Yes (selected)
- Alert Info: None
- Ring Volume Override: None
- CID name prefix: Default
- Music On Hold: Default
- Set Destination: IVR (selected)

At the bottom right of the form, there are buttons for 'Submit', 'Reset', and 'Delete'.

AdminApplicationsConnectivityDashboardReportsSettings

Inbound Routes

Route: Default

GeneralAdvancedPrivacyFaxOther

Call Recording

ForceYesDon't CareNoNever

CID Lookup Source

None

Language

Default

Enable Superfecta Lookup

YesNo

Superfecta Scheme

ALL

SubmitResetDelete

INCREIBLEPBX

INCREIBLEPBX

INCREIBLEPBX needs to be installed on a server.
Click here to view the installation instructions.
INCREIBLEPBX is a registered trademark of Incredible PBX, LLC.
FreePBX and Sangoma are registered trademarks of Sangoma Technologies.
Copyright © 2007-2014, Sangoma Technologies and Incredible PBX, LLC.

Rotas de saída

AdminApplicationsConnectivityDashboardReportsSettings

Outbound Routes

used to manage your outbound routing.

+ Add Outbound Route

Name	Outbound CID	Attributes	Actions
+ Default	3832209896		

INCREIBLEPBX

INCREIBLEPBX

INCREIBLEPBX needs to be installed on a server.
Click here to view the installation instructions.
INCREIBLEPBX is a registered trademark of Incredible PBX, LLC.
FreePBX and Sangoma are registered trademarks of Sangoma Technologies.
Copyright © 2007-2014, Sangoma Technologies and Incredible PBX, LLC.

AdminApplicationsConnectivityDashboardReportsSettings

Outbound Routes

Edit Route: Default: Default

Route SettingsDial PatternsImport/Export PatternsNotificationsAdditional Settings

Route Name

Default

Route CID

3832209896

Override Extension

YesNo

Route Password

Route Type

EmergencyIntra-Company

Music On Hold?

default

Time Match Time Zone

Use System Timezone

Time Match Time Group

Permanent Route

Trunk Sequence for Matched Routes

ModeloFalemos

Optional Destination on Congestion

Normal Congestion

SubmitDuplicateResetDelete

INCREIBLEPBX

INCREIBLEPBX

INCREIBLEPBX needs to be installed on a server.
Click here to view the installation instructions.
INCREIBLEPBX is a registered trademark of Incredible PBX, LLC.
FreePBX and Sangoma are registered trademarks of Sangoma Technologies.
Copyright © 2007-2014, Sangoma Technologies and Incredible PBX, LLC.

AdminApplicationsConnectivityDashboardReportsSettings

Outbound Routes

Edit Route: Default: Default

Route SettingsDial PatternsImport/Export PatternsNotificationsAdditional Settings

Dial Patterns that will use this Route

Pattern Help

Dial patterns wizards

prepend	prefix	0800	CallertID	+
prepend	prefix	000000000000	CallertID	+
prepend	prefix	000000000000	CallertID	+
prepend	prefix	3000000000	CallertID	+
prepend	prefix	4000000000	CallertID	+
038	prefix	9000000000	CallertID	+
0	prefix	100000000000	CallertID	+
038	prefix	1000000000	CallertID	+
0	prefix	100000000000	CallertID	+
0	55	100000000000	CallertID	+
0	55	100000000000	CallertID	+
prepend	prefix	match pattern	CallertID	+

SubmitDuplicateResetDelete

INCREIBLE

INCREIBLE

AdminApplicationsConnectivityDashboardReportsSettings

Outbound Routes

Edit Route: Default: Default

Route SettingsDial PatternsImport/Export PatternsNotificationsAdditional Settings

Call Recording 0

ForceYesDon't CareNoNever

PIN Set 0

None

SubmitDuplicateResetDelete

INCREIBLE

INCREIBLE

Tronco

AdminApplicationsConnectivityDashboardReportsSettings

Connectivity

Device Channel IDs

Inbound Routes

Outbound Routes

Trunks

used to manage various system trunks

+ Add Trunk

Search

Name	Tech	CallertID	Status	Actions
Modelo:fabrisno	psip	3832209896	Disabled	 

Showing 1 to 1 of 1 rows

INCREIBLE

INCREIBLE

INCREIBLE PBX Admin Applications Connectivity Dashboard Reports Settings Apply Config

Edit Trunk

In use by 1 route

General | Dialed Number Manipulation Rules | **ppip Settings**

Trunk Name

Hide CallerID ☐ Yes ☒ No

Outbound CallerID

CID Options ☒ Allow Any CID ☐ Block Foreign CIDs ☐ Remove CNAM ☐ Force Trunk CID

Maximum Channels

Asterisk Trunk Dial Options

Continue if Busy ☐ Yes ☒ No

Disable Trunk ☐ Yes ☒ No

Member Trunk Failures ☐ Yes ☒ No

Submit Duplicate Reset Delete

INCREIBLE PBX Admin Applications Connectivity Dashboard Reports Settings Apply Config

Edit Trunk

In use by 1 route

General | Dialed Number Manipulation Rules | **ppip Settings**

General | Advanced | **Codecs**

Username

Auth username

Secret

Authentication ☒ Outbound ☐ Inbound ☐ Both ☐ None

Registration ☒ Send ☐ Receive ☐ None

Language Code

SIP Server

SIP Server Port

Context

Transport

Submit Duplicate Reset Delete

INCREIBLE PBX Admin Applications Connectivity Dashboard Reports Settings Apply Config

Edit Trunk

In use by 1 route

General | Dialed Number Manipulation Rules | **ppip Settings**

General | Advanced | **Codecs**

Check the desired codecs, all others will be disabled. Drag to re-order.

☒ alaw

☒ alaw

☐ g728

☐ g723

☐ lpc10

☐ speex16

☐ speex32

☐ g722

☐ gsm

☐ adpcm

☐ ulaw

☐ g729

Submit Duplicate Reset Delete

Ramais

Tipo softphone: Usado para softwares tipo microsip e telefones físicos ip.

The screenshot shows the 'Admin' tab selected in the top navigation bar. On the left, the 'Extensions' menu item is highlighted with a red box. The main content area displays a table of extensions under the 'All Extensions' tab. The table has columns for checkboxes, Extension, Name, CW, DND, FIM/FM, CF, CFB, CFU, Type, and Actions. Two rows are visible: one for 'Modelo Softphone' (extension 5000) and one for 'Modelo Webphone' (extension 5002), both of type 'pjsip'.

	Extension	Name	CW	DND	FIM/FM	CF	CFB	CFU	Type	Actions
☐	5000	Modelo Softphone	☒	☐	☐	☐	☐	☐	pjsip	Edit Delete
☐	5002	Modelo Webphone	☒	☐	☐	☐	☐	☐	pjsip	Edit Delete

This screenshot shows the 'Add New' dropdown menu open in the 'Add Extension' section. The menu options are: 'Add New Custom Extension', 'Add New DAHDI Extension', 'Add New IAX2 Extension', 'Add New SIP (chan_pjsip) Extension', and 'Add New Virtual Extension'. The 'Add New SIP (chan_pjsip) Extension' option is highlighted with a red arrow. The background table of extensions is still visible.

The screenshot displays the 'Add PJSIP Extension' configuration form. The 'User Extension' field is set to '4000' and the 'Display Name' is '4000 - jost', both highlighted with red arrows. Other fields include 'Outbound CID', 'Emergency CID', 'Secret', 'Language Code' (set to 'Default'), 'Select User Directory' (set to 'PBX Internal Directory'), 'Link to a Default User' (set to 'Create New User'), 'Username', 'Password For New User', and 'Groups' (set to 'All Users'). The form has 'Submit' and 'Reset' buttons at the bottom right.

Tipo webphone: Para serem usados no sistema de atendimento

The screenshot shows the Incredible PBX web interface. At the top, there are logos for 'INCREIBLE PBX' and 'PBX'. Below the logos, there is a navigation bar with tabs: 'Admin', 'Applications', 'Connectivity', 'Dashboard', 'Reports', and 'Settings'. The 'Extensions' tab is selected, and a dropdown menu is open for 'All Extensions'. The dropdown menu contains the following options: 'Add Extension...', 'Quick Create Extension', 'Add New Custom Extension', 'Add New DAHDI Extension', 'Add New IAX2 Extension', 'Add New SIP (chan_sip) Extension', and 'Add New Virtual Extension'. The main table displays a list of extensions with columns: extension, Name, CW, DND, PM/PM, CF, CFS, CFU, Type, and Actions. The table shows two extensions: 'X01' (Modelo Softphone) and 'X02' (Modelo Webphone). Both extensions have 'CW' checked, 'DND' unchecked, 'PM/PM' unchecked, 'CF' unchecked, 'CFS' unchecked, 'CFU' unchecked, and 'Type' set to 'psip'. The 'Actions' column for each extension contains icons for edit and delete.

INCREIBLE PBX

INCREIBLE PBX

Admin Applications Connectivity Dashboard Reports Settings

All Extensions Custom Extensions DAHDI Extensions IAX2 Extensions SIP (chan_sip) Extensions Virtual Extensions

+ Add Extension... Quick Create Extension X Delete

+ Add New Custom Extension

+ Add New DAHDI Extension

+ Add New IAX2 Extension

+ Add New SIP (chan_sip) Extension

+ Add New Virtual Extension

Showing 1 to 2 of 2 rows

extension	Name	CW	DND	PM/PM	CF	CFS	CFU	Type	Actions
X01	Modelo Softphone	☒	☐	☐	☐	☐	☐	psip	Edit Delete
X02	Modelo Webphone	☒	☐	☐	☐	☐	☐	psip	Edit Delete

The screenshot shows the 'Advanced' tab of the 'Add PJSIP Extension' configuration page. The 'Advanced' tab is highlighted with a red box. Four red arrows point to the following settings:

- Quality Frequency: 60
- Transport: O.O.O.D-ways
- Enable AVPF: No
- Enable ICE Support: No

Admin Applications Connectivity Dashboard Reports Settings

Max Contacts 1

Remove Existing Yes No

Media Use Received Transport Yes No

RTP Symmetric Yes No

Rewrite Contact Yes No

Force port Yes No

MWI Subscription Type Auto Unsolicited Solicited

Aggregate MWI No Yes

Enable WebRTC defaults No Yes

Max audio streams 1

Max video streams 1

Media Encryption DTLS-SRTP (not recommended)

Session Timers Yes

Timer Expiration Period 90

Direct Media No Yes

Allow Non-Encrypted Media (Opportunistic SRTP) No Yes

Refer Blind Progress No Yes

Device State Busy at 0

Match (Permit) 0

Maximum Expiration 7200

Minimum Expiration 60

Submit Reset

Admin Applications Connectivity Dashboard Reports Settings

Dictation Services

Dictation Service Disabled

Dictation Format Ogg Vorbis

Email Address

From Address dictate@freepbx.org

Default Group Inclusion

Default Directory Exclude

DTLS

Enable DTLS No Yes

Auto Generate Certificate No Yes

Use Certificate default

DTLS Verify Fingerprint

DTLS Setup ActiPass

DTLS Rekey Interval 0

Optional Destinations

No Answer Unavail Voicemail if Enabled

CID Prefix

Busy Busy Voicemail if Enabled

CID Prefix

Not Reachable Unavail Voicemail if Enabled

Submit Reset

Filas

Admin Applications Connectivity Dashboard Reports Settings

Queues

+ Add Queue

Search

Queue	Description	Actions
100	Modelo de Fila	

Showing 1 to 1 of 1 rows

Queues

Ring Groups

Set CallerID

Text To Speech

Time Conditions

Time Groups

Voice Mail Blasting

Wake Up Calls

IPBX Admin Applications Connectivity Dashboard Reports Settings

Queues Add Queue

General Settings Queue Agents Timing & Agent Options Capacity Options Caller Announcements Advanced Options Reset Queue Stats

Queue Number 202

Queue Name Financeiro

Queue No Answer Yes No

Call Confirm Yes No

Call Confirm Announcement Default

CID Name Prefix

Wait Time Prefix Yes No

Alert Info None

Ring Volume Override None

Ring Volume Override Mode Force Yes Don't Care No Never

Restrict Dynamic Agents Yes No

Agent Restrictions Call as Dialed No Follow-Me or Call Forward Extensions Only

Ring Strategy ringall

Autofill Yes No

Skip Busy Agents No Yes Yes + (ringinuse-no) Queue calls only (ringinuse-no)

Queue Weight 0

Music on Hold Class Inherit

Join Announcement None

Submit Reset

IPBX Admin Applications Connectivity Dashboard Reports Settings

Call Confirm Announcement Default

CID Name Prefix

Wait Time Prefix Yes No

Alert Info None

Ring Volume Override None

Ring Volume Override Mode Force Yes Don't Care No Never

Restrict Dynamic Agents Yes No

Agent Restrictions Call as Dialed No Follow-Me or Call Forward Extensions Only

Ring Strategy ringall

Autofill Yes No

Skip Busy Agents No Yes Yes + (ringinuse-no) Queue calls only (ringinuse-no)

Queue Weight 0

Music on Hold Class Inherit

Join Announcement None

Call Recording Force Yes Don't Care No Never

Mark calls answered elsewhere Yes No

Fail Over Destination Choose one

Submit Reset

INCRECIBLE PBX

INCRECIBLE PBX

IPBX Admin Applications Connectivity Dashboard Reports Settings

Queues Add Queue

General Settings Queue Agents Timing & Agent Options Capacity Options Caller Announcements Advanced Options Reset Queue Stats

Static Agents 5000.0

Dynamic Agents

Agent Quick Select 5002 (Modelo Webphone)

Agent Quick Select

Submit Reset

INCRECIBLE PBX

INCRECIBLE PBX

URA

Admin Applications Connectivity Dashboard Reports Settings

IVR

+ Add IVR

IVR Name	IVR Description	Actions
Demo IVR	Demo IVR	

Showing 1 to 1 of 1 rows

Admin

- AMD Settings
- Announcements
- Calendar
- Calendar Event Groups
- Call Flow Control
- Call Recording
- Callback
- Conferences
- DISA
- Directory
- Extensions
- File Transfer
- IVR
- Language
- Misc Applications
- Misc Destinations
- Queue Priorities
- Queues
- Ring Groups
- Set CallerID
- Text To Speech
- Time Conditions
- Time Groups
- Voice Mail
- Wake Up Calls

INCREIBLE PBX

INCREIBLE PBX

Admin Applications Connectivity Dashboard Reports Settings

Add IVR

IVR General Options

IVR Name

IVR Description

IVR DTMF Options

Announcement

Enable Direct Dial

Force Strict Dial Timeout

Timeout

Alert Info

Ring Volume Override

Invalid Retries

Invalid Retry Recording

Append Announcement to Invalid

Return on Invalid

Invalid Recording

Invalid Destination

Timeout Retries

Timeout Retry Recording

Append Announcement on Timeout

Return on Timeout

Timeout Recording

Submit Duplicate Reset

Admin Applications Connectivity Dashboard Reports Settings

Append Announcement to Invalid

Return on Invalid

Invalid Recording

Invalid Destination

Timeout Retries

Timeout Retry Recording

Append Announcement on Timeout

Return on Timeout

Timeout Recording

Timeout Destination

Return to IVR after VM

IVR Entries

Digits	Destination	Return	Delete
1	Queues	100 Modelo de File	
2	Extensions	5002 Modelo Webphone	

+ Add Another Entry

Submit Duplicate Reset

INCREIBLE PBX

INCREIBLE PBX

Áudios

IPBX

Admin

Applications

Connectivity

Dashboard

Reports

Settings

Administrators

Asterisk CU

Asterisk Modules

Asterisk Phonebook

Backup & Restore

Blacklist

Bulk Handler

CD Superfecta

CallerID Lookup Sources

Certificate Management

Config Edit

Custom Destinations

Custom Extensions

Feature Codes

Incredible Support

Module Admin

Presence State

System Recordings

Updates

User Management

◆ Add Recording

Search

⌵

⌵

Display Name	Description	Supported Languages	Actions
ivr-Allison	Enchilada IVR		
ivr-GenericWelcome	Generic Welcome IVR suitable for Stealth AutoAttendant		

Showing 1 to 2 of 2 rows

IPBX

Admin

Applications

Connectivity

Dashboard

Reports

Settings

INCREIBLE

IPBX

INCREIBLE

IPBX

INCREIBLE PBX and PaaSPBX code is licensed pursuant to GPL.

Our work is the creative work and copyrightable expression.

INCREIBLE PBX is a registered trademark of Mark Murdy & Associates, LLC.

INCREIBLE and PaaSPBX are registered trademarks of Sangoma Technologies.

Copyright © 2007-2014, Sangoma Technologies and Mark Murdy & Associates, LLC

◆ Add New System Recording

⌵

Name

Description

File List for Portuguese Brasil

Upload Recording

Record in Browser

Record Over Extension

Add System Recording

Link to Feature Code

Feature Code Password

Convert To

audiotonicUSA

Audio da URA que fala as entradas e direciona as ligações.

Portuguese Brasil

No files for Portuguese Brasil

Browse

Drop Multiple Files or Archives Here

0:00

Hit the red record button to start recording from your browser

00:00

Enter Extension...

Call

Select a system recording

Yes No Not supported on compounded or Non-Existent recordings

alaw g722 gsm sln sln16 sln48 ulaw muu

Submit

Reset